08 Track Lights>The COB Compact Cylinder Range

# 65524T/W/W



12W COB track spot with honeycomb.

Complete with 250mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE DARK LIGHT CE

## Downloads

IES

## Dimensions




## Related items


40001A/W


40002A/W


40003A/W


40003R/W

## Physical Specification

| | |
|---|---|
| Item Group | 08 Track Lights |
| Family | The COB Compact Cylinder Range |
| Order Code | 65524T/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Circular |
| Height | 110mm |

| | |
|---|---|
| Diameter | 55mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 250mA |
| Voltage | 48V |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Sanan |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |

| | |
|---|---|
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 12W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 250mA | 48 |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Lifud |
| Protection | Short Circuit Protection |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 1080lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Weight | 0.375kg |
| Pcs/Carton | 24 |
| Barcode | 5291889063384 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |