# 08 Track Lights>The COB Cylinder Track Light PV & CCT V

# 65606BT/B/V



20W COB LED CCT and Power variable track spot, IP20.

Supplied with power variable driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V PV 90 CRI ADJUSTABLE CE

## Downloads

IES

## Dimensions




## Related items


40001A/B


40002A/B


40003A/B


40003R/B

## Physical Specification

| | |
|---|---|
| Item Group | 08 Track Lights |
| Family | The COB Cylinder Track Light PV & CCT V |
| Order Code | 65606BT/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 160mm |

| | |
|---|---|
| Diameter | 60mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 10W-15W-20W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Light Source | LED built in |
| LED Type | COB |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Dimmable | No |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K-3500K-4000K |
| Lumen Output | 2000lm@20W |
| Light Efficiency | 100 |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.590kg |
| Pcs/Carton | 12 |
| Barcode | 5291889092544 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |