13 Wall & Ceiling LED>Outdoor Wall Cylinders

# 67138E/G/W



6W Outdoor Wall Cylinder, IP54.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.

IP54 80 CRI CE

## Downloads

IES

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 13 Wall & Ceiling LED |
| Family | Outdoor Wall Cylinders |
| Order Code | 67138E/G/W |
| Colour | Grey |
| Material | Die Cast |
| Shape | Circular |
| Height | 90mm |
| Diameter | 80mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 6W |
| IP Rating | IP54 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 500mA |
| Voltage | 10V |
| Safety Class |  |
| Power(Watts) | 5W |
| IP Rating | IP54 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 3-6W |

| | |
|---|---|
| Power Factor | 0,5 |
| Constant Current | Yes |
| 500mA | 6-12V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 70°C |
| Brand | Eaglerise |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 440lm |
| Light Efficiency | 73,33lm/W |
| CRI | 80 |
| Beam Angle | 35° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 12cm |
| Box Width | 9cm |
| Box Height | 10cm |
| Box Weight | 0.583kg |
| Pcs/Carton | 12 |
| Barcode | 5291889024255 |
| HS Code | 9405409900 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 Years |
| Weee Directive | Yes |