13 Wall & Ceiling LED>Outdoor Wall Cylinders High Power

67138L/AN/C



2x20W Outdoor Wall Cylinder, IP65.

AC LED.


Complies with standard EN60598-1 and any other specific standards.

IP65 80 CRI TRIAC DIMMABLE CE

Downloads

IES

Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Cylinders High Power
Order Code	67138L/AN/C
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	300mm
Diameter	140mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x20W
IP Rating	IP65
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	2x1400lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

Packing Info

Box Weight	3.650kg
Pcs/Carton	2
Barcode	5291889062080
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes