21 Emergency Lights>Emergency LED Plafo

67218E/W/V



15W Emergency CCT Variable LED plafo light, IP65, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



67218R/B

Physical Specification

Item Group	21 Emergency Lights
Family	Emergency LED Plafo
Order Code	67218E/W/V
Colour	White
Material	Plastic
Diffuser Material	Plastic
Shape	Circular

Height	95mm
Diameter	340mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	15W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	180mA
Voltage	78V
Power(Watts)	14,04W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan

F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Battery Capacity	2000mAh
Battery Voltage	3.2V
Operation Time	3hrs

Illumination Data

Colour Temperature	3000K-4000K-6500K
Lumen Output	1600lm
Light Efficiency	106,67lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.450kg
Pcs/Carton	6
Barcode	5291889074212
HS Code	9405114090

Certification & Warranty

Warranty	3 years