13 Plafo>The IK10 Industrial Range IP65

67220A/B/V



CCT Variable 26W LED Plafo, IP65, suitable for both indoor and outdoor installations.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Plafo
Family	The IK10 Industrial Range IP65
Order Code	67220A/B/V
Colour	Black
Material	PC
Diffuser Material	PC
Shape	Circular
Height	55mm
Diameter	260mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	10

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	26W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Light Source	LED built in
LED Type	SMD
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	145mA
Dimmable	No
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K-4000K-6000K
Lumen Output	2750lm
Light Efficiency	105lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	0.960kg
Pcs/Carton	5
Barcode	5291889081074
HS Code	9405114090

Certification & Warranty

Warranty	3 years