19 Garden & Underwater>LED Bollard Lights Aluminium

67358/AN/W



7W LED Bollard, IP65 for Garden illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 80 CRI CE


Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	19 Garden & Underwater
Family	LED Bollard Lights Aluminium
Order Code	67358/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	100mm

Width	50mm
Height	400mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	9V
Power(Watts)	6,3W
IP Rating	IP65
Light Source	LED built in
LED Brand	Cree

Gear

Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,8-9,6W
Power Factor	0,9
Constant Current	Yes
700mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Protection	Short Circuit

Illumination Data

Colour Temperature	3000K
Lumen Output	262lm
Light Efficiency	37,42lm/W
CRI	80
Beam Angle	49°
Illumination Diagram	

Packing Info

Box Length	43,5cm
Box Width	8cm
Box Height	13cm
Box Weight	1.037kg
Pcs/Carton	8
Barcode	5291889034995
HS Code	9405413990

Certification & Warranty

Warranty	2 years