WIMBLEDON LIGHTING SINCE 1989

21 Emergency Lights>Emergency LED Plafo

67366E/W/V



12W CCT Variable 3-Hour Emergency LED plafo light, IP54.

Complete with non-dimmable LED driver and lithium battery.

Complies with standard EN60598-1 and any other specific standards.

IP54 IK08 CCT V 80 CRI CE

Downloads

Dimensions



Physical Specification

Item Group	21 Emergency Lights
Family	Emergency LED Plafo
Order Code	67366E/W/V
Colour	White
Material	PC
Shape	Circular
Height	50mm
Diameter	250mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

IK Rating	8

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Light Source	LED built in
LED Type	SMD

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	1000lm

Light Efficiency	83,33lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	0.920kg
Pcs/Carton	20
Barcode	5291889082453
HS Code	9405114090

Certification & Warranty

Warranty	2 years