13 Plafo>The LED Slim Bathroom Range PC

67370/W/V



CCT Variable 25W LED slim plafo, IP54, ideal for both indoor and outdoor installations.

Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.

IP54 IK08 CCT V 80 CRI CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	13 Plafo
Family	The LED Slim Bathroom Range PC
Order Code	67370/W/V
Colour	White
Material	PC
Shape	Circular
Height	40mm
Diameter	350mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

IK Rating	8

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	300mA
IP Rating	IP54
Light Source	LED built in
LED Type	SMD
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	300mA
IP Rating	IP20

Safety Class	
Dimmable	No

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	2000lm
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.350kg
Pcs/Carton	10
Barcode	5291889082446
HS Code	9405114090

Certification & Warranty

Warranty	2 years
Weee Directive	Yes