12 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

67396A/AN/V



6W CCT Variable LED wall light with sensor, IP65.


Duration time: 10sec to 7mins adjustable with dip switch.

Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 80 CRI CE

Downloads

Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	Down Illumination Wall Lights ABS + PC
Order Code	67396A/AN/V
Colour	Anthracite
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	220mm
Width	60mm
Height	113mm
Surface Wall	Yes
Indoor	Yes

Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Illumination Data

Colour Code	2700K-3300K-4000K
Lumen Output	420lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	0.415kg
Pcs/Carton	20
Barcode	5291889083801
HS Code	9405114090

Certification & Warranty

Warranty	2 years