13 Wall & Ceiling LED>Window Frame Illumination

67454/AN/W



6W LED for window frame illumination,IP65.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 IK08 80 CRI 270° CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Window Frame Illumination
Order Code	67454/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	140mm

Width	95mm
Height	62mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes
IK Rating	8

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	11V
Power(Watts)	5,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB

LED Brand	Cree

Gear

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-6W
Power Factor	0,5
Constant Current	Yes
500mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	330lm
Light Efficiency	55lm/W
CRI	80
Beam Angle	270°
Illumination Diagram	

Packing Info

Box Length	14,5cm
Box Width	10cm
Box Height	7,5cm

Box Weight	0.772kg
Pcs/Carton	18
Barcode	5291889058199
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes