20 Garden & Underwater>LED Mushroom Bollards ABS+PC

67490A/B/W



6,5W Garden Light, IP54.

Complete with 300mA driver

Complies with standard EN60598-1 and any other specific standards.

IP54 IK06 80 CRI CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	LED Mushroom Bollards ABS+PC
Order Code	67490A/B/W
Colour	Black
Material	ABS
Diffuser Material	PC
Shape	Circular
Height	810mm
Diameter	165mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

IK Rating	6

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6,5W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	300mA
Voltage	20V
Power(Watts)	6W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD
LED Brand	Epistar

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	3,6-7,2W
Power Factor	0,9
Constant Current	Yes
300mA	12-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	92,3lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.450kg
Pcs/Carton	6
Barcode	5291889066200
HS Code	9405114090

Certification & Warranty

Warranty	2 years