12 Wall & Ceiling LED>The Roof Tile Range

# 67512/AN/V



8W CCT Variable LED Wall light, IP65.


Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 80 CRI CE

## Downloads

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 12 Wall & Ceiling LED |
| Family | The Roof Tile Range |
| Order Code | 67512/AN/V |
| Colour | Anthracite |
| Material | ABS |
| Diffuser Material | PC |
| Shape | Rectangular |
| Length | 110mm |
| Width | 50mm |
| Height | 220mm |
| Surface Wall | Yes |
| Indoor | Yes |

| | |
|---|---|
| Outdoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 8W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Light Source | LED built in |
| LED Type | SMD |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Output | 350mA |
| Protection | 0 |

## Illumination Data

| | |
|---|---|
| Colour Code | 2700K-3300K-4000K |
| Lumen Output | 400lm |
| Light Efficiency | 50lm/W |
| CRI | 80 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 23cm |
| Box Width | 12,5cm |
| Box Height | 6cm |
| Box Weight | 0.470kg |
| Pcs/Carton | 20 |
| Barcode | 5291889083078 |
| HS Code | 9405114090 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |