New 2021 Edition 2>Garden & Underwater

67514/AN/W



6W LED spot, IP65, supplied with spike, for garden illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 IK07 80 CRI ADJUSTABLE CE

Downloads

IES

Dimensions



Physical Specification

Item Group	New 2021 Edition 2
Family	Garden & Underwater
Order Code	67514/AN/W
Colour	Anthracite
Material	Aluminium
Shape	Rectangular
Length	100mm
Width	80mm
Height	110mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes

Outdoor	Yes
Adjustable	1 Direction
IK Rating	7

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
Cable Length	200cm
F Mark	

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	6V
Power(Watts)	4,2W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Osram
LED Number	4

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2-6,3W
Power Factor	0,9
Constant Current	Yes
700mA	2,8-9V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Protection	Short Circuit

Illumination Data


Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	

Packing Info

Box Length	15,5cm
Box Width	9,5cm
Box Height	18cm
Pcs/Carton	12
Barcode	5291889069911

HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes