
19 Wall Recessed & Inground>Indoor Square Wall Recessed

68007/W/W



1,5 W Wall recessed LED light, ideal for step and corridor illumination.

Supplied complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 DARK LIGHT

Downloads

IES CE

Dimensions



Gallery



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor Square Wall Recessed
Order Code	68007/W/W
Colour	White
Material	Plastic
Shape	Rectangular
Length	94mm

Width	94mm
Height	35mm
Cutout Hole Width	86mm
Cutout Hole Length	86mm
Recessed wall	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Fitting

Input Type	Constant Current
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
LED Brand	Epistar

Gear

Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	One Light

Illumination Data

Colour Temperature	3000K
Lumen Output	100lm
Light Efficiency	66,67lm/W
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9,7cm
Box Width	5,4cm
Box Height	9,7cm
Box Weight	0,14Kg
Pcs/Carton	50
Barcode	5291889035374
HS Code	9405104090

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes