19 Wall Recessed & Inground>Dark Light Step Series Aluminium

68074A/B/W



2W 700mA LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 IK08 90 CRI DIMMABLE DARK LIGHT QUICK FIX CE


Downloads

IES CE

Dimensions



Must be ordered separately



89004A



89004AT

Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Dark Light Step Series Aluminium
Order Code	68074A/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular

Length	50mm
Width	50mm
Height	45mm
Cutout Hole Diameter	35mm
Recessed wall	Yes
Depth Required	55mm
Indoor	Yes
Outdoor	Yes
IK Rating	8

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	2W
IP Rating	IP65
Light Source	LED built in
LED Brand	Osram
Cable Length	200cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	100lm
Light Efficiency	50lm/W
CRI	90
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	6,5cm
Box Weight	0.169kg
Pcs/Carton	100
Barcode	5291889058472
HS Code	9405413990

Certification & Warranty

Warranty	2 years