# 18 Wall Recessed & Inground>The COB Inground Range Stainless steel 69050/C



20W COB LED inground with removable honeycomb, IP67, stainless steel 316, for path illumination.

AC LED .


Complies with standard EN60598-1 and any other specific standards.

IP67 IK08 WALK OVER 80 CRI TRIAC DIMMABLE CE

## Downloads

IES

## Dimensions




## Gallery



## Physical Specification

| | |
|---|---|
| Item Group | 18 Wall Recessed & Inground |
| Family | The COB Inground Range Stainless steel |
| Order Code | 69050/C |
| Colour | Stainless Steel |
| Material | Stainless Steel 316 |
| Diffuser Material | Glass |
| Shape | Circular |

| | |
|---|---|
| Height | 140mm |
| Diameter | 145mm |
| Cutout Hole Diameter | 132mm |
| Inground | Yes |
| Depth Required | 200mm+300mm drainage |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 8 |

## Electrical Characteristics

| | |
|---|---|
| Gear | No |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⏚ |
| Power(Watts) | 20W |
| IP Rating | IP67 |
| Light Source | LED built in |
| Dimmable | Yes |
| Dimmer type | Triac |
| Cable Length | 200cm |
| F Mark | F |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 4000K |
| Lumen Output | 1800lm |
| Light Efficiency | 90lm/W |

| | |
|---|---|
| CRI | 80 |
| Beam Angle | 25° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 2.583kg |
| Pcs/Carton | 6 |
| Barcode | 5291889065722 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |