07 Strips & Profiles>The 9,6W/m 24V

# 7829/C



LED light strip, with SMD2216 LEDs, 140LEDs/meter, 9,6W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (7-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DIMMABLE CE

## Downloads

IES

## Dimensions




## Gallery




## Related items



20030

## Physical Specification

| | |
|---|---|
| Item Group | 07 Strips & Profiles |

| | |
|---|---|
| Family | The 9,6W/m 24V |
| Order Code | 7829/C |
| Shape | Rectangular |
| Length | 5000mm |
| Width | 8mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class |  |
| Power(Watts) | 9,6W/m |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2216 |
| LED Brand | Refond |
| LED Number | 140LEDs/m |
| F Mark |  |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 4000K |
| Lumen Output | 970lm/m |
| Light Efficiency | 101,04lm/W |
| CRI | 90 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 24cm |
| Box Width | 21,5cm |
| Box Height | 2cm |
| Box Weight | 0.185kg |
| Pcs/Carton | 40 |
| Barcode | 5291889054511 |
| HS Code | 9405499090 |

## Energy Label




| | |
|---|---|
| Energy Class | E |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |