07 Strips & Profiles>The Outdoor RGB & RGBW Strip 24V

# 7830W/RGB



Waterproof RGB LED light strip, with SMD5050 LEDs, 60LEDs/meter, 14,4W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68.

Can be cut every 10cm (6-LED segment).

Avoid direct sunlight.


Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.




## Downloads

## Dimensions




## Accessories



7827

## Related items



20034



89100LP

## Physical Specification

| | |
|---|---|
| Item Group | 07 Strips & Profiles |
| Family | The Outdoor RGB & RGBW Strip 24V |
| Order Code | 7830W/RGB |
| Shape | Rectangular |
| Length | 5000mm |
| Width | 12mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |
| Outdoor | Yes |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class | III |
| Power(Watts) | 14,4W/m |
| IP Rating | IP68 |
| Light Source | LED built in |
| LED Type | SMD 5050 |
| LED Brand | Refond |
| LED Number | 60Leds/m |
| F Mark | F |

## Illumination Data

| | |
|---|---|
| Colour Temperature | RGB |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 26cm |
| Box Width | 25cm |
| Box Height | 2cm |
| Box Weight | 0.577kg |
| Pcs/Carton | 40 |
| Barcode | 5291889017714 |
| HS Code | 9405423100 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 years |