07 Strips & Profiles>The Ultra Slim Range 24V

# 7833/EW



Slim LED light strip, with SMD2110 LEDs, 196LEDs/meter, 14,4W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 3,5cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.




## Downloads




## Dimensions




## Gallery




## Related items



20030

## Physical Specification

| | |
|---|---|
| Item Group | 07 Strips & Profiles |

| | |
|---|---|
| Family | The Ultra Slim Range 24V |
| Order Code | 7833/EW |
| Shape | Rectangular |
| Length | 5m |
| Width | 4mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class | III |
| Power(Watts) | 14,4W/m |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2110 |
| LED Brand | Refond |
| LED Number | 196Leds/m |


## Illumination Data

| | |
|---|---|
| Colour Temperature | 2700K |
| Lumen Output | 1160lm/m |
| Light Efficiency | 80,55lm/W |
| CRI | 90 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 24cm |
| Box Width | 21,5cm |
| Box Height | 2cm |
| Box Weight | 0.150kg |
| Pcs/Carton | 40 |
| Barcode | 5291889058830 |
| HS Code | 9405499090 |

## Energy Label




| | |
|---|---|
| Energy Class | F |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |