07 Strips & Profiles>Neon Flex Lightlines

7841A/C



Linear neonflex with SMD2835 LEDs, 180LEDs/m, 10W/m.

Supplied in 5 meters roll.

Can be cut every 3,3cm.

Avoid direct sunlight.

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads




Dimensions



Related items



7841AF



7901AATR/W

Physical Specification

Item Group	07 Strips & Profiles
Family	Neon Flex Lightlines
Order Code	7841A/C
Material	Silicone
Shape	Rectangular

Length	5000mm
Width	4mm
Height	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Gear	Order Separately

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Light Source	LED built in
LED Type	SMD 2835
LED Number	180LEDs/m
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	280lm/m
Light Efficiency	28lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.562kg

Pcs/Carton	40
Barcode	5291889078548
HS Code	9405423100

Certification & Warranty

Warranty	3 years
Weee Directive	Yes