21 Emergency Lights>Ceiling Emergency Point

# 89412/W



3W LED Ceiling mounted emergency light, IP20. Non-maintained with self-test.

Complete with battery.


Complies with standard EN60598-1 and any other specific standards.

IP20 CE

## Downloads

IES

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 21 Emergency Lights |
| Family | Ceiling Emergency Point |
| Order Code | 89412/W |
| Colour | White |
| Material | Plastic |
| Shape | Circular |
| Height | 40mm |
| Diameter | 150mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| F Mark |  |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 3W |
| Power Factor | 0,9 |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |

| | |
|---|---|
| Battery Capacity | 5000mAh |
| Battery Voltage | 3,6V |
| Operation Time | 3Hrs |
| Charging Time | 8Hrs |
| Non Maintained | Yes |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 4000K |
| Lumen Output | 300lm |
| Light Efficiency | 100lm/W |
| Beam Angle | 155° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.380kg |
| Pcs/Carton | 20 |
| Barcode | 5291889078067 |
| HS Code | 9405114090 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |