



M-POL 60 Pole

Bollard, anthracite, 53.4cm

DALI-compatible for professional outdoor projects: the aluminium M-POL 60 Pole can be controlled via the digital interface and is designed to be highly modular. Variable lamp heads and diffusers ensure a wide range of applications. The colour temperature (2700/3000K) can be selected via the CCT switch before installation. Thanks to its IP65 protection class rating, the anthracite bollard light is ideally protected against penetration by dirt or moisture. With an impact rating of IK10, it can also withstand significant shocks. Installation via the connection box is totally straightforward.

TECHNICAL DATA

| | |
|-----------------------|------------|
| Item no. | 1006380 |
| Color | anthracite |
| Height | 53.4 cm |
| Diameter | 12.4 cm |
| Net weight | 2.052 kg |
| Gross weight | 2.196 kg |
| BIG WHITE Page | 614 |

Accessories

| | |
|---------|---|
| 1006387 | M-POL S Polehead , Shader lamp head, anthracite, 11W, 285/310lm, 2700/3000K, CRI90 |
| 1006383 | M-POL M Polehead , Lamp head, anthracite, 11W, 470/510lm, 2700/3000K, CRI90 |
| 1006388 | M-POL M Polehead , Shader lamp head, anthracite, 11W, 420/460lm, 2700/3000K, CRI90 |
| 1006392 | M-POL M Polehead , Louver lamp head, anthracite, 19W, 350/370lm, 2700/3000K, CRI90, DALI |
| 1006390 | M-POL M Polehead , Lamp head, anthracite, 19W, 1150/1230lm, 2700/3000K, CRI90, DALI |
| 1006453 | Connection box , 5-pin, IP68, black, DALI |
| 228726 | T-CONNECTION BOX , black, IP68 |
| 228730 | CONNECTION BOX , 3-pin, IP68 |
| 1006389 | M-POL S Polehead , Lamp head, anthracite, 19W, 890/950lm, 2700/3000K, CRI90, DALI |
| 1006384 | M-POL M Polehead , Lamp head, anthracite, 11W, 590/660lm, 2700/3000K, CRI90 |
| 1006393 | M-POL S Polehead , Shader lamp head, anthracite, 19W, 520/550lm, 2700/3000K, CRI90, DALI |

| | |
|---------|--|
| 1006391 | M-POL S Polehead , Lou- ver lamp head, anthra- cite, 19W, 260/270lm, 2700/3000K, CRI90, DA- LI |
| 1006394 | M-POL M Polehead , Shader lamp head, an- thracite, 19W, 820/870lm, 2700/3000K, CRI90, DA- LI |
| 1006385 | M-POL S Polehead , Lou- ver lamp head, anthra- cite, 11W, 145/155lm, 2700/3000K, CRI90 |
| 1006386 | M-POL M Polehead , Louver lamp head, an- thracite, 11W, 190/210lm, 2700/3000K, CRI90 |
| 1006382 | M-POL ground anchor , stainless steel |