

PLEASE BE AWARE THAT THIS PDF HAS BEEN EDITED SUCH THAT THE STARTING INDEX PAGE NUMBERS JUMP TO THE PRODUCT PAGE AND THE PRODUCT SKU'S ARE HYPERLINKED TO THE PRODUCT WEBSITE FOR FURTHER INFORMATION, PLEASE HOLD 'CTRL' (WINDOWS) OR 'CMD' (MAC) WHILE TO CLICKING PRODUCT HYPERLINKS TO OPEN PRODUCT IN NEW TAB






| | | | | | |
|--|---|--|---|---|---|
|  SOCKET SUN 128, 129 |  SOCKET VARYT 131 |  LED TRILEDO 135 |  LED TRILEDO 135 |  SOCKET TRILEDO 137 |  SOCKET TRILEDO 137 |
|  SOCKET TRILEDO 137 |  SOCKET TRILEDO 137 |  LED NUMINOS® 138-144 |  LED SOCKET GRIP! 147-151 |  SOCKET GRIP! 147-151 |  LED OCULUS CL 153 |
|  SOCKET ENOLA® B 154 |  LED ENOLA® C 154 |  SOCKET ANELA 155 |  SOCKET ASTO TUBE 157 |  LED OCCULDAS 158 |  SOCKET ALTRA DICE 159 |
|  SOCKET ALTRA DICE 159 |  SOCKET KARDAMOD 161 |  SOCKET KARDAMOD 161 |  SOCKET FENDA 163 |  SOCKET TENORA 164 |  SOCKET SOPRANA 165 |
|  SOCKET PLASTRA 166 |  LED PLASTRA 167 |  SOCKET PLASTRA 105 167 |  SOCKET PLASTRA 104 167 |  LED FERA 25 168-169 |  LED DECONA 171-177 |
|  LED MARONA 178 |  LED GLENOS® PRO 179 |  LED PANEL 60 181 | NEW | | |

SUN 20

CL, E27



UPDATE



220-240 V ~50/60 Hz
Material: steel



Base: 1xE27 max. Ø: 4.5 cm | L: 12 cm

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 1008125 | 94.00 |
| ● gold | 1008126 | 99.00 |



E27 | 8 W | 240°
880 lm | 3000 K | EEC = E
8 kWh/1000 h



Prod. no.: 1005289 9.00 GBP


1008126 128

SUN 30

CL, E27



UPDATE



220-240 V ~50/60 Hz
Material: steel



Base: 1xE27 max. Ø: 4.5 cm L: 14 cm

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1008127 | 102.00 |
| ● gold | 1008128 | 108.00 |



E27 | 11 W | 330°
1250 lm | 2700 K | EEC = E
11 kWh/1000h



Prod. no.: 1008162 72.00 GBP

1008101 + 1007859 131






VARYT
CL, E14

VARYT
Opal glass shade

VARYT
Glass shade for PD, WL, CL, TL



UPDATE



Ø: 12 cm
H: 12.8 cm



Ø: 12 cm
H: 12.7 cm
Material: glass



220-240 V ~50/60 Hz
Material: aluminium

- IP44 in combination with one of the shades



Base: 1xE14 max. Ø: 11 cm | L: 3.8 cm

| Options | Prod. no. | GBP |
|----------|-----------|--------|
| ● black | 1008099 | 85.00 |
| ○ white | 1008100 | 85.00 |
| ● brass | 1008102 | 111.00 |
| ● chrome | 1008101 | 102.00 |
| ● copper | 1008103 | 111.00 |



E14 | 4 W | 320°
380 lm | 2700 K | EEC = F
5 kWh/1000 h



Prod. no.: 1005284 6.00 GBP



Ø: 12 cm
H: 13 cm
Material: glass



Ø: 11.5 cm
H: 13.5 cm
Material: glass

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 1007859 | 59.00 |

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 1007860 | 64.00 |

VARYT
Glass shade for PD, WL, CL, TL

VARYT
Glass shade for PD, WL, CL, TL



Ø: 12 cm
H: 13 cm
Material: glass



Ø: 11.5 cm
H: 13.5 cm
Material: glass

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 1007859 | 59.00 |

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 1007860 | 64.00 |

MIX & MATCH VARYT

VARYT PD

| | |
|--------|---------|
| Black | 1008114 |
| White | 1008115 |
| Brass | 1008117 |
| Chrome | 1008116 |
| Copper | 1008118 |

VARYT CL




| | |
|--------|---------|
| Black | 1008099 |
| White | 1008100 |
| Brass | 1008102 |
| Chrome | 1008101 |
| Copper | 1008103 |

VARYT WL

| | |
|--------|---------|
| Black | 1008104 |
| White | 1008105 |
| Brass | 1008107 |
| Chrome | 1008106 |
| Copper | 1008108 |

VARYT TL

| | |
|--------|---------|
| Black | 1008743 |
| White | 1008744 |
| Brass | 1008746 |
| Chrome | 1008745 |
| Copper | 1008747 |



VARYT BALL Ø12

White | 1008119

VARYT LINE Ø12

White | 1007859


VARYT PLEATED Ø11,5

White | 1007860



Suitable for all VARYT
table, wall, ceiling and
pendant lights



IP44



IP44



VARYT DIAMOND Ø11

Smoked | 1007858
Amber | 1008023

Combine the SLV Mix & Match products to suit your taste. Perfectly coordinated for combinations within the Varyt family. You can recognise SLV Mix & Match products by the following symbol:



MIX
match

113940 135



113931 135




1002003 135





TRILEDO
CL, single, round



220-240 V ~50/60 Hz | 160 mA
Total wattage: 6.4 W
Material: aluminium




Down

580lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 113930 | 101.00 |
| ○ white | 113931 | 101.00 |

TRILEDO
CL, single, square



220-240 V ~50/60 Hz | 160 mA
Total wattage: 6.4 W
Material: aluminium




Down

580lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 113940 | 101.00 |
| ○ white | 113941 | 101.00 |

TRILEDO
CL, double, square



220-240 V ~50/60 Hz | 350 mA
Total wattage: 14 W
Material: aluminium



Down



1280lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1002003 | 140.00 |
| ○ white | 1002008 | 140.00 |





TRILEDO
CL, single, round, QPAR51



220-240 V ~50/60 Hz
Material: aluminium



Base: 1xGU10 max. Ø: 5.1 cm | L: 5.5 cm

| Options | Prod. no. | GBP |
|-------------|-----------|-------|
| ● black | 1002010 | 63.00 |
| ○ white | 1002011 | 63.00 |
| ● aluminium | 1002012 | 67.00 |



GU10 | 6 W | 36°
360 lm | 2200 K-2700 K | EEC = G


Prod. no.: 1005273 9.00 GBP



GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F

Prod. no.: 1010470 33.00 GBP

TRILEDO
CL, single, square, QPAR51



220-240 V ~50/60 Hz
Material: aluminium



Base: 1xGU10 max. Ø: 5.1 cm | L: 5.5 cm

| Options | Prod. no. | GBP |
|-------------|-----------|-------|
| ● black | 1002013 | 63.00 |
| ○ white | 1002015 | 63.00 |
| ● aluminium | 1002004 | 67.00 |



GU10 | 6 W | 38°
450 lm | 2700 K | EEC = F


Prod. no.: 1005077 7.00 GBP



GU10 | 5.5 W | 36°
400 lm | RGBW | EEC = F

Prod. no.: 1010471 39.00 GBP

TRILEDO
CL, double, square, QPAR51



220-240 V ~50/60 Hz
Material: aluminium



Base: 2xGU10 max. Ø: 5.1 cm | L: 5.5 cm

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 1002005 | 92.00 |
| ○ white | 1002006 | 92.00 |



GU10 | 6 W | 38°
450 lm | 2700 K | EEC = F

Prod. no.: 1005077 7.00 GBP




GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F

Prod. no.: 1010470 33.00 GBP

NUMINOS® S

CL, PHASE




● black



220-240 V ~50/60 Hz | 200 mA
 Total wattage: 8 W
 Material: aluminium

| Options | GBP |
|---------------------|--------|
| All S versions | 88.00 |
| All S DALI versions | 129.00 |



○ white

Note:
 Decorative ring also
 available in white, gold
 and copper




| Product | Prod. no. | GBP |
|--------------|-----------|------|
| Front ring S | | |
| ○ white | 1006167 | 2.00 |
| ● copper | 1008140 | 7.00 |
| ● gold | 1008144 | 7.00 |



| | | | | | Prod. no. | |
|--|--------|---------|-----|----|-----------|--|
| | 2700 K | 950 lm | 24° | 16 | 1004122 | |
| | | | 36° | 16 | 1004123 | |
| | | | 60° | 19 | 1004124 | |
| | 3000 K | 1050 lm | 24° | 16 | 1004130 | |
| | | | 36° | 16 | 1004131 | |
| | | | 60° | 19 | 1004132 | |
| | 4000 K | 1100 lm | 24° | 16 | 1004138 | |
| | | | 36° | 16 | 1004139 | |
| | | | 60° | 19 | 1004140 | |
| | 2700 K | 950 lm | 24° | 16 | 1004410 | |
| | | | 36° | 16 | 1004411 | |
| | | | 60° | 19 | 1004412 | |
| | 3000 K | 1050 lm | 24° | 16 | 1004418 | |
| | | | 36° | 16 | 1004419 | |
| | | | 60° | 19 | 1004420 | |
| | 4000 K | 1100 lm | 24° | 16 | 1004426 | |
| | | | 36° | 16 | 1004427 | |
| | | | 60° | 19 | 1004428 | |
| | 2700 K | 950 lm | 24° | 16 | 1004126 | |
| | | | 36° | 16 | 1004127 | |
| | | | 60° | 19 | 1004128 | |
| | 3000 K | 1050 lm | 24° | 16 | 1004134 | |
| | | | 36° | 16 | 1004135 | |
| | | | 60° | 19 | 1004136 | |
| | 4000 K | 1100 lm | 24° | 16 | 1004142 | |
| | | | 36° | 16 | 1004143 | |
| | | | 60° | 19 | 1004144 | |
| | 2700 K | 950 lm | 24° | 16 | 1004414 | |
| | | | 36° | 16 | 1004415 | |
| | | | 60° | 19 | 1004416 | |
| | 3000 K | 1050 lm | 24° | 16 | 1004422 | |
| | | | 36° | 16 | 1004423 | |
| | | | 60° | 19 | 1004424 | |
| | 4000 K | 1100 lm | 24° | 16 | 1004430 | |
| | | | 36° | 16 | 1004431 | |
| | | | 60° | 19 | 1004432 | |

NUMINOS® M
CL, PHASE




● black



220-240 V ~50/60 Hz | 350 mA
Total wattage: 14 W
Material: aluminium

| Options | GBP |
|---------------------|--------|
| All M versions | 109.00 |
| All M DALI versions | 133.00 |




















○ white

Note:
Decorative ring also
available in white, gold
and copper




| Product | Prod. no. | GBP |
|--------------|-----------|------|
| Front ring M | | |
| ○ white | 1006168 | 3.00 |
| ● copper | 1008141 | 8.00 |
| ● gold | 1008145 | 8.00 |



| |  |  |  |  | Prod. no. | | | |
|---|---|---|---|---|-----------|---|---|---|
|  | 2700 K | 1750 lm | 24° | 16 | 1004218 |  | | |
| | | | 36° | 16 | 1004219 | | | |
| | | | 60° | 22 | 1004220 | | | |
| | 3000 K | 1800 lm | 24° | 16 | 1004226 | |  | |
| | | | 36° | 16 | 1004227 | | | |
| | | | 60° | 22 | 1004228 | | | |
| | 4000 K | 1950 lm | 24° | 16 | 1004234 | | |  |
| | | | 36° | 16 | 1004235 | | | |
| | | | 60° | 22 | 1004236 | | | |
|  | 2700 K | 1750 lm | 24° | 16 | 1004506 |  | | |
| | | | 36° | 16 | 1004507 | | | |
| | | | 60° | 22 | 1004508 | | | |
| | 3000 K | 1800 lm | 24° | 16 | 1004514 | |  | |
| | | | 36° | 16 | 1004515 | | | |
| | | | 60° | 22 | 1004516 | | | |
| | 4000 K | 1950 lm | 24° | 16 | 1004522 | | |  |
| | | | 36° | 16 | 1004523 | | | |
| | | | 60° | 22 | 1004524 | | | |
|  | 2700 K | 1750 lm | 24° | 16 | 1004222 |  | | |
| | | | 36° | 16 | 1004223 | | | |
| | | | 60° | 22 | 1004224 | | | |
| | 3000 K | 1800 lm | 24° | 16 | 1004230 | |  | |
| | | | 36° | 16 | 1004231 | | | |
| | | | 60° | 22 | 1004232 | | | |
| | 4000 K | 1950 lm | 24° | 16 | 1004238 | | |  |
| | | | 36° | 16 | 1004239 | | | |
| | | | 60° | 22 | 1004240 | | | |
|  | 2700 K | 1750 lm | 24° | 16 | 1004510 | | | |
| | | | 36° | 16 | 1004511 | | | |
| | | | 60° | 22 | 1004512 | | | |
| | 3000 K | 1800 lm | 24° | 16 | 1004518 | | | |
| | | | 36° | 16 | 1004519 | | | |
| | | | 60° | 22 | 1004520 | | | |
| | 4000 K | 1950 lm | 24° | 16 | 1004526 | | | |
| | | | 36° | 16 | 1004527 | | | |
| | | | 60° | 22 | 1004528 | | | |

NUMINOS® L
CL, PHASE




● black



220-240 V ~50/60 Hz | 500 mA
Total wattage: 20 W
Material: aluminium

| Options | GBP |
|---------------------|--------|
| All L versions | 126.00 |
| All L DALI versions | 170.00 |















○ white

Note:
Decorative ring also
available in white, gold
and copper




| Product | Prod. no. | GBP |
|--------------|-----------|------|
| Front ring L | | |
| ○ white | 1006169 | 3.00 |
| ● copper | 1008142 | 9.00 |
| ● gold | 1008146 | 9.00 |



| |  |  |  |  | Prod. no. | |
|---|---|---|---|---|-----------|---|
|  | 2700 K | 2300 lm | 24° | 16 | 1004314 |  |
| | | | 36° | 16 | 1004315 | |
| | | | 60° | 19 | 1004316 | |
| | 3000 K | 2400 lm | 24° | 16 | 1004322 | |
| | | | 36° | 16 | 1004323 | |
| | | | 60° | 19 | 1004324 | |
| | 4000 K | 2600 lm | 24° | 16 | 1004330 | |
| | | | 36° | 16 | 1004331 | |
| | | | 60° | 19 | 1004332 | |
|  | 2700 K | 2300 lm | 24° | 16 | 1004602 |  |
| | | | 36° | 16 | 1004603 | |
| | | | 60° | 19 | 1004604 | |
| | 3000 K | 2400 lm | 24° | 16 | 1004610 | |
| | | | 36° | 16 | 1004611 | |
| | | | 60° | 19 | 1004612 | |
| | 4000 K | 2600 lm | 24° | 16 | 1004618 | |
| | | | 36° | 16 | 1004619 | |
| | | | 60° | 19 | 1004620 | |
|  | 2700 K | 2300 lm | 24° | 16 | 1004318 |  |
| | | | 36° | 16 | 1004319 | |
| | | | 60° | 19 | 1004320 | |
| | 3000 K | 2400 lm | 24° | 16 | 1004326 | |
| | | | 36° | 16 | 1004327 | |
| | | | 60° | 19 | 1004328 | |
| | 4000 K | 2600 lm | 24° | 16 | 1004334 | |
| | | | 36° | 16 | 1004335 | |
| | | | 60° | 19 | 1004336 | |
|  | 2700 K | 2300 lm | 24° | 16 | 1004606 |  |
| | | | 36° | 16 | 1004607 | |
| | | | 60° | 19 | 1004608 | |
| | 3000 K | 2400 lm | 24° | 16 | 1004614 | |
| | | | 36° | 16 | 1004615 | |
| | | | 60° | 19 | 1004616 | |
| | 4000 K | 2600 lm | 24° | 16 | 1004622 | |
| | | | 36° | 16 | 1004623 | |
| | | | 60° | 19 | 1004624 | |

NUMINOS® XL

CL, PHASE




● black



220-240 V ~50/60 Hz | 700 mA
 Total wattage: 28 W
 Material: aluminium

| Options | GBP |
|----------------------|--------|
| All XL versions | 150.00 |
| All XL DALI versions | 202.00 |















○ white

Note:
 Decorative ring also
 available in white, gold
 and copper



| Product | Prod. no. | GBP |
|---------------|-----------|------|
| Front ring XL | | |
| ○ white | 1006170 | 4.00 |
| ● copper | 1008143 | 9.50 |
| ● gold | 1008147 | 9.50 |



| |  |  |  |  | Prod. no. | |
|---|---|---|---|---|----------------|---|
|  | 2700 K | 3550 lm | 24° | 16 | 1005687 |  |
| | | 3150 lm | 36° | 16 | 1005688 | |
| | 3000 K | 3150 lm | 60° | 22 | 1005689 | |
| | | 3550 lm | 24° | 16 | 1005693 | |
| | | 3550 lm | 36° | 16 | 1005694 | |
| | | 3150 lm | 60° | 22 | 1005695 | |
| 4000 K | 3900 lm | 24° | 16 | 1005699 | | |
| | 3500 lm | 36° | 16 | 1005700 | | |
| | | | 60° | 22 | 1005701 | |
|  | 2700 K | 3550 lm | 24° | 16 | 1005759 |  |
| | | 3150 lm | 36° | 16 | 1005760 | |
| | 3000 K | 3550 lm | 24° | 16 | 1005765 | |
| | | 3150 lm | 36° | 16 | 1005766 | |
| | 4000 K | 3150 lm | 60° | 22 | 1005767 | |
| | | 3900 lm | 24° | 16 | 1005771 | |
| | | | 36° | 16 | 1005772 | |
| | | | 60° | 22 | 1005773 | |
|  | 2700 K | 3550 lm | 24° | 16 | 1005690 |  |
| | | 3150 lm | 36° | 16 | 1005691 | |
| | 3000 K | 3550 lm | 24° | 16 | 1005696 | |
| | | 3150 lm | 36° | 16 | 1005697 | |
| | 4000 K | 3150 lm | 60° | 22 | 1005698 | |
| | | 3900 lm | 24° | 16 | 1005702 | |
| | | | 36° | 16 | 1005703 | |
| | | | 60° | 22 | 1005704 | |
|  | 2700 K | 3550 lm | 24° | 16 | 1005762 |  |
| | | 3150 lm | 36° | 16 | 1005763 | |
| | 3000 K | 3550 lm | 24° | 16 | 1005768 | |
| | | 3150 lm | 36° | 16 | 1005769 | |
| | 4000 K | 3150 lm | 60° | 22 | 1005770 | |
| | | 3900 lm | 24° | 16 | 1005774 | |
| | | | 36° | 16 | 1005775 | |
| | | | 60° | 22 | 1005776 | |





GRIP! S

CL, single, PHASE, Ø 3 cm

GRIP! S



CL, double, PHASE, Ø 3 cm



UPDATE



UPDATE



220-240 V ~50/60 Hz | 260 mA
 Total wattage: 11 W
 Material: aluminium

220-240 V ~50/60 Hz | 260 mA
 Total wattage: 21 W
 Material: aluminium

• Honeycomb accessories included

• Honeycomb accessories included



600 lm | 2700 K | 650 lm | 3000 K



600 lm | 2700 K | 650 lm | 3000 K

| Options | Prod. no. | GBP |
|--------------------------|-----------|--------|
| ● white/black 2700 K | 1009036 | 135.00 |
| ● white/black 3000 K | 1009037 | 135.00 |
| ● black/gold 2700 K | 1009038 | 135.00 |
| ● black/gold 3000 K | 1009039 | 135.00 |
| ● bronze/black 2700 K | 1009040 | 135.00 |
| ● bronze/black 3000 K | 1009041 | 135.00 |
| ● gold/black 2700 K | 1009042 | 135.00 |
| ● gold/black 3000 K | 1009043 | 135.00 |

| Options | Prod. no. | GBP |
|--------------------------|-----------|--------|
| ● white/black 2700 K | 1009044 | 229.00 |
| ● white/black 3000 K | 1009045 | 229.00 |
| ● black/gold 2700 K | 1009046 | 229.00 |
| ● black/gold 3000 K | 1009047 | 229.00 |
| ● bronze/black 2700 K | 1009048 | 229.00 |
| ● bronze/black 3000 K | 1009049 | 229.00 |
| ● gold/black 2700 K | 1009050 | 229.00 |
| ● gold/black 3000 K | 1009051 | 229.00 |



| Product | Prod. no. | GBP |
|-------------------------|-----------|-------|
| GRIP! S decorative ring | | |
| ○ white | 1008488 | 15.00 |
| ● black | 1008489 | 15.00 |
| ● nickel | 1008490 | 15.00 |
| ● gold | 1008491 | 15.00 |




| Product | Prod. no. | GBP |
|-------------------------|-----------|-------|
| GRIP! S decorative ring | | |
| ○ white | 1008488 | 15.00 |
| ● black | 1008489 | 15.00 |
| ● nickel | 1008490 | 15.00 |
| ● gold | 1008491 | 15.00 |

GRIP! M
CL, single, PHASE, Ø 4,3 cm

1009079 149



UPDATE



220-240 V ~50/60 Hz | 350 mA
Total wattage: 14 W
Material: aluminium

- Honeycomb accessories included



Down 1450 lm | 2700 K
1540 lm | 3000 K

| Options | Prod. no. | GBP |
|--------------------------|-----------|--------|
| ● white/black 2700 K | 1009068 | 152.00 |
| ● white/black 3000 K | 1009069 | 152.00 |
| ● black/gold 2700 K | 1009070 | 152.00 |
| ● black/gold 3000 K | 1009071 | 152.00 |
| ● bronze/black 2700 K | 1009072 | 152.00 |
| ● bronze/black 3000 K | 1009073 | 152.00 |
| ● gold/black 2700 K | 1009074 | 152.00 |
| ● gold/black 3000 K | 1009075 | 152.00 |



| Product | Prod. no. | GBP |
|-------------------------|-----------|-------|
| GRIP! M decorative ring | | |
| ○ white | 1008492 | 17.00 |
| ● black | 1008493 | 17.00 |
| ● nickel | 1008494 | 17.00 |
| ● gold | 1008495 | 17.00 |






1009076 149

GRIP! M
CL, double, PHASE, Ø 4,3 cm

UPDATE



220-240 V ~50/60 Hz | 350 mA

Total wattage: 28 W

Material: aluminium

- Honeycomb accessories included



Down

1460 lm | 2700 K
1520 lm | 3000 K

| Options | Prod. no. | GBP |
|--------------------------|-----------|--------|
| ● white/black 2700 K | 1009076 | 254.00 |
| ● white/black 3000 K | 1009077 | 254.00 |
| ● black/gold 2700 K | 1009078 | 254.00 |
| ● black/gold 3000 K | 1009079 | 254.00 |
| ● bronze/black 2700 K | 1009080 | 254.00 |
| ● bronze/black 3000 K | 1009081 | 254.00 |
| ● gold/black 2700 K | 1009082 | 254.00 |
| ● gold/black 3000 K | 1009083 | 254.00 |



| Product | Prod. no. | GBP |
|-------------------------|-----------|-------|
| GRIP! M decorative ring | | |
| ○ white | 1008492 | 17.00 |
| ● black | 1008493 | 17.00 |
| ● nickel | 1008494 | 17.00 |
| ● gold | 1008495 | 17.00 |






GRIP! L
CL, single, QPAR51 Ø 5,7 cm

GRIP! L
CL, double, QPAR51 Ø 5,7 cm



UPDATE




220-240 V ~50/60 Hz
Material: aluminium

- Honeycomb accessories included



UPDATE



220-240 V ~50/60 Hz
Material: aluminium

- Honeycomb accessories included



Base: 1xGU10 max. Ø: 5.1 cm | L: 5.5 cm

| Options | Prod. no. | GBP |
|----------------|-----------|-------|
| ● white/black | 1009092 | 84.00 |
| ● black/gold | 1009093 | 84.00 |
| ● bronze/black | 1009094 | 84.00 |
| ● gold/black | 1009095 | 84.00 |



Base: 2xGU10 max. Ø: 5.1 cm | L: 5.5 cm

| Options | Prod. no. | GBP |
|----------------|-----------|--------|
| ● white/black | 1009096 | 144.00 |
| ● black/gold | 1009097 | 144.00 |
| ● bronze/black | 1009098 | 144.00 |
| ● gold/black | 1009099 | 144.00 |



GU10 | 6W | 38°
470 lm | 3000 K | EEC = F
6 kWh/1000 h



Prod. no.: 1005079 7.00 GBP



GU10 | 6W | 38°
470 lm | 3000 K | EEC = F
6 kWh/1000 h



Prod. no.: 1005079 7.00 GBP



| Product | Prod. no. | GBP |
|--------------------------|-----------|-------|
| Decorative ring Ø 5.4 cm | | |
| ○ white | 1008496 | 20.00 |
| ● black | 1008497 | 20.00 |
| ● nickel | 1008498 | 20.00 |
| ● gold | 1008499 | 20.00 |




| Product | Prod. no. | GBP |
|--------------------------|-----------|-------|
| Decorative ring Ø 5.4 cm | | |
| ○ white | 1008496 | 20.00 |
| ● black | 1008497 | 20.00 |
| ● nickel | 1008498 | 20.00 |
| ● gold | 1008499 | 20.00 |





OCULUS CL DTW, PVD




220-240 V ~50/60 Hz | 250 mA
Total wattage: 11 W
Material: aluminium



Down 36lm|2000K - 780lm|3000K

| Options | Prod. no. | GBP |
|---------------|-----------|--------|
| ● brass | 1008619 | 245.00 |
| ● dark bronze | 1008618 | 245.00 |
| ● dark copper | 1008620 | 245.00 |

OCULUS CL, PHASE



220-240 V ~50/60 Hz | 250 mA
Total wattage: 11 W
Material: aluminium


- Additional frosted lens included



36lm|2000K - 780lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1004666 | 197.00 |
| ○ white | 1004667 | 197.00 |

ENOLA® B
CL, QPAR51



220-240 V ~50/60 Hz
Material: aluminium



Base: 1xGU10 | L: 8.5 cm

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 151810 | 46.00 |
| ○ white | 151811 | 46.00 |



GU10 | 6 W | 38°
470 lm | 3000 K | EEC = F
6 kWh/1000 h




Prod. no.: 1005079 7.00 GBP



| Product | Prod. no. | GBP |
|-----------------|-----------|------|
| Decorative ring | | |
| ● black | 151840 | 8.00 |

ENOLA® C
CL



220-240 V ~50/60 Hz | 500 mA
Total wattage: 11 W
Material: aluminium




1020 lm | 3000 K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 152101 | 170.00 |

151810


154



151811

154

ANELA CL, PHASE



220-240 V ~50/60 Hz | 500 mA

Total wattage: 10 W

Material: aluminium



240lm|3000 K | 820lm

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1000807 | 138.00 |



| Product | Prod. no. | GBP |
|---------------|-----------|-------|
| Reflector 28° | | |
| ● gold | 1000809 | 17.00 |
| ● grey | 1000810 | 17.00 |
| ● black | 1000811 | 17.00 |
| ○ white | 1000812 | 17.00 |








ASTO TUBE

CL, single, GU10

ASTO TUBE

Decorative reflector



Ø: 6.8 cm
H: 3.95 cm
Material: polycarbonate (PC)



220-240 V ~50/60 Hz
Material: aluminium

- Decorative rings available as accessories



Base: 1xGU10

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 1006439 | 43.00 |
| ○ white | 1006440 | 43.00 |

| Options | Prod. no. | GBP |
|----------------|-----------|------|
| ● black/chrome | 1007190 | 4.00 |
| ● gold | 1006450 | 4.00 |
| ● chrome | 1006449 | 4.00 |
| ● copper | 1006451 | 4.00 |



GU10 | 6 W | 38°
450 lm | 2700 K | EEC = F
6 kWh/1000 h



Prod. no.: 1005077 7.00 GBP




GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F
5 kWh/1000 h



Prod. no.: 1010470 33.00 GBP

OCCULDAS 13
CL, indirect, PHASE




220-240 V ~50/60 Hz | 350 mA
Total wattage: 15 W
Material: aluminium



810lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 117351 | 174.00 |

OCCULDAS 23
CL, indirect, PHASE



220-240 V ~50/60 Hz | 700 mA
Total wattage: 24 W
Material: aluminium/steel



1500lm|3000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 117321 | 286.00 |




117321 158



1002216 159



ALTRA DICE CL, QPAR51



220-240 V ~50/60 Hz
Material: aluminium/steel



Base: 1xGU10

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 1002216 | 54.00 |
| ○ white | 151511 | 54.00 |



GU10 | 6 W | 38°
450 lm | 2700 K | EEC = F
6 kWh/1000 h



Prod. no.: 1005077 7.00 GBP




GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F
5 kWh/1000 h



Prod. no.: 1010470 33.00 GBP

ALTRA DICE CW, double, QPAR51



220-240 V ~50/60 Hz
Material: aluminium/steel



Base: 2xGU10

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 151531 | 97.00 |



GU10 | 6 W | 36°
360 lm | 2200 K-2700 K | EEC = G
6 kWh/1000 h



Prod. no.: 1005273 9.00 GBP



GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F
5 kWh/1000 h



Prod. no.: 1010470 33.00 GBP



117101 161







KARDAMOD
CL, single, square, QPAR111

KARDAMOD
CL, double, square, QPAR111

117100 161



220-240 V ~50/60 Hz
Material: steel



220-240 V ~50/60 Hz
Material: steel



Base: 1xGU10



Base: 2xGU10

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 117100 | 121.00 |
| ○ white | 117101 | 121.00 |

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 117110 | 217.00 |
| ○ white | 117111 | 217.00 |



GU10 | 13 W | 10°
900 lm | 2700 K | EEC = G
13 kWh/1000 h



Prod. no.: 1005275 48.00 GBP



GU10 | 12 W | 55°
670 lm | 2700 K | EEC = G
12 kWh/1000 h



Prod. no.: 1005297 73.00 GBP



GU10 | 10 W | 24°
750 lm | 2200-6500 K | EEC = G
10 kWh/1000 h



Prod. no.: 1010467 50.00 GBP



GU10 | 10 W | 24°
750 lm | 2200-6500 K | EEC = G
10 kWh/1000 h



Prod. no.: 1010467 50.00 GBP


000 000 XXXX





FENDA

Ceiling rosette, E27



220-240 V ~50/60 Hz
Material: steel



Base: 1xE27

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ● black | 155550 | 41.00 |
| ○ white | 155551 | 41.00 |



E27 | 8 W | 320°
800 lm | 2700 K | EEC = F
8 kWh/1000h



Prod. no.: 1005303 9.00 GBP

FENDA

30 cm, round



Ø: 30 cm
H: 20 cm
Material: textile/steel

| Options | Prod. no. | GBP |
|----------------|-----------|-------|
| ● black/copper | 155592 | 61.00 |
| ○ white | 155582 | 46.00 |
| ● grey | 1004774 | 46.00 |
| ● beige | 155583 | 46.00 |

FENDA

45 cm, round



Ø: 45.5 cm
H: 28 cm
Material: textile/steel

| Options | Prod. no. | GBP |
|----------------|-----------|-------|
| ● black/copper | 156122 | 76.00 |
| ○ white | 156111 | 72.00 |
| ● grey | 1004775 | 72.00 |
| ● beige | 156113 | 72.00 |



| Product | Prod. no. | GBP |
|--|-----------|-------|
| Acrylic glass cover, for FENDA Ø 45.5 cm | | |
| ○ white | 156100 | 39.00 |

FENDA

70 cm, round



Ø: 70 cm
H: 36 cm
Material: textile/steel


- Not suitable for Fenda Bow

| Options | Prod. no. | GBP |
|----------------|-----------|--------|
| ● black/copper | 1000580 | 110.00 |
| ○ white | 1000579 | 97.00 |



| Product | Prod. no. | GBP |
|--|-----------|-------|
| Acrylic glass cover, for FENDA Ø 70 cm | | |
| ○ white | 1000957 | 81.00 |

TENORA
CL, E27



220-240 V ~50/60 Hz
Material: steel/textile



Base: 3XE27 | L: 14.8 cm

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 156050 | 161.00 |
| ○ white | 156051 | 161.00 |




E27 | 8 W | 320°
800lm | 2700 K | EEC = F
8kWh/1000h




Prod. no.: 1005303 9.00 GBP

156050 164



SOPRANA CL, E27

155373 165



220-240 V ~50/60 Hz
Material: steel/textile



Base: 3XE27

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● beige | 155373 | 177.00 |



E27 | 13 W | 220°
1300 lm | 2700 K | EEC = F
14 kWh/1000h



Prod. no.: 1005302 11.00 GBP



E27 | 9.5 W | 190°
1100 lm | 2200-6500 K | EEC = F
10 kWh/1000h




Prod. no.: 1010465 30.00 GBP



148004 166

PLASTRA CL



220-240 V ~50/60 Hz
Material: plaster/steel

- Can be painted over/wallpapered to match wall colour



148005 167



Base: 1xGU10

| Options | Prod. no. | GBP |
|---------|-----------|-------|
| ○ white | 148004 | 58.00 |



GU10 | 6 W | 38°
450 lm | 2700 K | EEC = F
6 kWh/1000 h



Prod. no.: 1005076 7.00 GBP




GU10 | 5 W | 36°
420 lm | 2200-6500 K | EEC = F
5 kWh/1000 h



Prod. no.: 1010470 33.00 GBP



PLASTRA
CL, PHASE



220-240 V ~50/60 Hz | 350 mA
Total wattage: 15 W
Material: plaster/glass


- Can be painted over/wallpapered to match wall colour



990lm | 3000K

| Options | Prod. no. | GBP |
|-----------------------------|-----------|--------|
| <input type="radio"/> white | 148005 | 115.00 |

PLASTRA 105
CL, E27



220-240 V ~50/60 Hz
Material: plaster/glass

- Can be painted over/wallpapered to match wall colour



Base: 2xE27 max. Ø: 5.1 cm | L: 14 cm

| Options | Prod. no. | GBP |
|-----------------------------|-----------|-------|
| <input type="radio"/> white | 148001 | 79.00 |




E27 | 8 W | 240°
880 lm | 3000 K | EEC = E
8 kWh/1000 h



Prod. no.: 1005289 9.00 GBP

PLASTRA 104
CL, E27



220-240 V ~50/60 Hz
Material: plaster/glass

- Can be painted over/wallpapered to match wall colour



Base: 2xE27 max. Ø: 5.1 cm | L: 14 cm

| Options | Prod. no. | GBP |
|-----------------------------|-----------|-------|
| <input type="radio"/> white | 148002 | 73.00 |




E27 | 8 W | 240°
880 lm | 3000 K | EEC = E
8 kWh/1000 h



Prod. no.: 1005289 9.00 GBP

FERA 25
CL, DALI





220-240 V ~50/60 Hz | 500 mA
Total wattage: 20 W
Material: aluminium




1580lm|3000K | 1650lm|4000K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1002968 | 232.00 |
| ○ white | 1002967 | 232.00 |





1001939 169

FERA 25
CL

220-240 V ~50/60 Hz | 550 mA
Total wattage: 23 W
Material: aluminium/polystyrene (PS)



1800lm|3000 K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● black | 1001939 | 173.00 |
| ○ white | 161461 | 173.00 |



1002968 168



1008925 171





DECONA 30 CL, PHASE

DECONA 30 CL, Sensor



UPDATE



220-240 V ~50/60 Hz | 230 mA
Total wattage: 18 W
Material: aluminium/PC



220-240 V ~50/60 Hz | 220 mA
Total wattage: 17 W
Material: aluminium/PC



1600lm|2700K | 1600lm|3000K



1680lm|2700K | 1840lm|3000K

| Options | Prod. no. | GBP |
|--------------|-----------|--------|
| ● black/gold | 1008580 | 102.00 |
| ● black | 1008578 | 102.00 |
| ● white/gold | 1008579 | 102.00 |
| ○ white | 1008577 | 102.00 |

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 1008925 | 119.00 |

1008584 173



roobol.

Ingang

woonhart

lamp idee

U vindt ons op de 1e etage (boven Roobol)



DECONA 30 CL, PHASE



DECONA 30 CL, Sensor



UPDATE



UPDATE



220-240 V ~50/60 Hz | 230 mA
Total wattage: 17 W
Material: aluminium/PC



220-240 V ~50/60 Hz | 220 mA
Total wattage: 17 W
Material: aluminium/PC



1900lm|3000 K | 2000lm|4000 K



1880lm|3000 K | 1970lm|4000 K

| Options | Prod. no. | GBP |
|--------------|-----------|--------|
| ● black/gold | 1008920 | 102.00 |
| ● black | 1008918 | 102.00 |
| ● white/gold | 1008919 | 102.00 |
| ○ white | 1008917 | 102.00 |



| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 1008926 | 119.00 |





DECONA 42 CL, PHASE

DECONA 42 CL, Sensor



220-240 V ~50/60 Hz | 300 mA
Total wattage: 23 W
Material: aluminium/PC

220-240 V ~50/60 Hz | 305 mA
Total wattage: 23 W
Material: aluminium/PC



2140lm|2700K | 2140lm|3000K

2450lm|2700K | 2710lm|3000K

| Options | Prod. no. | GBP |
|--------------|-----------|--------|
| ● black/gold | 1008584 | 128.00 |
| ● black | 1008582 | 128.00 |
| ● white/gold | 1008583 | 128.00 |
| ○ white | 1008581 | 128.00 |


| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ○ white | 1008927 | 144.00 |

1008578 176

DECONA 42 CL, PHASE



UPDATE



220-240 V ~50/60 Hz | 300 mA

Total wattage: 23 W

Material: aluminium/PC



2770lm|3000 K | 2930lm|4000 K

| Options | Prod. no. | GBP |
|--------------|-----------|--------|
| ● black/gold | 1008924 | 127.00 |
| ● black | 1008922 | 127.00 |
| ● white/gold | 1008923 | 127.00 |
| ○ white | 1008921 | 127.00 |




DECONA 42

CL, Sensor



UPDATE



220-240 V ~50/60 Hz | 305 mA
 Total wattage: 23 W
 Material: aluminium/PC



2680 lm | 3000 K | 2850 lm | 4000 K

| Options | Prod. no. | GBP |
|-----------------------------|-----------|--------|
| <input type="radio"/> white | 1008928 | 144.00 |

DECONA

Mounting frame 310 mm



Ø: 31.3 cm
 H: 7.5 cm
 Material: aluminium

| Options | Prod. no. | GBP |
|-----------------------------|-----------|-------|
| <input type="radio"/> white | 1008585 | 51.00 |

DECONA

Mounting frame 430 mm



Ø: 43.3 cm
 H: 7.5 cm
 Material: aluminium

| Options | Prod. no. | GBP |
|-----------------------------|-----------|-------|
| <input type="radio"/> white | 1008586 | 60.00 |

DECONA


Suspension kit 1.50 m



Material: steel

| Options | Prod. no. | GBP |
|--|-----------|-------|
| <input checked="" type="radio"/> black | 1008587 | 24.00 |
| <input type="radio"/> white | 1008588 | 24.00 |

MARONA CL, PHASE



220-240 V ~50/60 Hz | 430 mA

Total wattage: 15 W

Material: polymethylacrylate (PMMA)/steel

LED
INSIDE

1200 lm | 3000 K

| Options | Prod. no. | GBP |
|---------|-----------|--------|
| ● grey | 155156 | 101.00 |


155156 178



1010520 179

GLENOS® PRO
CL, 1,2 m, DALI, UGR19

NEW



220-240 V ~0/50/60 Hz | 750 mA
Total wattage: 30 W
Material: aluminium/plastic PC



3650 lm | 3000 K | 3900 lm | 4000 K

| Options | Prod. no. | GBP |
|-------------------------|----------------|---------------|
| ● black 3000 K | 1010518 | 373.00 |
| ● black 4000 K | 1010520 | 373.00 |
| ● white/black 3000 K | 1010517 | 373.00 |
| ● white/black 4000 K | 1010519 | 373.00 |









PANEL 60
CL, round, PHASE

PANEL 60
CL, round, DALI



220-240 V ~50/60 Hz | 750 mA
Total wattage: 29 W
Material: aluminium/steel

220-240 V ~50/60 Hz | 750 mA
Total wattage: 29 W
Material: aluminium/steel



3050 lm | 3000 K | 3300 lm | 4000 K

3050 lm | 3000 K | 3300 lm | 4000 K

| Options | Prod. no. | GBP |
|---------------------------------------|-----------|--------|
| <input type="radio"/> white | 1010422 | 246.00 |
| <input checked="" type="radio"/> grey | 1010423 | 246.00 |

| Options | Prod. no. | GBP |
|---------------------------------------|-----------|--------|
| <input type="radio"/> white | 1010424 | 254.00 |
| <input checked="" type="radio"/> grey | 1010425 | 254.00 |