

FOR YOUR CONVINIANCE THIS PDF HAS BEEN EDITED SUCH
THAT THE STARTING INDEX PAGE NUMBERS JUMP TO THE
PRODUCT PAGE AND THE PRODUCT SKU'S ARE
HYPERLINKED TO THE PRODUCT WEBSITE FOR FURTHER
INFORMATION, PLEASE HOLD 'CTRL' (WINDOWS) OR 'CMD'
(MAC) WHILE TO CLICKING PRODUCT HYPERLINKS TO OPEN
PRODUCT IN NEW TAB





LED QT14 | 1000



LED C35 | 1000-1001



LED QT-DE12 | 1000



LED G45 GOLD | 1000



LED C35 GOLD | 1000



LED TCR-TSE | 1001



LED QR51 | 1001

LED A60 | 1001, 1004,
1007

LED T32 | 1002



LED QPAR51 | 1002



LED QPAR111 | 1003



LED A19 | 1003

LED GLOBE 150 |
1004-1005LED GLOBE 125 |
1004-1005, 1007

LED GLOBE 200 | 1005



LED GLOBE 300 | 1005



LED T32 | 1006



LED T38 | 1006



LED T45 | 1006



LED ST64 | 1006-1007



LED ST65 | 1007



LED ST58 | 1007

SLVconnect® LED A60
SMART | 1008SLVconnect® LED
QPAR111 SMART | 1008SLVconnect® LED
ST19 SMART | 1009SLVconnect® LED
QPAR51 SMART | 1009

LED QT14 G9



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm L: 10 cm

Colour rendering	90
Output	3.6 W
Energy consumption/1000h	4 kWh

Options	Prod. no.	GBP
☐ transparent 400 lm 3000 K	1005286	8.00
☐ transparent 450 lm 2700 K	1007455	8.00

LED C35 G9



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm L: 9.5 cm

Manufacturer	Segula
Luminous flux	260 lm
Colour rendering	90
Output	3 W
Energy consumption/1000h	3 kWh

Options	Prod. no.	GBP
☐ transparent 2200 K	1008158	29.00

LED QT-DE12 R7S, 78 mm



220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm | L: 2.9 cm

Luminous flux	1050 lm
Colour rendering	90
Output	9 W
Energy consumption/1000h	9 kWh

Options	Prod. no.	GBP
☐ transparent 3000 K	1005287	21.00

LED QT-DE12 R7S, 118 mm



220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm L: 11.8 cm

Luminous flux	2000 lm
Colour rendering	90
Output	15 W
Energy consumption/1000h	15 kWh

Options	Prod. no.	GBP
☐ transparent 3000 K	1005288	25.00

LED G45 gold E14



220-240 V ~50/60 Hz
Material: glass
Ø: 4.5 cm L: 7.5 cm

Colour rendering	80
Output	2 W
Energy consumption/1000h	2 kWh

Options	Prod. no.	GBP
☐ gold/transparent 70 lm 1800 K	1008649	4.20
☐ gold/transparent 75 lm 2200 K	1008650	4.20

LED C35 gold E14



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	80 lm
Colour rendering	80
Output	2 W
Energy consumption/1000h	2 kWh

Options	Prod. no.	GBP
☐ gold/transparent 1800 K	1008647	4.50
☐ gold/transparent 2200 K	1008648	4.50



LED C35 E14



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	380 lm
Colour rendering	90
Output	4.2 W
Energy consumption/1000 h	5 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1005284	6.00

LED C35 E14



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	350 lm
Colour rendering	90
Output	4.2 W
Energy consumption/1000 h	5 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1005285	8.00

LED TCR-TSE GX53



230 V 50/60 Hz
Material: polycarbonate (PC)
Ø: 7.5 cm | L: 2.4 cm

Colour rendering	90
Output	6.1 W
Energy consumption/1000 h	7 kWh

Options	Prod. no.	GBP
☐ white 520 lm 4000 K	1005269	10.00
☐ white 490 lm 3000 K	1005271	10.00
☐ white 490 lm 2700 K	1005272	10.00

LED QR51 GU5.3



12 V
Material: glass
Ø: 5 cm | L: 4.5 cm

Colour rendering	90
Output	5.8 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
☐ transparent 450 lm 2700 K	1001574	30.00
☐ transparent 460 lm 3000 K	1001575	30.00

LED A60 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	400 lm
Colour rendering	90
Output	5 W
Energy consumption/1000 h	5 kWh

Options	Prod. no.	GBP
☐ transparent 2200 K	1008154	38.00

LED A60 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	650 lm
Colour rendering	90
Output	6.5 W
Energy consumption/1000 h	7 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1008375	38.00

LED T32 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm L: 10 cm

Manufacturer	Segula
Luminous flux	270 lm
Colour rendering	90
Output	3.2 W
Energy consumption/1000h	4 kWh

Options	Prod. no.	GBP
○ transparent 2700 K	1006321	42.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5 cm

Luminous flux	360 lm
Colour rendering	90
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
○ silver 2200 K	1005273	9.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: plastic PC

Colour rendering	90
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
● black 450 lm 2700 K	1005077	7.00
● black 470 lm 3000 K	1005080	7.00
● black 490 lm 4000 K	1005083	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	450 lm
Colour rendering	90
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
○ white 450 lm 2700 K	1005076	7.00
○ white 470 lm 3000 K	1005079	7.00
○ white 490 lm 4000 K	1005082	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	450 lm
Colour rendering	90
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
● grey 450 lm 2700 K	1005075	7.00
● grey 470 lm 3000 K	1005078	7.00
● grey 490 lm 4000 K	1005081	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5.4 cm

Luminous flux	230 lm
Colour rendering	80
Output	2.4 W
Energy consumption/1000h	3 kWh

Options	Prod. no.	GBP
○ transparent 2700 K	1007230	5.00
○ transparent 3000 K	1007231	5.00



LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11 cm | L: 7 cm

Colour rendering	90
Output	12 W
Energy consumption/1000 h	12 kWh

Options	Prod. no.	GBP
● aluminium 670 lm 2700 K	1005297	73.00
● aluminium 680 lm 3000 K	1005298	73.00
● aluminium 750 lm 4000 K	1005299	73.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Colour rendering	90
Output	12.5 W
Energy consumption/1000 h	13 kWh

Options	Prod. no.	GBP
○ silver 900 lm 2700 K 10°	1005275	48.00
○ silver 650 lm 3000 K 12°	1005278	48.00
○ silver 1000 lm 4000 K 10°	1005281	48.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Colour rendering	90
Output	12.5 W
Energy consumption/1000 h	13 kWh

Options	Prod. no.	GBP
○ silver 950 lm 2700 K	1005276	43.00
○ silver 950 lm 3000 K	1005279	43.00
○ silver 1000 lm 4000 K	1005282	43.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1000 lm
Colour rendering	90
Output	12.5 W
Energy consumption/1000 h	13 kWh

Options	Prod. no.	GBP
○ silver 1000 lm 2700 K	1005277	43.00
○ silver 1000 lm 3000 K	1005280	43.00
○ silver 1100 lm 4000 K	1005283	43.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 11.1 cm | L: 6.1 cm

Luminous flux	680 lm
Colour rendering	90
Output	8 W
Energy consumption/1000 h	8 kWh

Options	Prod. no.	GBP
○ transparent 2700 K	1005274	26.00

LED A19 E27



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Luminous flux	570 lm
Colour rendering	90
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
○ transparent 2200 K	1008153	46.00

LED A60 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 6 cm | L: 12 cm

Luminous flux	1300 lm
Colour rendering	90
Output	13.2 W
Energy consumption/1000h	14 kWh

Options	Prod. no.	GBP
☐ white 2700 K	1005302	11.00

LED A60 E27, High Efficiency



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Colour rendering	80
Output	3.8 W
Energy consumption/1000h	4 kWh

Options	Prod. no.	GBP
☐ transparent 830 lm 2700 K	1008641	6.50
☐ transparent 860 lm 3000 K	1008642	6.50

LED A60 E27



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Luminous flux	810 lm
Colour rendering	80
Output	8 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1008643	2.75
☐ transparent 3000 K	1008644	2.75

LED A60 E27



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	800 lm
Colour rendering	90
Output	7.5 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1005303	9.00

LED GLOBE 150 E27, Twisted Smokey Grey



220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	230 lm
Colour rendering	85
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
☒ smoky grey 1900 K	1008151	72.00

LED GLOBE 125 E27, Soft Curve Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	400 lm
Colour rendering	90
Output	8 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☒ smoky grey 1900 K	1008159	77.00



LED GLOBE 125

E27, Slanting Top Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	350 lm
Colour rendering	90
Output	5 W
Energy consumption/1000 h	5 kWh

Options	Prod. no.	GBP
● smoky grey 2200 K	1008160	68.00

LED GLOBE 125

E27, Crescent Slanting Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	310 lm
Colour rendering	90
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
● smoky grey 1900 K	1008161	59.00

LED GLOBE 125

E27, Black Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 16.5 cm

Manufacturer	Segula
Luminous flux	220 lm
Colour rendering	85
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
● smoky grey 1900 K	1008155	59.00

LED GLOBE 150

E27, Black Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	260 lm
Colour rendering	85
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
● smoky grey 1900 K	1008163	72.00

LED GLOBE 200

E27, Black Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 20 cm | L: 23 cm

Manufacturer	Segula
Luminous flux	300 lm
Colour rendering	85
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
● smoky grey 1900 K	1008164	89.00

LED GLOBE 300

E27, Black Smokey



220-240 V ~50/60 Hz
Material: glass
Ø: 30 cm | L: 32 cm

Manufacturer	Segula
Luminous flux	350 lm
Colour rendering	85
Output	8 W
Energy consumption/1000 h	8 kWh

Options	Prod. no.	GBP
● smoky grey 1900 K	1008165	214.00

LED T32 E27, Soft Spiral



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 19 cm

Manufacturer	Segula
Luminous flux	570 lm
Colour rendering	90
Output	6 W
Energy consumption/1000h	6 kWh

Options	Prod. no.	GBP
☐ transparent 2200 K	1008152	55.00

LED T32 E27, Soft Tube



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 30 cm

Manufacturer	Segula
Luminous flux	400 lm
Colour rendering	90
Output	8 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☐ transparent 1900 K	1008374	42.00

LED T38 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 3.8 cm | L: 11.6 cm

Luminous flux	880 lm
Colour rendering	90
Output	8 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☐ white 3000 K	1005289	9.00

LED T45 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 4.5 cm | L: 14 cm

Luminous flux	1520 lm
Colour rendering	90
Output	13.5 W
Energy consumption/1000h	14 kWh

Options	Prod. no.	GBP
☐ white 3000 K	1005307	11.00

LED T32 E27, Slim Tube



220-240 V ~50/60 Hz
Material: glass
Ø: 5.2 cm L: 17.5 cm

Manufacturer	Segula
Luminous flux	1250 lm
Colour rendering	90
Output	11 W
Energy consumption/1000h	11 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1008162	72.00

LED ST64 E27, Gold



220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.5 cm

Luminous flux	700 lm
Colour rendering	90
Output	7.5 W
Energy consumption/1000h	8 kWh

Options	Prod. no.	GBP
☒ gold 2500 K	1005265	23.00



LED ST65

E27, Soft Cage



220-240 V ~50/60 Hz
Material: glass
Ø: 6.5 cm | L: 14.5 cm

Manufacturer	Segula
Luminous flux	570 lm
Colour rendering	90
Output	6 W
Energy consumption/1000 h	6 kWh

Options	Prod. no.	GBP
☐ transparent 2200 K	1008156	46.00

LED ST64

E27, Gold Curly Filament



220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.2 cm

Colour rendering	80
Output	4 W
Energy consumption/1000 h	4 kWh

Options	Prod. no.	GBP
☐ gold/transparent 250 lm 1800 K	1008645	5.00
☐ gold/transparent 300 lm 2000 K	1008646	5.00

LED ST58

E27



220-240 V ~50/60 Hz
Material: glass
Ø: 5.8 cm | L: 14.2 cm

Luminous flux	800 lm
Colour rendering	90
Output	7.5 W
Energy consumption/1000 h	8 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1005268	11.00

LED A60

E27, Mirrorhead Chrom



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	720 lm
Colour rendering	90
Output	7.5 W
Energy consumption/1000 h	8 kWh

Options	Prod. no.	GBP
☒ chrome 2700 K	1005305	17.00

LED GLOBE 125

E27



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 17.8 cm

Luminous flux	800 lm
Colour rendering	90
Output	7.5 W
Energy consumption/1000 h	8 kWh

Options	Prod. no.	GBP
☐ transparent 2700 K	1005310	16.00

LED GLOBE 125

E27, Half Moon



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	650 lm
Colour rendering	90
Output	6.5 W
Energy consumption/1000 h	7 kWh

Options	Prod. no.	GBP
☐ frosted 2700 K	1008157	42.00

SLVconnect® LED A60 Smart E27, Tunable White



NEW



220-240 V ~50/60 Hz
Material: aluminium/plastic/PC
Ø: 6 cm

Luminous flux	1100 lm
Colour rendering	90
Output	8.5 W
Energy consumption/1000h	9 kWh

Options	Prod. no.	GBP
☐ white 2200-6500 K	1010465	30.00

SLVconnect® LED A60 Smart E27, RGBW



NEW



220-240 V ~50/60 Hz
Material: aluminium/plastic/PC
Ø: 6 cm

Luminous flux	1100 lm
Colour rendering	90
Output	9.5 W
Energy consumption/1000h	10 kWh

Options	Prod. no.	GBP
☐ white 1800-6500 K	1010466	36.00

SLVconnect® LED QPAR111 Smart GU10, Tunable White



NEW



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm

Luminous flux	750 lm
Colour rendering	90
Output	10 W
Energy consumption/1000h	10 kWh

Options	Prod. no.	GBP
☐ white 2200-6500 K	1010467	50.00

SLVconnect® LED ST19 Smart E27, Tunable White



NEW



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm

Luminous flux	640 lm
Colour rendering	90
Output	7 W
Energy consumption/1000h	7 kWh

Options	Prod. no.	GBP
☒ amber 2200-4000 K	1010484	27.00

SLVconnect® LED A60 Smart E27, Tunable White



NEW



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm

Luminous flux	640 lm
Colour rendering	90
Output	7 W
Energy consumption/1000h	7 kWh

Options	Prod. no.	GBP
☒ amber 2200-4000 K	1010486	24.00

SLVconnect® LED QPAR51 Smart GU10, Tunable White



NEW



220-240 V ~50/60 Hz
Material: aluminium/PC
Ø: 5 cm

Luminous flux	420 lm
Colour rendering	90
Output	5 W
Energy consumption/1000h	5 kWh

Options	Prod. no.	GBP
☐ white 2200-6500 K	1010470	33.00



SLVconnect® LED QPAR51 Smart GU10, RGBW



NEW



220-240 V ~50/60 Hz
Material: aluminium/PC
Ø: 5 cm

Luminous flux	400 lm
Colour rendering	90
Output	5 W
Energy consumption/1000 h	5 kWh

Options	Prod. no.	GBP
☐ white 2200-6500 K	1010471	39.00

