


PLEASE BE AWARE THAT THIS PDF HAS BEEN EDITED SUCH THAT THE STARTING INDEX PAGE NUMBERS JUMP TO THE PRODUCT PAGE AND THE PRODUCT SKU'S ARE HYPERLINKED TO THE PRODUCT WEBSITE FOR FURTHER INFORMATION, PLEASE HOLD 'CTRL' (WINDOWS) OR 'CMD' (MAC) WHILE TO CLICKING PRODUCT HYPERLINKS TO OPEN PRODUCT IN NEW TAB



1008164 901



LIGHT BULBS

					
LED QT14 896	LED QT-DE12 896	LED G45 GOLD 896	LED C35 GOLD 896	LED C35 896- 897	LED TCR-TSE 897
					
LED QR51 897	LED A60 897, 900, 903	LED T32 897	LED QPAR51 898	LED PAR11 899	LED QPAR111 899
					
LED GLOBE 150 900-901	LED GLOBE 125 900-901, 903	LED GLOBE 200 901	LED GLOBE 300 901	LED T32 902	LED T38 902
					
LED T45 902	LED ST64 902-903	LED ST58 903	SLVconnect® LED PAR16 SMART 904	SLVconnect® LED A60 SMART 904	

LED QT14 G9



220-240 V ~50/60 Hz
Material: ceramic
Ø: 1.8 cm | L: 5.4 cm

Luminous flux	450 lm
Lamp current	0.03 A
Colour rendering	90
Output	3.6 W

Variant	Prod. no.	GBP
○ transparent 400 lm 3000 K	1005286	8.00
○ transparent 450 lm 2700 K	1007455	8.00

LED QT-DE12 R7S, 78 MM



220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm | L: 2.9 cm

Luminous flux	1050 lm
Lamp current	0.04 A
Colour rendering	90
Output	9 W

Variant	Prod. no.	GBP
○ transparent 3000 K	1005287	21.00

LED QT-DE12 R7S, 118 MM



220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm | L: 11.8 cm

Luminous flux	2000 lm
Lamp current	0.07 A
Colour rendering	90
Output	15 W

Variant	Prod. no.	GBP
○ transparent 3000 K	1005288	25.00

LED G45 E14, GOLD CURLY FILAMENT



220-240 V ~50/60 Hz
Material: glass
Ø: 4.5 cm | L: 7.5 cm

Luminous flux	75 lm
Lamp current	0.01 A
Colour rendering	80
Output	2 W

Variant	Prod. no.	GBP
○ gold/transparent 70 lm 1800 K	1008649	5.00
○ gold/transparent 75 lm 2200 K	1008650	5.00

LED C35 E14, GOLD CURLY FILAMENT



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	80 lm
Lamp current	0.01 A
Colour rendering	80
Output	2 W

Variant	Prod. no.	GBP
○ gold/transparent 1800 K	1008647	5.00
○ gold/transparent 2200 K	1008648	5.00

LED C35 E14



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	380 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.2 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1005284	6.00



LED C35 E14



220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	350 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.2 W

Variant	Prod. no.	GBP
○ frosted 2700 K	1005285	8.00

LED TCR-TSE GX53



230 V 50/60 Hz
Material: polycarbonate (PC)
Ø: 7.5 cm | L: 2.4 cm

Luminous flux	490 lm 520 lm
Lamp current	0.03 A
Colour rendering	90
Output	6.1 W

Variant	Prod. no.	GBP
○ white 520 lm 4000 K	1005269	10.00
○ white 490 lm 3000 K	1005271	10.00
○ white 490 lm 2700 K	1005272	10.00

LED QR51 GU5.3



12 V
Material: glass
Ø: 5 cm | L: 4.5 cm

Manufacturer	Philips
Luminous flux	460 lm
Lamp current	0.63 A
Colour rendering	90
Output	5.8 W

Variant	Prod. no.	GBP
○ transparent 450 lm 2700 K	1001574	30.00
○ transparent 460 lm 3000 K	1001575	30.00

LED A60 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.03 A
Colour rendering	90
Output	5 W

Variant	Prod. no.	GBP
○ transparent 2200 K	1008154	38.00

LED A60 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	650 lm
Lamp current	0.04 A
Colour rendering	90
Output	6.5 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1008375	38.00

LED T32 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 10 cm

Manufacturer	Segula
Luminous flux	270 lm
Lamp current	0.02 A
Colour rendering	90
Output	3.2 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1006321	42.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5 cm

Luminous flux	360 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
○ silver 2200 K	1005273	9.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material:

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
● black 450 lm 2700 K	1005077	7.00
● black 470 lm 3000 K	1005080	7.00
● black 490 lm 4000 K	1005083	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
○ white 450 lm 2700 K	1005076	7.00
○ white 470 lm 3000 K	1005079	7.00
○ white 490 lm 4000 K	1005082	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
● grey 450 lm 2700 K	1005075	7.00
● grey 470 lm 3000 K	1005078	7.00
● grey 490 lm 4000 K	1005081	7.00

LED QPAR51 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5.4 cm

Luminous flux	230 lm
Lamp current	0.03 A
Colour rendering	80
Output	2.4 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1007230	5.00
○ transparent 3000 K	1007231	5.00



LED PAR11 GU10



NEW



220-240 V ~50/60 Hz
Material: ceramic
Ø: 3.5 cm

Luminous flux	430 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.9 W

Variant	Prod. no.	GBP
○ white 390 lm 2700 K	1011670	10.00
○ white 430 lm 3000 K	1011671	10.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11 cm | L: 7 cm

Luminous flux	750 lm
Lamp current	0.05 A
Colour rendering	90
Output	12 W

Variant	Prod. no.	GBP
● aluminium 670 lm 2700 K	1005297	73.00
● aluminium 680 lm 3000 K	1005298	73.00
● aluminium 750 lm 4000 K	1005299	73.00

LED QPAR 111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1000 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
○ silver 900 lm 2700 K 10°	1005275	48.00
○ silver 650 lm 3000 K 12°	1005278	48.00
○ silver 1000 lm 4000 K 10°	1005281	48.00

LED QPAR 111 GU10



220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1000 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
○ silver 950 lm 2700 K	1005276	43.00
○ silver 950 lm 3000 K	1005279	43.00
○ silver 1000 lm 4000 K	1005282	43.00

LED QPAR 111 GU10



Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1100 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
○ silver 1000 lm 2700 K	1005277	43.00
○ silver 1000 lm 3000 K	1005280	43.00
○ silver 1100 lm 4000 K	1005283	43.00

LED QPAR111 GU10



220-240 V ~50/60 Hz
Material: glass
Ø: 11.1 cm | L: 6.1 cm

Luminous flux	680 lm
Lamp current	0.05 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1005274	26.00

LED A60 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 6 cm | L: 12 cm

Luminous flux	1300 lm
Lamp current	0.06 A
Colour rendering	90
Output	13.2 W

Variant	Prod. no.	GBP
○ white 2700 K	1005302	11.00

LED A60 E27, HIGH EFFICIENCY



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Luminous flux	830/860 lm
Lamp current	0.04 A
Colour rendering	80
Output	4 W

Variant	Prod. no.	GBP
○ transparent 830 lm 2700 K	1008641	7.00
○ transparent 860 lm 3000 K	1008642	7.00

LED A60 E27



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Luminous flux	810 lm
Lamp current	0.05 A
Colour rendering	80
Output	8 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1008643	3.00
○ transparent 3000 K	1008644	3.00

LED A60 E27





220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1005303	9.00

LED GLOBE 150 E27, TWISTED SMOKEY GREY



220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	230 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008151	72.00

LED GLOBE 125 E27, SOFT CURVE SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.04 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008159	77.00



LED GLOBE 125 E27, SLANTING TOP SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	90
Output	5 W

Variant	Prod. no.	GBP
● smoky grey 2200 K	1008160	68.00

LED GLOBE 125 E27, CRESCENT SLANTING SMOKEY



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	310 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008161	59.00

LED GLOBE 125 E27, BLACK SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 16.5 cm

Manufacturer	Segula
Luminous flux	220 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008155	59.00

LED GLOBE 150 E27, BLACK SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	260 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008163	72.00

LED GLOBE 200 E27, BLACK SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 20 cm | L: 23 cm

Manufacturer	Segula
Luminous flux	300 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008164	89.00

LED GLOBE 300 E27, BLACK SMOKEY




220-240 V ~50/60 Hz
Material: glass
Ø: 30 cm | L: 32 cm

Manufacturer	Segula
Luminous flux	350 lm
Lamp current	0.05 A
Colour rendering	85
Output	8 W

Variant	Prod. no.	GBP
● smoky grey 1900 K	1008165	214.00

LED T32 E27, SOFT SPIRAL



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 19 cm

Manufacturer	Segula
Luminous flux	570 lm
Lamp current	0.04 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
○ transparent 2200 K	1008152	55.00

LED T32 E27, SOFT TUBE



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 30 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.05 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
○ transparent 1900 K	1008374	42.00

LED T38 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 3.8 cm | L: 11.6 cm

Luminous flux	880 lm
Lamp current	0.04 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
○ white 3000 K	1005289	10.00

LED T45 E27



220-240 V ~50/60 Hz
Material: plastic
Ø: 4.5 cm | L: 14 cm

Luminous flux	1520 lm
Lamp current	0.06 A
Colour rendering	90
Output	13.5 W

Variant	Prod. no.	GBP
○ white 3000 K	1005307	11.00

LED T32 E27, SLIM TUBE



220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 17.5 cm

Manufacturer	Segula
Luminous flux	1250 lm
Lamp current	0.06 A
Colour rendering	90
Output	11 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1008162	72.00

LED ST64 E27, GOLD



220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.5 cm

Luminous flux	700 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
● gold 2500 K	1005265	23.00



LED ST64

E27, GOLD CURLY FILAMENT



220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.2 cm

Luminous flux	300 lm
Lamp current	0.03 A
Colour rendering	80
Output	4 W

Variant	Prod. no.	GBP
○ gold/transparent 250 lm 1800 K	1008645	6.00
○ gold/transparent 3000 lm 2000 K	1008646	6.00

LED ST58

E27



220-240 V ~50/60 Hz
Material: glass
Ø: 5.8 cm | L: 14.2 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1005268	11.00

LED A60

E27, MIRRORHEAD CHROM



220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	720 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
● chrome 2700 K	1005305	17.00

LED GLOBE 125

E27



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 17.8 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
○ transparent 2700 K	1005310	16.00

LED GLOBE 125

E27, HALF MOON



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	650 lm
Lamp current	0.04 A
Colour rendering	90
Output	6.5 W

Variant	Prod. no.	GBP
○ frosted 2700 K	1008157	42.00

SLVconnect® LED PAR16 SMART GU10, ZIGBEE 3.0



NEW



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.7 W

Variant	Prod. no.	GBP
○ transparent	1012468	18.00

SLVconnect® LED PAR16 SMART GU10, TUNABLE WHITE, ZIGBEE 3.0



NEW



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.7 W

Variant	Prod. no.	GBP
○ transparent	1012469	23.00

SLVconnect® LED PAR16 SMART GU10, RGBW, ZIGBEE 3.0



NEW



220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	300 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.9 W

Variant	Prod. no.	GBP
○ transparent	1012470	29.00

SLVconnect® LED A60 SMART E27, ZIGBEE 3.0



NEW



220-240 V ~50/60 Hz
Material: plastic PC
Ø: 6 cm

Manufacturer	Ledvance
Luminous flux	806 lm
Lamp current	0.06 A
Colour rendering	80
Output	9 W

Variant	Prod. no.	GBP
○ white	1012471	14.00

SLVconnect® LED A60 SMART E27, RGBW, ZIGBEE 3.0



NEW



220-240 V ~50/60 Hz
Material: plastic PC
Ø: 6 cm

Manufacturer	Ledvance
Luminous flux	806 lm
Lamp current	0.06 A
Colour rendering	80
Output	9 W

Variant	Prod. no.	GBP
○ white	1012472	25.00

