PLEASE BE AWARE THAT THIS PDF HAS BEEN EDITED SUCH THAT THE STARTING INDEX PAGE NUMBERS JUMP TO THE PRODUCT PAGE AND THE PRODUCT SKU'S ARE HYPERLINKED TO THE PRODUCT WEBSITE FOR FURTHER INFORMATION, PLEASE HOLD 'CTRL' (WINDOWS) OR 'CMD' (MAC) WHILE TO CLICKING PRODUCT HYPERLINKS TO OPEN PRODUCT IN NEW TAB



1008164 901

SLV DIRECT

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LIGHT BULBS

LED QT14 | 896

LED QT–DE12 | 896

LED G45 GOLD | 896

LED C35 GOLD | 896

LED C35 | 896– 897

LED TCR–TSE | 897

LED QR51 | 897

LED A60 | 897, 900, 903

LED T32 | 897

LED QPAR51 | 898

LED PAR11 | 899

LED QPAR111 | 899

LED GLOBE 150 | 900–901

LED GLOBE 125 | 900–901, 903

LED GLOBE 200 | 901



LED GLOBE 300 | 901

LED T32 | 902

LED T38 | 902

LED T45 | 902

LED ST64 | 902–903

LED ST58 | 903

SLVconnect® LED PAR16 SMART | 904

SLVconnect® LED A60 SMART | 904

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED QT14
G9

220-240 V ~50/60 Hz
Material: ceramic
Ø: 1.8 cm | L: 5.4 cm

Luminous flux	450 lm
Lamp current	0.03 A
Colour rendering	90
Output	3.6 W

Variant	Prod. no.	GBP
transparent 400 lm | 3000 K	**1005286**	**8.00**
transparent 450 lm | 2700 K	**1007455**	**8.00**

LED QT-DE12
R7S, 78 MM

220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm | L: 2.9 cm

Luminous flux	1050 lm
Lamp current	0.04 A
Colour rendering	90
Output	9 W

Variant	Prod. no.	GBP
transparent 3000 K	**1005287**	**21.00**

LED QT-DE12
R7S, 118 MM

220-240 V ~50/60 Hz
Material: polycarbonate (PC)
Ø: 2.9 cm | L: 11.8 cm

Luminous flux	2000 lm
Lamp current	0.07 A
Colour rendering	90
Output	15 W

Variant	Prod. no.	GBP
transparent 3000 K	**1005288**	**25.00**

LED G45
E14, GOLD CURLY FILAMENT

220-240 V ~50/60 Hz
Material: glass
Ø: 4.5 cm | L: 7.5 cm

Luminous flux	75 lm
Lamp current	0.01 A
Colour rendering	80
Output	2 W

Variant	Prod. no.	GBP
gold/transparent 70 lm | 1800 K	**1008649**	**5.00**
gold/transparent 75 lm | 2200 K	**1008650**	**5.00**

LED C35
E14, GOLD CURLY FILAMENT

220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	80 lm
Lamp current	0.01 A
Colour rendering	80
Output	2 W

Variant	Prod. no.	GBP
gold/transparent 1800 K	**1008647**	**5.00**
gold/transparent 2200 K	**1008648**	**5.00**

LED C35
E14

220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	380 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.2 W

Variant	Prod. no.	GBP
transparent 2700 K	**1005284**	**6.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED C35
E14

220-240 V ~50/60 Hz
Material: glass
Ø: 3.5 cm | L: 9.8 cm

Luminous flux	350 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.2 W

Variant	Prod. no.	GBP
frosted 2700 K	**1005285**	**8.00**

LED TCR-TSE
GX53

230 V 50/60 Hz
Material: polycarbonate (PC)
Ø: 7.5 cm | L: 2.4 cm

Luminous flux	490 lm | 520 lm
Lamp current	0.03 A
Colour rendering	90
Output	6.1 W

Variant	Prod. no.	GBP
white 520 lm | 4000 K	**1005269**	**10.00**
white 490 lm | 3000 K	**1005271**	**10.00**
white 490 lm | 2700 K	**1005272**	**10.00**

LED QR51
GU5.3

12 V
Material: glass
Ø: 5 cm | L: 4.5 cm

Manufacturer	Philips
Luminous flux	460 lm
Lamp current	0.63 A
Colour rendering	90
Output	5.8 W

Variant	Prod. no.	GBP
transparent 450 lm | 2700 K	**1001574**	**30.00**
transparent 460 lm | 3000 K	**1001575**	**30.00**

LED A60
GU10

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.03 A
Colour rendering	90
Output	5 W

Variant	Prod. no.	GBP
transparent 2200 K	**1008154**	**38.00**

LED A60
GU10

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 11 cm

Manufacturer	Segula
Luminous flux	650 lm
Lamp current	0.04 A
Colour rendering	90
Output	6.5 W

Variant	Prod. no.	GBP
transparent 2700 K	**1008375**	**38.00**

LED T32
GU10

220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 10 cm

Manufacturer	Segula
Luminous flux	270 lm
Lamp current	0.02 A
Colour rendering	90
Output	3.2 W

Variant	Prod. no.	GBP
transparent 2700 K	**1006321**	**42.00**

LED QPAR51
GU10

220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5 cm

Luminous flux	360 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
silver 2200 K	**1005273**	**9.00**

LED QPAR51
GU10

220-240 V ~50/60 Hz
Material:

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
black 450 lm | 2700 K	**1005077**	**7.00**
black 470 lm | 3000 K	**1005080**	**7.00**
black 490 lm | 4000 K	**1005083**	**7.00**

LED QPAR51
GU10

220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
white 450 lm | 2700 K	**1005076**	**7.00**
white 470 lm | 3000 K	**1005079**	**7.00**
white 490 lm | 4000 K	**1005082**	**7.00**

LED QPAR51
GU10

220-240 V ~50/60 Hz
Material: plastic PC

Luminous flux	490 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
grey 450 lm | 2700 K	**1005075**	**7.00**
grey 470 lm | 3000 K	**1005078**	**7.00**
grey 490 lm | 4000 K	**1005081**	**7.00**

LED QPAR51
GU10

220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm | L: 5.4 cm

Luminous flux	230 lm
Lamp current	0.03 A
Colour rendering	80
Output	2.4 W

Variant	Prod. no.	GBP
transparent 2700 K	**1007230**	**5.00**
transparent 3000 K	**1007231**	**5.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED PAR11
GU10

C,L IP20 36° 30 000 h L70B50

220-240 V ~50/60 Hz
Material: ceramic
Ø: 3.5 cm

Luminous flux	430 lm
Lamp current	0.03 A
Colour rendering	90
Output	4.9 W

Variant	Prod. no.	GBP
white 390 lm | 2700 K	**1011670**	**10.00**
white 430 lm | 3000 K	**1011671**	**10.00**

LED QPAR111
GU10

C,L IP20 55° 40 000 h L70B50

220-240 V ~50/60 Hz
Material: aluminium
Ø: 11 cm | L: 7 cm

Luminous flux	750 lm
Lamp current	0.05 A
Colour rendering	90
Output	12 W

Variant	Prod. no.	GBP
aluminium 670 lm | 2700 K	**1005297**	**73.00**
aluminium 680 lm | 3000 K	**1005298**	**73.00**
aluminium 750 lm | 4000 K	**1005299**	**73.00**

LED QPAR 111
GU10

C IP20 10° 25 000 h L70B50

220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1000 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
silver 900 lm | 2700 K | 10°	**1005275**	**48.00**
silver 650 lm | 3000 K | 12°	**1005278**	**48.00**
silver 1000 lm | 4000 K | 10°	**1005281**	**48.00**

LED QPAR 111
GU10

C IP20 30° 25 000 h L70B50

220-240 V ~50/60 Hz
Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1000 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
silver 950 lm | 2700 K	**1005276**	**43.00**
silver 950 lm | 3000 K	**1005279**	**43.00**
silver 1000 lm | 4000 K	**1005282**	**43.00**

LED QPAR 111
GU10

C,L IP20 60° 25 000 h L70B50

Material: aluminium
Ø: 11.1 cm | L: 7 cm

Luminous flux	1100 lm
Lamp current	0.06 A
Colour rendering	90
Output	12.5 W

Variant	Prod. no.	GBP
silver 1000 lm | 2700 K	**1005277**	**43.00**
silver 1000 lm | 3000 K	**1005280**	**43.00**
silver 1100 lm | 4000 K	**1005283**	**43.00**

LED QPAR111
GU10

C,L IP20 38° 25 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 11.1 cm | L: 6.1 cm

Luminous flux	680 lm
Lamp current	0.05 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
transparent 2700 K	**1005274**	**26.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED A60
E27

220-240 V ~50/60 Hz
Material: plastic
Ø: 6 cm | L: 12 cm

Luminous flux	1300 lm
Lamp current	0.06 A
Colour rendering	90
Output	13.2 W

Variant	Prod. no.	GBP
white 2700 K	**1005302**	**11.00**

LED A60
E27, HIGH EFFICIENCY

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Luminous flux	830/860 lmn
Lamp current	0.04 A
Colour rendering	80
Output	4 W

Variant	Prod. no.	GBP
transparent 830 lm | 2700 K	**1008641**	**7.00**
transparent 860 lm | 3000 K	**1008642**	**7.00**

LED A60
E27

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.8 cm

Luminous flux	810 lm
Lamp current	0.05 A
Colour rendering	80
Output	8 W

Variant	Prod. no.	GBP
transparent 2700 K	**1008643**	**3.00**
transparent 3000 K	**1008644**	**3.00**

LED A60
E27

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
transparent 2700 K	**1005303**	**9.00**

LED GLOBE 150
E27, TWISTED SMOKEY GREY



220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	230 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008151**	**72.00**

LED GLOBE 125
E27, SOFT CURVE SMOKEY

220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.04 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008159**	**77.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED GLOBE 125
E27, SLANTING TOP SMOKEY



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	90
Output	5 W

Variant	Prod. no.	GBP
smoky grey 2200 K	**1008160**	**68.00**

LED GLOBE 125
E27, CRESCENT SLANTING SMOKEY



220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	310 lm
Lamp current	0.03 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008161**	**59.00**

LED GLOBE 125
E27, BLACK SMOKEY

220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 16.5 cm

Manufacturer	Segula
Luminous flux	220 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008155**	**59.00**

LED GLOBE 150
E27, BLACK SMOKEY



220-240 V ~50/60 Hz
Material: glass
Ø: 15 cm | L: 18.5 cm

Manufacturer	Segula
Luminous flux	260 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008163**	**72.00**

LED GLOBE 200
E27, BLACK SMOKEY

220-240 V ~50/60 Hz
Material: glass
Ø: 20 cm | L: 23 cm

Manufacturer	Segula
Luminous flux	300 lm
Lamp current	0.04 A
Colour rendering	85
Output	6 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008164**	**89.00**

LED GLOBE 300
E27, BLACK SMOKEY



220-240 V ~50/60 Hz
Material: glass
Ø: 30 cm | L: 32 cm

Manufacturer	Segula
Luminous flux	350 lm
Lamp current	0.05 A
Colour rendering	85
Output	8 W

Variant	Prod. no.	GBP
smoky grey 1900 K	**1008165**	**214.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED T32
E27, SOFT SPIRAL

220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 19 cm

Manufacturer	Segula
Luminous flux	570 lm
Lamp current	0.04 A
Colour rendering	90
Output	6 W

Variant	Prod. no.	GBP
transparent 2200 K	**1008152**	**55.00**

LED T32
E27, SOFT TUBE

220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm | L: 30 cm

Manufacturer	Segula
Luminous flux	400 lm
Lamp current	0.05 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
transparent 1900 K	**1008374**	**42.00**

LED T38
E27

220-240 V ~50/60 Hz
Material: plastic
Ø: 3.8 cm | L: 11.6 cm

Luminous flux	880 lm
Lamp current	0.04 A
Colour rendering	90
Output	8 W

Variant	Prod. no.	GBP
white 3000 K	**1005289**	**10.00**

LED T45
E27

220-240 V ~50/60 Hz
Material: plastic
Ø: 4.5 cm | L: 14 cm

Luminous flux	1520 lm
Lamp current	0.06 A
Colour rendering	90
Output	13.5 W

Variant	Prod. no.	GBP
white 3000 K	**1005307**	**11.00**

LED T32
E27, SLIM TUBE

220-240 V ~50/60 Hz
Material: glass
Ø: 3.2 cm L: 17.5 cm

Manufacturer	Segula
Luminous flux	1250 lm
Lamp current	0.06 A
Colour rendering	90
Output	11 W

Variant	Prod. no.	GBP
transparent 2700 K	**1008162**	**72.00**

LED ST64
E27, GOLD

220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.5 cm

Luminous flux	700 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
gold 2500 K	**1005265**	**23.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

LED ST64
E27, GOLD CURLY FILAMENT

A↑G G

IP20 | 325° | 25 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 6.4 cm | L: 14.2 cm

Luminous flux	300 lm
Lamp current	0.03 A
Colour rendering	80
Output	4 W

Variant	Prod. no.	GBP
gold/transparent 250 lm | 1800 K	**1008645**	**6.00**
gold/transparent 3000 lm | 2000 K	**1008646**	**6.00**

LED ST58
E27

A↑G F

C,L | 320° | 15 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 5.8 cm | L: 14.2 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
transparent 2700 K	**1005268**	**11.00**

LED A60
E27, MIRRORHEAD CHROM

A↑G F

C,L | 180° | 15 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 6 cm | L: 10.5 cm

Luminous flux	720 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
chrome 2700 K	**1005305**	**17.00**

LED GLOBE 125
E27

A↑G F

C | 320° | 15 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 17.8 cm

Luminous flux	800 lm
Lamp current	0.04 A
Colour rendering	90
Output	7.5 W

Variant	Prod. no.	GBP
transparent 2700 K	**1005310**	**16.00**

LED GLOBE 125
E27, HALF MOON

A↑G F

C | IP20 | 330° | 20 000 h L70B50

220-240 V ~50/60 Hz
Material: glass
Ø: 12.5 cm | L: 18 cm

Manufacturer	Segula
Luminous flux	650 lm
Lamp current	0.04 A
Colour rendering	90
Output	6.5 W

Variant	Prod. no.	GBP
frosted 2700 K	**1008157**	**42.00**

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

SLVconnect® LED PAR16 SMART
GU10, ZIGBEE 3.0

IP20 45° zigbee

220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.7 W

Variant	Prod. no.	GBP
transparent	1012468	18.00

SLVconnect® LED PAR16 SMART
GU10, TUNABLE WHITE, ZIGBEE 3.0

IP20 45° zigbee

220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	350 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.7 W

Variant	Prod. no.	GBP
transparent	1012469	23.00

SLVconnect® LED PAR16 SMART
GU10, RGBW, ZIGBEE 3.0

IP20 100° zigbee

220-240 V ~50/60 Hz
Material: glass
Ø: 5 cm

Manufacturer	Ledvance
Luminous flux	300 lm
Lamp current	0.04 A
Colour rendering	80
Output	4.9 W

Variant	Prod. no.	GBP
transparent	1012470	29.00

SLVconnect® LED A60 SMART
E27, ZIGBEE 3.0

IP20 180° zigbee

220-240 V ~50/60 Hz
Material: plastic PC
Ø: 6 cm

Manufacturer	Ledvance
Luminous flux	806 lm
Lamp current	0.06 A
Colour rendering	80
Output	9 W

Variant	Prod. no.	GBP
white	1012471	14.00

SLVconnect® LED A60 SMART
E27, RGBW, ZIGBEE 3.0

IP20 200° zigbee

220-240 V ~50/60 Hz
Material: plastic PC
Ø: 6 cm

Manufacturer	Ledvance
Luminous flux	806 lm
Lamp current	0.06 A
Colour rendering	80
Output	9 W

Variant	Prod. no.	GBP
white	1012472	25.00

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM

TEL: 01628 436099 EMAIL:SALES@SLVLIGHTINGDIRECT.COM