


# HELLO

EU Version



**normann**  
COPENHAGEN

## Hello Floor Lamp - EU Version



### DESCRIPTION

The Hello floor lamp has a futuristic expression with the round forms of its shade and body giving the lamp personality and character. Hello's inner shade in acrylic reflects the light and creates a pleasant surrounding light. The body, made of beech, contrasts the steel shade and adds warmth to the floor lamp.

### DESIGN

Jonas Wagell, 2012

### MATERIAL

Powder Coated Steel / Lacquered Beech / Acrylic Diffuser

### CONSTRUCTION

The floor lamp is constructed from a body in beech, which connects a steel shade and a round base. The large lamp shade is covered at the bottom with a light diffuser in acrylic.

### MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

### CORD

4 m textile cord with switch, matching color (white/grey).

### DIMMABLE FUNCTION

No.

### VOLTAGE

220-240V

### MAX LOAD

60 W

### FREQUENCY

50/60 Hz

### IP RATING

IP20

### CLASSIFICATION

Class II

### SOCKET

E27

### LIGHT SOURCE - RECOMMENDED

Art. No.: 504052, LED E27 EU, not dimmable

Power: 8 W

CCT: 2700 K

Output: 800 lm


Life Span: 15 000 h

CRI: ~ 80

### GENERAL STANDARD & CERTIFICATES

EN 60598-2-4:1997

IEC 60598-1 :2008



CE IP20



### COLOR



White



Grey


# HELLO

US Version



**normann**  
COPENHAGEN

## Hello Floor Lamp - US Version



### DESCRIPTION

The Hello floor lamp has a futuristic expression with the round forms of its shade and body giving the lamp personality and character. Hello's inner shade in acrylic reflects the light and creates a pleasant surrounding light. The body, made of beech, contrasts the steel shade and adds warmth to the floor lamp.

### DESIGN

Jonas Wagell, 2012

### MATERIAL

Powder Coated Steel / Lacquered Beech / Acrylic Diffuser

### CONSTRUCTION

The floor lamp is constructed from a body in beech, which connects a steel shade and a round base. The large lamp shade is covered at the bottom with a light diffuser in acrylic.

### MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

### CORD

4 m textile cord with switch, matching color (white/grey).

### DIMMABLE FUNCTION

No.

### VOLTAGE

120 V

### MAX LOAD

60 W

### FREQUENCY

60 Hz

### IP RATING

IP20

### CLASSIFICATION

Class II

### SOCKET

E26

### LIGHT SOURCE - RECOMMENDED

Art. No.: 504062, LED E26 US, not dimmable


Power: 8 W

CCT: 2 700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80



### COLOR



White



Grey