


RISE

EU Version



normann
COPENHAGEN

Rise Wall Lamp - EU Version



DESCRIPTION

Rise is the uncomplicated and versatile wall lamp you have always been looking for. Strict lines are gently softened by stumpy sections, creating an attractive blend of a minimalistic design and a friendly appearance. With Rise, designer Marianne Andersen has created a wall lamp that is appealing in all its simplicity.

DESIGN

Marianne Andersen, 2016

MATERIAL

Powder Coated Metal / Lacquered Ash

CONSTRUCTION

Rise consists of a base and a cylindrical shade held together by a turning joint, making it 350 degrees rotatable with a small integrated handle. The shade is white on the inside with holes on top for an optimal light effect. The lamp is simply screwed on the wall and slide together. Assembly manual included. Be aware: the design will always show the cable, also with a professional direct wall mount.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

2m textile cord with switch, white color.

DIMMABLE FUNCTION

No.

VOLTAGE
220-240V

MAX LOAD
40W

FREQUENCY
50/60 Hz


IP RATING
IP20

CLASSIFICATION
Class II

SOCKET
E14

LIGHT SOURCE - RECOMMENDED
Art. No.: 50405I, LED E14 EU
Power: 2W
CCT: 2700K
Output: 160lm
Life Span: 15 000h
CRI: ~ 80

GENERAL STANDARD & CERTIFICATES
EN 60598-2-1:1989
EN 60598-1: 2015



COLOR




RISE

US Version



normann
COPENHAGEN

Rise Wall Lamp - US Version



DESCRIPTION

Rise is the uncomplicated and versatile wall lamp you have always been looking for. Strict lines are gently softened by stumpy sections, creating an attractive blend of a minimalistic design and a friendly appearance. With Rise, designer Marianne Andersen has created a wall lamp that is appealing in all its simplicity.

DESIGN

Marianne Andersen, 2016

MATERIAL

Powder Coated Metal / Lacquered Ash

CONSTRUCTION

Rise consists of a base and a cylindrical shade held together by a turning joint, making it 350 degrees rotatable with a small integrated handle. The shade is white on the inside with holes on top for an optimal light effect. The lamp is simply screwed on the wall and slide together. Assembly manual included. Be aware: the design will always show the cable, also with a professional direct wall mount.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

2m textile cord with switch, white color.

DIMMABLE FUNCTION

No.

VOLTAGE

120V

MAX LOAD

40W

FREQUENCY

60Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

E12

LIGHT SOURCE - RECOMMENDED

Art. No.: 504061, LED E12 US


Power: 2W

CCT: 2700K

Output: 160lm

Life Span: 15 000h

CRI: ~80



COLOR

