







Outdoor Digital signage



Specifications

	Screen size	21.5' 32' 43' 49' 55' 65'
	Resolution	1920x1080 3840x2160
	Viewing Angle (CR≥10, H/V)	178°/ 178°
	Brightness	450 nits
	Contrast Ratio (Typ.)	4000:1
	Display Colors	16.7M
	Aspect Ratio	16:9
	Response Time	3ms
	Touch limit	10-Point
	Response Time	3ms
	Circuit design	Capacitive touch screen
	Module	RK3288, RK3399
	RAM	2GB, 4GB
	ROM	3GB, 16GB, 32GB, 512GB
	System version	Android 5, 6, 7, 8, 9
	Google framework	YES
	Android store	YES
	System language	Multi-lingual
	WIFI	Supports Dual-band 2.4 GHz / 5 GHz
	Bluetooth	YES
	HDMI Ports	1
	RJ45	1
	VGA Ports	1
	USB	2
	L/R Audio Jack input	RCA x1
	L/R Audio Jack output	RCA x1
	Speaker	2*10 Watts
	CPU Core	i3, i5, i7 (series 4000s, 5000s, 6000s, 9000s)
	RAM	4GB, 8GB, 16GB
	SSD	128GB, 256GB
	HDD	500GB, 1TB, 2TB
	Operating system	Window7, 8, 10, 11 English
	Display card	Integrated / Independent
	WIFI	Supports Dual-band 2.4 GHz / 5 GHz
	HDMI Ports	1
	RJ45	1
	VGA Ports	1
	USB	4
	L/R Audio Jack input	RCA x1
	L/R Audio Jack output	RCA x1
	Speaker	2*10 Watts
	Power Plugs	Support different specifications of power plugs
	Voltage	AC110~240V, 50/60Hz
	Operating temperature	0°C -- 50°C
	Humidity	10 - 90%
	Certificate	CE, FCC, ROHS, ISO9001, CCC

Basic parameter



Android / Windows
(option)



The 10-point Touch



Smart Management




LG Display Panel



Full HD / 4K UHD
Display



WIFI / Bluetooth



Smart Split Screen




Multi-Session
Language Packs



Exclusive
Customization

Panel Size



Solutions



BUSINESS MEETING



PLAN ON



EDUCATION AND TRAINING



PRESCHOOL EDUCATION



PRODUCT DISPLAY



VIDEO CONFERENCE



TUTORIAL RECORDED



HOME ENTERTAINMENT



EXHIBITION DISPLAY

A hands-on work experience




Intuitive touch: The 10-point touch feature delivers a more natural and responsive experience, so you can tap, swipe, slide and pinch in a snap. Enjoy smoother navigation with two-handed touch control across the anti-glare screen, from edge-to-edge.


Work from any position: An articulating stand transitions from a standard desktop monitor to a downward 60-degree angle touch orientation. It also supports extended tilt and swivel capabilities, so you can adjust the screen to your task or a more comfortable position. Plus, a protective cushion offers a durable buffer against bumps when the stand is fully compressed.

Smart arbitrary split screen mode

Multiple split-screen modes, which can play videos and pictures, can also play synchronously, arbitrary selection (display corporate logo, weather, time, synchronization, etc.)




Split screen mode:



Free split screen, while rotating video and pictures, subtitles and videos automatically adapt to rotation.

Smart management



Additional accessories



Camera



Printer



Scanner



Media Player



**NFC
Card reader**

Please consult the salesperson if you need customized requirements