


Circular External Fixator

Product Catalog



Biotech GmbH
Hauptstraße 113.
56598 Rheinbrohl Germany
Tel : +49 2635 92221-0
Email : office-de@biotech-medical.net
www.biotech-medical.com



BIOTECH

REF:
VB-001-PROSP-ST-04-EN-00

Revision
2

Publication date :
01.04.2022.

CE1011

“Movement is Life”

Circular External Fixator

HALF RING (Aluminum Alloy)



Length(mm)	Code
80	952-352-80000
100	952-352-80001
110	952-352-80103
120	952-352-80002
130	952-352-80104
140	952-352-80003
150	952-352-80105
160	952-352-80004
170	952-352-80106
180	952-352-80005
200	952-352-80006
220	952-352-80007

HALF RING (Stainless Steel)



Length(mm)	Code
80	952-352-80107
100	952-352-80108
110	952-352-80109
120	952-352-80110
130	952-352-80111
140	952-352-80112
150	952-352-80113
160	952-352-80114
170	952-352-80115
180	952-352-80116
200	952-352-80117
220	952-352-80118

C RING



Length(mm)	Code
80	952-352-80008
100	952-352-80009
120	952-352-80010
130	952-352-80119
140	952-352-80011
150	952-352-80120
160	952-352-80012
170	952-352-80121
180	952-352-80013
200	952-352-80014
220	952-352-80015

FIBER CARBON HALFRING



Length(mm)	Code
120	952-352-80122
130	952-352-80123
140	952-352-80124
150	952-352-80125
160	952-352-80126
170	952-352-80127
180	952-352-80128
200	952-352-80129
220	952-352-80130

Fiber Carbon C RING

100	952-352-80131
120	952-352-80132
140	952-352-80133

Circular External Fixator

OMEGA RING



Length(mm)	Code
100	952-352-80134
140	952-352-80135
160	952-352-80136

FEMORAL ARCHES Stainless Steel



Size	Code
90° 160mm	952-352-80137
90° 180mm	952-352-80138
90° 200mm	952-352-80099
90° 250mm	952-352-80139
120° 160mm	952-352-80183
120° 180mm	952-352-80184
120° 200mm	952-352-80102
120° 250mm	952-352-80140

FEMORAL ARCHES Fiber Carbon




Size	Code
90° 200mm	952-352-80141
90° 250mm	952-352-80142
120° 200mm	952-352-80143
120° 250mm	952-352-80144

FOOTRING



Size	Code
100mm	952-352-80145
120mm	952-352-80146
130mm	952-352-80147

FOOTRING (Fiber Carbon)



Size	Code
100mm	952-352-80149
120mm	952-352-80150
130mm	952-352-80151

Circular External Fixator

ROD

Length(mm)	Code
60	952-352-80045
80	952-352-80046
100	952-352-80047
120	952-352-80048
150	952-352-80049
200	952-352-80050
250	952-352-80051
300	952-352-80052

THREADED ROD



Length(mm)	Code
60	952-352-80152
80	952-352-80153
100	952-352-80154
120	952-352-80155
130	952-352-80156
150	952-352-80157
200	952-352-80158
300	952-352-80159

CANNULATED THREADED ROD




Length(mm)	Code
40	952-352-80160
60	952-352-80057
80	952-352-80058
100	952-352-80161
120	952-352-80162
150	952-352-80163

SLOTTED RODS



Length(mm)	Code
40	952-352-80059
50	952-352-80165
60	952-352-80060
80	952-352-80061
100	952-352-80164

TELESCOPIC RODS (Graduated)



Length(mm)	Code
50	952-352-80053
100	952-352-80054
150	952-352-80055
200	952-352-80166
250	952-352-80167

Circular External Fixator

Connection plates



Holes	Length(mm)	Code
2	38	952-352-80078
3	49	952-352-80079
4	60	952-352-80080
5	71	952-352-80081
6	82	952-352-80082
7	93	952-352-80083
8	104	952-352-80084
9	115	952-352-80085
10	126	952-352-80086

Connection plates with threaded end



Holes	Length(mm)	Code
5	131	952-352-80087
7	171	952-352-80088
9	211	952-352-80089
11	251	952-352-80090

Long Connection Plates



Holes	Length(mm)	Code
8	159	952-352-80094
12	236	952-352-80095
17	336	952-352-80096

Twisted Plates



Holes	Length(mm)	Code
1	25	952-352-80071
2	46	952-352-80072
3	67	952-352-80073
4	88	952-352-80074

L Plates



Holes	Length(mm)	Code
1x2	45	952-352-80075
1x4	70	952-352-80076
2x4	70	952-352-80077

Oblique Support Connector



Type	Code
Small	952-352-80091
Long	952-352-80092
Medium	952-352-80093

Circular External Fixator

Male Support



Hole	Code
1	952-352-80070
2	952-352-80063
3	952-352-80064
4	952-352-80065

Female Support



Hole	Code
1	952-352-80069
2	952-352-80066
3	952-352-80067
4	952-352-80068

Multiple Angled Universal Half Hinge



952-352-80027

Bushing



952-352-80029

Universal Half Hinge



952-352-80168

Threaded Socket



952-352-80030

Hibrid Connection Clamp

952-352-80169

Schanz Adaptor



952-352-80170

Circular External Fixator

Multiple Pin Fixation Bolt



952-352-80034

Universal Pin Fixation Bolt with Four



952-352-80035

Single Pin Fixation Bolt



952-352-80171

Translation Rotation Blok



952-352-80036

Hexagonal Pin Fixator Bolte Single



952-352-80043

Special Pin Fixator Bolt Serrated



952-352-80042

Slotted Bolt Wire Fixation



952-352-80021

Cannulated Bolt Wire Fixation



952-352-80020

Half Pin Supporting Cubes



952-352-80070

Washer



952-352-80022

Slotted Washer



952-352-80025

Conical Washer



952-352-80172

Hole Code

1	952-352-80037
2	952-352-80038
3	952-352-80039
4	952-352-80040

Nut M6



952-352-80016

Serrated Washer



952-352-80023

Conical Couple



952-352-80024

Bolts M6



Length	Code
12	952-352-80173
16	952-352-80174
30	952-352-80185

Special Washer



Type	Code
Long	952-352-80031
Short	952-352-80175

Teflon Nut M6



952-352-80026

Quadrangular Nut



Type	Code
Long	952-352-80028
Short	952-352-80176

Circular External Fixator

Implant material: stainless Steel

Olive Wires



Length(mm)	Code
1,5x300	952-352-80177
1,5x400	952-352-80032
1,8x300	952-352-80178
1,8x400	952-352-80033

Bayonet Pointed Wire



Length(mm)	Code
1,5x300	952-352-80179
1,5x400	952-352-80180
1,8x300	952-352-80181
1,8x400	952-352-80182



Calibrated Schanz Screw


Length(mm)	Code
4x150	953-353-04153
4x180	953-353-04183
5x150	953-353-05154
5x180	953-353-05180
5x200	953-353-05200
5x220	953-353-05220
6x150	953-353-06154
6x180	953-353-06180
6x200	953-353-06200


Trocar pointed Wire



Length(mm)	Code
1,5x300	976-376-15300
1,5x400	976-376-15400
1,8x300	976-376-18300
1,8x400	976-376-18400

Circular External Fixator





“Movement is Life”



BIOTECH

BIOTECH GmbH
Hagenauer Str. 17-19.
65203 Wiesbaden,
GERMANY
Telephone: +49 611 89063143
Fax: +49 611 89063145
Email: office-de@biotech-medical.com

www.biotech-medical.com

REF:
VB-006-PROSP-PC

Revision:
02

Publication date:
26.10.2017

CE 1011