

# ULTRACAR

## RACKS & ACCESSORIES



AU SERVICE  
DES CONCESSIONNAIRES  
TEXTO INFO: 514-592-0005

depuis 1982  
2025  
514.592.0005



Suivez-nous *Instagram*  
**ultracarmontreal**

## ROUES POWDERCOAT NOIR LUSTRÉ GLOSS BLACK POWDERCOAT WHEELS



Cueillette et livraison  
gratuites disponibles  
Free pickup & delivery  
available

**\$149**  
CHAQUE

DAN  
**(514) 592-0005**



Ultracar Performance Inc. 1254 boul. Marcel-Laurin, Saint Laurent, Montréal, QC H4R 1J7  
[www.ultracar.com](http://www.ultracar.com)



# RHINO-RACK


FOR RAILS



PRODUCTS AVAILABLE ACCORDING TO YOUR VEHICLE



REMOVABLE




FOR GUTTERS



FIXPOINTS



FOR TRACKS



## CROSS BAR OPTIONS



## RHINO-RACK

### HOW MUCH CAN THEY CARRY?

This varies considerably from vehicle to vehicle, so always check our website for your specific vehicle model, or speak to your local expert dealer. As an example, our Trackmount systems are rated from 220lbs for a two crossbar system to 330lbs for our 3 bar system. Always remember that our engineers design all our roof rack systems according to the available capacity of the vehicles roof as specified by the vehicle manufacturer.

## CROSS BAR OPTIONS

### VORTEX (VA)



PERFECT FOR:  
Recreational and commercial use. This is the most versatile crossbar on the market.

Vortex VA	Colour	Length
VA106B	Black	42"/106cm
VA106S	Silver	42"/106cm
VA118B	Black	46"/118cm
VA118S	Silver	46"/118cm
VA126B	Black	50"/126cm
VA126S	Silver	50"/126cm
VA137B	Black	54"/137cm

Vortex VA	Colour	Length
VA137S	Silver	54"/137cm
VA150B	Black	59"/150cm
VA150S	Silver	59"/150cm
VA165B	Black	65"/165cm
VA165S	Silver	65"/165cm
VA180B	Black	71"/180cm
VA180S	Silver	71"/180cm

VA135B2	Black	53"/135cm	Sold in pairs
---------	-------	-----------	---------------

### VORTEX (STEALTHBAR)



PERFECT FOR:  
Perfect for vehicles with raised roof. Reduces wind drag and noise.

Vortex Stealthbar	Colour	Length
RSB01B	Black	28"/73cm
RSB01S	Silver	28"/73cm
RSB02B	Black	31"/79cm
RSB02S	Silver	31"/79cm
RSB03B	Black	33"/85cm
RSB03S	Silver	33"/85cm
RSB04B	Silver	36"/91cm

Vortex Stealthbar	Colour	Length
RSB04S	Silver	36"/91cm
RSB05B	Black	38"/97cm
RSB05S	Silver	38"/97cm
RSB06B	Black	41"/103cm
RSB07B	Black	43"/108cm
RSB07S	Silver	43"/108cm

### HEAVY DUTY (HD)



PERFECT FOR:  
Commercial accessories e.g. ladder racks. Designed for heavy duty use

HD	Colour	Length
RB1120B	Black	44"/112cm
RB1120S	Silver	44"/112cm
RB1250B	Black	50"/125cm
RB1250S	Silver	50"/125cm
RB1375B	Black	54"/137.5cm
RB1375S	Silver	54"/137.5cm

HD	Colour	Length
RB1500B	Black	59"/150cm
RB1500S	Silver	59"/150cm
RB1650B	Black	65"/165cm
RB1650S	Silver	65"/165cm
RB1800B	Black	71"/180cm
RB1800S	Silver	71"/180cm

### EURO



PERFECT FOR:  
Light duty load carrying. Fits 2500 leg system


### ACCESSORY



**RHM626**  
Vortex bar rubber is a 40 cm strip

ROOF TRACK RTS/RTC


RHINO-RACK



RTS



RTC



RTV

- Gives your vehicle a factory appearance
- Allows legs to be mounted anywhere along the track
- Additional legs helps distribute the load more evenly across the roof
- Sold in pairs
- Includes hardware and end caps
- Combine with Quick mount legs

600

			INSTALL TYPE	LENGTH	
				mm	Inches
CHEVROLET					
5		Colorado Crew Cab	T-BOLT	1180 mm	46.4"
JEEP					
1	11	Wrangler MY011 4 DR (Removable Roof)	CHANNEL	1270 mm	50"
TOYOTA					
5 3		HiLux	POP-RIVET	1150 mm	45"
5		Tacoma 05-22	T-BOLT	1200 mm	47"
533		Tundra Crew Max 07-18	POP-RIVET	1300 mm	51"
53		Tundra Double Cab 07-18	POP-RIVET	996 mm	39"
UNIVERSAL TRACKS					
	11	Universal	T-BOLT	800 mm	31"
1		Universal	T-BOLT	1270 mm	50"
1		Universal	T-BOLT	1400 mm	55"
1		Universal	POP-RIVET	1480 mm	58"
1		Universal	T-BOLT	1600 mm	63"
1 -		Universal		1600 mm	63"
1		Universal	POP-RIVET	1680 mm	66"
1		Universal	CHANNEL	1800 mm	70"
1		Universal	T-BOLT	1880 mm	74"
0		Universal	POP-RIVET	2080 mm	82"

HEAVY DUTY RUBBER BARS



- Pre-cut to exact length
- Easy to install / remove
- Sold in pairs

This rubber strip is designed to fit into the top of the Rhino-Rack Heavy Duty bar.

1250 mm 1500 mm

1375 mm 1650 mm

RHINO-RACK

ROOF MOUNTED BIKE CARRIERS

MOUNTAIN TRAIL



035

- Fits directly to all Rhino-Rack bars
- Suitable for bikes up to 35 lb
- Rear wheel strap fits all wheel dimensions

ROAD WARRIOR



03

- Fits most "C Channels" bars
- Suitable for bikes up to 35 lb
- Rear wheel strap fits all wheel dimensions

HYBRID



050

- Fits from 20" kids bikes to 29" mountain bikes
- Suitable for bikes up to 45 lb

BIKE CARRIER

THE CLAW



- 1 bike capacity with 9mm fork
- Install quickly on the inside of your truck bed, ute tray, trailer, etc



010

1 bike

- Mount to a wall at home for convenient bike storage
- Quick release

LOCKING SKEWER



00

Provides extra security by allowing you to lock your bike to your rack. Suitable for use with

010 011 and 01



RHINO-RACK

2 MASTERKEYS



1, 2, 4 or 8 Barrels & 1 or 2 Master Keys.  
Compatible with roof rack systems.  
( 5 , 00 , 5 0 , 5 1 , 5 , 5 ,  
01 , 01 )



1 Bar.	2 Bar.	4 Bar.	8 Bar.	Key code
001	001-	001-	---	001
005	---	---	---	005
01	01 -	---	---	012
05	05 -	---	---	059
0	0 -	---	---	062
0 3	0 3-	---	---	083
0 3	0 3-	0 3-	---	093
10	10 -	---	10 -	106
11	---	RK118-4	---	118
1 5	1 5-	1 5-	---	125

SPARE TIRE BIKE CARRIER



- 0 5

2 bikes

  - Bikes are secured by thick rubber straps
  - Folds down when not in use
- Suitable for larger vehicles, 4wds and any car with a rear spare wheel
  - Not suitable for heavy off road use



HITCH MOUNTED BIKE CARRIER

- Fits 2" receivers
- Adjustable cradles designed to fit all types of bike frames
- Foam padding for extra protection
- Folding top arm and pull latch for access to rear lift gate on vehicle



RHINO-RACK

KAYAK CARRIERS



- Fits a variety of hull shapes
- 0.2" thick TPV (santoprene rubber front pads)
- Pads provide 3" x 7.9" contact surface area
- Perfect hull contact
- Unique 180 degree rotation
- Includes 4 straps (2x 196.9", 2x 137.8") with buckle protector

LOCKABLE KAYAK CARRIER

Hidden locks. 4 cradles included.  
Masterkey compatible.



5 0  
Side loading

KAYAK CARRIER FITTING KIT



- For  
use with 5 0  
& 5 1

UNIVERSAL KAYAK CARRIER

Universal crossbar fit.



5 0 5 1  
Side loading Rear loading

FOLDING J STYLE KAYAK CARRIER



51  
Folding

- Side loading
- Rubber tube padding protection
- Universal mounting system
- Paddle holder attached
- Straps included

EXTENSION

- Enables you to transport 1 extra watercraft at the same time
- Suitable for the S512
- Includes straps



51  
Extension


FIXED J-STYLE KAYAK CARRIER



510

- J-cradle design uses less crossbar space than saddles
- Side loading for easy access
- Steel construction with coating to protect cargo
- Includes two cradles, stainless steel hardware, rubber tube padding and four tie down straps - 10'

KAYAK CARRIER THUMB WHEEL COVER



00



RHINO-RACK



KAYAK CARRIER FITTING KIT

Heavy duty. Attach the 510, 51, 511 or 51 to your Rhino-Rack Vortex and heavy duty cross bars. Suitable to fit Thule Aero and Aeroblade bars.



KAYAK CARRIER "NAUTIC STACK"

5 0

- The most space conscious kayak loading option on the market
- Can hold up to 4 kayaks
- Multiple ways to secure the Nautic Kayak Stack
- Clamp system for rapid application and removal
- C channel nut and bolt system for long term fitting
- Folding Stack arm when not in use allows for more maneuverability
- Engineered creates optimal room for multiple accessories
- Glass reinforced nylon base adds exceptional strength



SKI AND SNOWBOARD CARRIER



- Incl. universal mount
- Incl. locks & keys

Black carriers only



5  
Silver.  
Carries up to  
2 pairs of skis  
or 1 snowboard

5 3  
Black  
Carries up to  
3 pairs of skis  
or 2 snowboards

5  
Black.  
Carries up to  
4 pairs of skis  
or 2 snowboards

5  
Silver.  
Carries up to 6  
pairs of skis or 3  
snowboards

5  
Black.  
Carries up to  
6 pairs of skis  
or 4 snowboards

UNIVERSAL WRAP PADS



03 22"L  
0 28"L

- Extremely easy to install and remove
- Protects your roof racks
- Manufactured from high quality closed cell EVA foam
- Includes a pair of padded tie down straps
- UV protected
- Sold in pairs

WRAP PADS



01  
15"L  
For: Vortex

SLING KIT

For: T-LOAD



For Crossbar:  
Rhino-Rack Vortex &  
Heavy Duty

RHINO-RACK



WALL HANGERS

64 H x 73 L cm  
For: Cargo box,  
kayak & paddle board

- 80 kg load capacity
- Tie down strap and padded covers included
- Mounting hardware included
- Steel tubes, powder coated



LOCK KIT

- For use with Rhino-Rack 2500 series leg kits or
- Comes with 4 locks and keys



IMPROVED  
THEFT  
PROTECTION




REPLACES  
SECURE  
CORE  
SYSTEM

SECURITY KEYS • 5MM


All roof rack systems available from Rhino-Rack includes 1 x short allen key as standard



Short hex key



Long hex key



Long hex key for SX system

- Hollow center allows use on Rhino-Rack roof racks equipped with security core hardware
- Curved handle will straighten when specified tightness of 4-5 Nm is reached
- Helps avoid over tightening

CABLE CORE LOCKDOWNS



3 0  
120 cm / 47"



3 0  
60 cm / 23"

- Fits neatly into the "C" channel of your Rhino-Rack Heavy Duty crossbars
- Masterkey compatible



3 0  
180 cm / 71"



3 0  
120 cm / 47"



3 05  
60 cm / 23"

- Fits neatly into the "C" channel of your Vortex crossbars or Pioneer Product
- Masterkey compatible



# RHINO-RACK

## RAPID LOCKING STRAPS

- 3.2 mm PU coated steel wire encased within the strap to protect against cutting

- TPV Rubber on the buckle for maximum protection
- Masterkey compatible



35  
3.5 m / 11.5'  
Cap.: 225 kg / 496 lb

5  
2.5 m / 8.2'  
Cap.: 225 kg / 496 lb



## RAPID STRAPS WITH BUCKLE PROTECTOR

Buckle protector included is made from injection moulded TPV rubber to help avoid scratches / marks on your vehicle or load



55  
5.5 m / 18'  
Cap.: 225 kg / 496 lb



5  
4.5 m / 15'  
Cap.: 225 kg / 496 lb

## RAPID STRAPS

- Buckle protector is made from injection moulded TPV rubber which helps avoid damages on your vehicle or load.
- Lashing capacity: 225 kg
- Strap length: 3.5 m



RHRTD35P

## TIE DOWN STRAPS

- Made from tough 25mm polyester webbing
- A safer and more reliable alternative to using "bungee" style cords



## MULTI PURPOSE HOLDERS



Universal  
(RHINO-RACK)

- Great for carrying, skis, paddles, oars, masts, ski poles, or any elongated item up to 5" in diameter
- Made from strong fibreglass
- Sold in pairs



# RHINO-RACK

## BONNET ANCHOR STRAPS

FOR PADDLEBOARDS



- Quick and easy to attach
- Can be used for either bonnet or boot



- Includes 1 bonnet anchor strap, 1 tie down strap with dual protective rubber buckles
- The strap is 4.5 m in length
- Has protective rubber to prevent damaging the paddle board
- Quick and easy to fit and use
- Provides an anchor point for long loads where no tie off points are available

## ANCHOR STRAPS



- Simple to attach and remove
- Manufactured from heavy duty polyester webbing
- Sold in a pair
- Recommended for use with long loads such as kayaks and canoes
- 100 kg load rating

## BAR RATCHETS

- Stainless steel
- 2 m strap included
- Attaches to the crossbar
- Load rating: 220 kg



For HD bar



For VA bar

## EYE BOLTS

Sold in pairs



Ideal for use with all of our Ratchet Grab products

For HD bar  
0  
For VA bar

## JEEP GRAB HANDLE



Jeep Wrangler  
2007-PRESENT





## RHINO-RACK

### END CAP FOR HD BAR



00  
Sold per unit

### FITTING KIT (FOR ULT562/564/566/570/571)



For your HD bar  
- 1  
Comes with bolts and washers only

### FITTING KIT FOR MESH BASKET AND TRAY



Comes with all the bolts, adaptors, washers, etc. required

Fitting kit designed to allow owners who have a set of Rhino-Rack Euro crossbars to mount the full range of Rhino-Rack Mesh Baskets and Mesh Platforms to their vehicle. This product makes the transition between Rhino-Rack accessories and gear carrying systems even simpler.

### FITTING KITS FOR VORTEX BARS



- 1  
Fitting kit designed to fit the Vortex bar to RL legs



-  
Fitting kit designed to fit the Vortex bar to RLCP legs

### FALSE GUTTER SETS

Got a pickup with a canopy and no side rain gutters? Artificial gutters are the solution!



3  
This kit includes hardware to fit 4 artificial gutters

### LOCKING END CAPS



- Replace standard Vortex bar end cap
- Masterkey™ compatible

### WIND FARINGS

- Universally fitting clamps
- Fits all styles: Rhino-rack, Yakima, Thule, Whisbar, Rola



1  
81.3 cm  
Min. bar length: 66 cm

96.5 cm  
Min. bar length: 77.5 cm

3  
111.8 cm  
Min. bar length: 90.3 cm

127 cm  
Min. bar length: 109 cm

## UNIVERSAL SIDE LOADER

## RHINO-RACK



- Single person use
- Clamps to suit all popular roof racks
- Quick Release Strap
- Heavy Duty Storage bag is included
- Includes support pole for loads greater than 20 kg (max 60 kg)
- Integrated load stop prevents load from sliding off the bar
- Padding on the underside of the clamps to protect your vehicle's roof

## ADJUSTABLE LOAD/CANOE HOLDERS

- Quick release over centre cam for a quick and easy adjustment
- Allows the profile to be minimised to 130 mm
- Sold in pairs



1  
For HD bars

For Vortex bars



0  
For Vortex bars



For HD bars

## PLATFORM TIRE CARRIER

- Transport your spare wheel outside your vehicle
- Adjustable to accommodate different sized wheels
- Rust resistant



For HD bars

## VORTEX AERIAL BRACKET

- Used to mount aerials to Rhino-Rack Vortex bars
- Made from zinc plated mild steel so won't corrode
- Steel washers ensure the hardware of the Vortex Aerial Bracket does not come loose
- Will also fit a light small light
- Easy to fit and adjust



13



## RHINO-RACK

### WHEEL STEP

- Adjustable to fit most VUS tire sizes
- Foldable for easy storage



RHRWS



### VA UNDERSIDE TIE DOWN POINTS



0  
Sold in pairs.  
Fitting hardware is supplied.

### ROOF RACK LEGS



Sold in pairs  
Bars not included  
3" tall



Sold in pairs Bars  
not included 2"  
tall

### FOLDING ANTENNA MOUNTING BRACKET



- 31
- Can be used with sand flags, aerials/antennas, small LEDs or spotlights
  - Aerial/antenna mount hole: 17mm diameter
  - Mount hole: 13mm diameter
  - 180° of rotation with 7 steps




### VORTEX HIGH LIFT JACK BRACKET



Carry and transport jack safely. Mounts directly to Vortex bars. Padlocks can be used to secure jack to bracket.

### VORTEX PIPE CLAMPS



Made from galvanized steel, these pipe clamps are sold as a pair. They fit into the top channel of a Rhino-Rack Vortex bar, and are secured in place with an M8 bolt and nyloc nut.

4"

6"

### LOCKING END CAPS

- Two caps included
- Masterkey compatible
- Suits 10 cm PVC pipes
- Recommended maximum carrying cap.: 15 kg



100

### CONDUIT CLAMPS

Attaches 100mm conduit to the Rhino Heavy duty Bar



Sold in pairs

## VORTEX SG ROOF RACKS

- Easy to install and remove
- 40 kg load rating

5  
Jeep Wrangler  
Hard Top  
4 dr 07-18, 2 dr 07-10

- Suitable for light off road use
- Compatible with all Vortex accessories

0  
Jeep Wrangler  
Hard Top  
2 dr 11-18



### BEACON MOUNTING PLATE

17 cm dia.



For HD bar



For VA bar



### HD BAR LIGHT BRACKET

### STEALTHBAR HARDWARE KIT

For: Vortex StealthBar. 4 co-moulded stainless steel & rubber locking straps. 4 rubber gaskets. 4 lock barrels & 2 keys. 2 allen keys.



03  
Short Strap  
Custom Rubber



0  
Long Strap



01  
Short Strap

### LED BATTERY POWER PACK KIT



- Battery Output: 12V, 5000mAh Li-On
- Charger Input: 100-240V AC 50-60Hz
- Charge Output: 12.6V DC 2.0A
- Weight: 300g
- Charges in approx. 5 hrs
- Includes battery charger, 12V power pack, male to male adaption lead and bag

### LED CIGARETTE PLUG



11

3m Cigarette Plug allows you power your LEDs from your car's cigarette lighter. Comes with merit plug 12V input.

### LED LIGHTING PADDED CARRYING BAG



- Padded bag with carry handle and double zipper
- Suitable for storing up to 7 LED Bars
- Elastics to secure your LED lights
- 4 padded compartments to separate your LED accessories
- External dimensions: 70 L x 10 W x 15 H cm
- Suitable for both 30cm and 50cm LEDs from Rhino-Rack

1




RHINO-RACK

WE HAVE A LARGE RANGE OF LADDER RACKS IDEAL FOR VARIOUS APPLICATIONS.



LADDER SLIDES



- Works with Heavy Duty bars
- Used to easily slide your ladder onto your roof racks without damaging them
- and include ladder strap ( 5)
- Smooth slippery pads for quick loading and unloading

- Works with Vortex Aero bars
- Used to easily slide your ladder onto your roof racks without damaging them
- and include ladder strap ( 5)
- Smooth slippery pads for quick loading and unloading

Set of 2

Set of 4

Set of 5



Set of 2

Set of 4



- Smooth rolling surface is ideal for loading ladders, pipes, wood and more.



ALLOY ROLLERS

0

VA (680mm / 27")

15

HD (615mm / 24")

1500

HD (1500mm / 59")

3131

Pioneer (1260mm / 50")

LADDER STRAP



5  
For HD bar

- Secure your ladder with confidence
- Strong 500 mm strap
- Strong and anti-corrosive snap shackle
- Comes with a cam loc-snap shackle for quick fitting and securing

LADDER PEGS

- Provides a tie off point for ladders or long loads
- Works with Rhino-Rack Heavy Duty bars
- Fitting hardware included
- Sold in pairs

Small  
(75 mm tall)

Medium  
(130 mm tall)



RHINO-RACK

RHINO-RACK BACKBONE

The Rhino-Rack Backbone is an interior structure set up on the inside of the JEEP JK Wrangler. 3 plates on each side of the JEEP's Hard Top are connected with the interior frame extending your roof line to carry heavier loads with the max load rating of up to 120 kg / 265 lb.



1  
Jeep Wrangler  
4 doors

Jeep Wrangler  
2 doors

1  
Jeep Wrangler JL  
4 doors



The Rhino-Rack Backbone is an interior structure set up on the inside of the JEEP Gladiator JT. 2 plates on each side of the fiberglass roof are connected with the interior frame extending your roof line to carry heavier loads with the max load rating of up to 100 kg / 220 lb.

1  
Jeep  
Gladiator JT  
4 doors



The Rhino-Rack Backbone is a mounting system for your Toyota FJ Cruiser. Connecting to your vehicle's roof via bases on each side, it allows your roof line to carry heavier loads with the max load rating of up to 120kg or 265lb.



CHEVROLET / GMC		Bases on each side
1	Suburban	4
1	Yukon XL	4
DODGE		
1 1	Ram 1500/2500/3500	3
CADILLAC		
1	Escalade	4
FORD		
1	250/350/450 Crew Cab	5
	250/350/450 Super Cab	5
3	250/350/450/550 Super Crew	2

FORD (CONT.)		Bases on each side
1	Ranger	3
MAZDA		
1	BT-50	3
TOYOTA		
1	4Runner	3
1	Land Cruiser 200 series	4
1	Prado 150/ Tacoma	2
	Tundra	3
3	Tundra Double Cab	3

RHINO-RACK BACKBONE LEG KITS

Set of six heavy duty metal legs and four tie down straps - 10'



30

Standard  
Spacers required

RHINO-RACK BACKBONE PIONEER LEG HEIGHT SPACER



Designed to fit the  
Pioneer Roof  
Systems onto the  
Quick  
Mount™ Legs



RHINO-RACK

QUICK TRACK MOUNT

For VA bars



- Mounts to Rhino-Rack track system
- Maximum load rating 100kg/220lb
- Easy for one person to remove complete roof rack with simple trigger locking mechanism
- Lockable cover plate is compatible with MasterKey system


QUICK MOUNT NUTS



4x M6 nuts


QUICK MOUNT SPACERS

Allows you to fit a VA bar to the RHRLT600. Each kit fits 1 bar.



5 mm  
10 mm  
15 mm  
25 mm

Allows you to fit an HD bar to the RHRLT600. Each kit fits 1 bar.



5 mm  
10 mm  
15 mm  
20 mm

QUICK MOUNT ROOF CHANNEL BRACKETS

Provides permanent or fixed mounting point for



03



0



15

TRACK FIT KITS

Allows to mount RHRLT600 legs to Thule tracks



4 legs

QUICK MOUNT RUBBER BASE KIT




Set of 4

Set of 6

QUICK MOUNT CANOPY MOUNTS

- Allows you to mount an leg to a canopy - RHRLT600
- Internal backing mount
- Foam pad included
- Won't damage canopy paint



01

2 Bar option



QUICK MOUNT BASE WEDGES

- Allows to create a level bar when mounting RHRLT600 legs to curved tracks
- Needed when mounting a Pioneer platform



5 mm

10 mm

RHINO-RACK

LEG SPACER KITS



10 mm  
For HD bar



10 mm  
For VA bar

HD BAR U-BOLT ADAPTERS



- Attaches Rhino-Rack cargo boxes or mesh baskets to HD bars
- Includes all hardware needed for install

Mesh baskets only

Cargo boxes only



2500 LEG SPACERS

Used to level a 3 bar roof rack system on a vehicle such as a pickup that may have rear posts or a canopy rack system. Attach between the 2500 leg and either a HD or VA bar.



- 2 x 10 mm spacers.
- 2 x M6 x 32 mm bolts



- 2 x 18 mm spacers.
- 2 x M6 x 40 mm bolts



- 2 x 26 mm spacers.
- 2 x M6 x 45 mm bolts

- 2 x 34 mm spacers.
- 2 x M6 x 55 mm bolts

DITCH MOUNT BRACKET



01

- Provides a permanent or fixed mounting point for the roof rack to attach to.
- It can be used in conjunction with the 2500 style legs.

SHOVEL HOLDERS FOR HD & VA BARS

Sold in pairs



Locking

SHOVELS



Length: 141 cm / 55.5"  
Weight: 2.25 kg / 5 lb

Square mouth stainless steel blade  
Contoured grip for comfort and greater control  
Handle made from a composite of multicore fibreglass



Length: 106.5cm / 42"

Compact size also aids in storage.  
Blade constructed of heavy duty heat treated hi-carbon steel.  
Zinc plated and powder-coated for maximum strength and rust protection.



PIONEER PLATFORMS



	External Size	Weight (kg)		External Size	Weight (kg)
5 11	92.8 x 142.6	15.8	5 113	152.8 x 142.6	23.1
5 1 1	122.8 x 142.6	20.2	5 10	182.8 x 142.6	28.7
5 10	132.8 x 123.6	18.1	5 10	192.8 x 123.6	25.3
5 110	132.8 x 137.6	21.0	5 103	192.8 x 137.6	30.0
5 111	132.8 x 142.6	21.1	5 10	212.8 x 123.6	27.0
5 100	152.8 x 123.6	18.7	5 10	212.8 x 142.6	32.4
101	152.8 x 137.6	21.7	5 105	272.8 x 146.5	

	External Size	Weight (kg)
111	132.8 x 142.6	19.5

PIONEER TRAYS



	External Size	Internal size	Weight (kg)
1100	152.8 x 123.6	140 x 114	22
1101	152 x 140	140 x 128	22.5

PIONEER TRADIE



	External Size	Internal size	Weight (kg)
510	132.8 x 123.6	132.8 x 114.6	17.5
5110	132.8 x 137.6	132.8 x 128.6	19.5

HD ATTACHMENT PLATE KIT



- 3105
- Allows you to fit a Pioneer platform to HD bars
  - Two plates are included in one kit
  - 2 kits required for a 2 bar system
  - 3 kits required for a 3 bar system

PIONEER VA CONVERSION KIT



3  
Allows you to fit selected Pioneer Systems to your Vortex SX Roof Rack Legs.

RHINO-RACK

PIONEER PLATFORM FULL RAIL KITS

- Aerodynamically engineered
- Quick and easy to fit
- Transforms your Pioneer Platform into a Tray
- Provides alternate tie-down options
- Non-Corrosive so it won't rust
- Strong and Durable
- Easy access tie off points
- Includes 1 x full rail
- Stylish addition to Pioneer Platform



For: 31 0	For: 31	For: 31	For: 31
100 & 100	10 & 10	10	10
For: 31 1	For: 31 3	For: 31 5	For: 31
101 & 101	103 & 103	105	10

PIONEER PLATFORM FRONT & SIDE RAILS

- Aerodynamically designed
- Strong and durable
- Quick and easy to fit
- Non corrosive
- Easy access tie off points
- Includes 1 x rail to mount onto the front, rear or centre of your platform



For: 31 1	31 0
105	May need to be cut down to suit your Pioneer Platform.
For: 31	100 ..... 962mm
101 & 103	101 ..... 1102mm
	10 ..... 962mm
	103 ..... 1102mm
	10 ..... Do Not Cut

PIONEER PLATFORM SIDE RAILS

- Aerodynamically designed
- Strong and durable
- Quick and easy to fit
- Non corrosive
- Easy access tie off points
- Includes 2 x rails to mount onto the side of the rack



31	31 1
1300 mm / 51.18". For: 10 103	1500 mm / 59" May need to be cut down to suit your Pioneer Platform.
For: 31	100 ..... 900mm
2100 mm / 82.67". For: 105	101 ..... 900mm
	10 ..... 1300mm
	103 ..... 1300mm
	10 ..... 1500mm

PIONEER PLATFORM ACCESSORY BARS



- Contains 2 bars
- Bar runs across the width of the platform offering horizontal fitments
- Allows accessories like luggage boxes, kayak cradles and bike racks to be fitted

311	313	313	31 0
1220 mm / 4' HD C-Channel	1220 mm / 4' C-Channel	1360 mm / 4.4' C-Channel	1360 mm / 4.4' HD C-Channel



RHINO-RACK

PIONEER PLATFORM FULL RAIL KITS

- Aerodynamically engineered
  - Quick and easy to fit
  - Transforms your Pioneer Platform into a Tray
- Provides alternate tie-down options
  - Non-Corrosive so it won't rust
  - Strong and Durable
- Easy access tie off points
  - Includes 1 x full rail
  - Stylish addition to Pioneer Platform



For: <b>31 0</b>	For: <b>31</b>	For: <b>31</b>	For: <b>31</b>
<b>100</b> & <b>100</b>	<b>10</b> & <b>10</b>	<b>10</b>	<b>10</b>
For: <b>31 1</b>	For: <b>31 3</b>	For: <b>31 5</b>	For: <b>31</b>
<b>101</b> & <b>101</b>	<b>103</b> & <b>103</b>	<b>105</b>	<b>10</b>

PIONEER PLATFORM FRONT & SIDE RAILS

- Aerodynamically designed
  - Non corrosive
- Strong and durable
  - Easy access tie off points
- Quick and easy to fit
  - Includes 1 x rail to mount onto the front, rear or centre of your platform



For: <b>31 1</b>	<b>31 0</b>
<b>105</b>	May need to be cut down to suit your Pioneer Platform.
For: <b>31</b>	<b>100</b> ..... 962mm
<b>101</b> & <b>103</b>	<b>101</b> ..... 1102mm
	<b>10</b> ..... 962mm
	<b>103</b> ..... 1102mm
	<b>10</b> ..... Do Not Cut

PIONEER PLATFORM SIDE RAILS

- Aerodynamically designed
  - Non corrosive
- Strong and durable
  - Easy access tie off points
- Quick and easy to fit
  - Includes 2 x rails to mount onto the side of the rack



<b>31</b>	<b>31 1</b>
1300 mm / 51.18". For: <b>10</b> & <b>103</b>	1500 mm / 59" May need to be cut down to suit your Pioneer Platform.
<b>31</b>	<b>100</b> ..... 900mm
2100 mm / 82.67". For: <b>105</b>	<b>101</b> ..... 900mm
	<b>10</b> ..... 1300mm
	<b>103</b> ..... 1300mm
	<b>10</b> ..... 1500mm

PIONEER PLATFORM ACCESSORY BARS

- Contains 2 bars
- Bar runs across the width of the platform offering horizontal fitments
- Allows accessories like luggage boxes, kayak cradles and bike racks to be fitted



<b>311</b>	<b>313</b>	<b>313</b>	<b>31 0</b>
1220 mm / 4' HD C-Channel	1220 mm / 4' C-Channel	1360 mm / 4.4' C-Channel	1360 mm / 4.4' HD C-Channel

RHINO-RACK

PIONEER SI LIGHT BRACKET KIT



3 0

- Allows you to fit small work or spot lights to a Rhino-Rack Pioneer System.

LED BRACKET KITS



31 3

Attach your light on all sides of the Pioneer platform

Light not included

PIONEER ROTOPAX FIT KIT



3 03

Rotopax mounts which can be found on the RX-PM / RX-DLX-PM / RX-LOX-PM

PIONEER LEG HEIGHT SPACER



- Used to level a Pioneer system on your vehicle
- Attached with Rhino-Rack RLCP or RL legs.
- 2 x 1cm spacer blocks are included.

QUICK MOUNT PIONEER SPACER



Enables you to fit the range of Rhino-Rack Pioneer systems to the RLT600 Quick Mount™ Legs. Included are spacers that will allow you to fit two legs.

10mm 10

ALUMINIUM FOLDING LADDER

- Use with Rhino-Rack Pioneer systems.
- Alloy construction with cast steel hinges.
- Wide feet (7 cm / 2.7") are perfect for use on soft ground.
- Adjustable feet extend to 32.2 cm (19.7") to ensure stability on uneven ground.
- Maximum ladder length 232,5 cm (91.5").
- Maxime load rating of 125 kg (275 lb.).
- Ladder folds to 106 cm (41.7").



RECOVERY TRACK SIDE BRACKETS

- Allows you to mount your Maxtrax to the side of the Pioneer platform at a 75° angle
  - Fits all Rhino-rack systems
  - 32 cm in lenght
  - Carry up to 2 Maxtrax
- To transport three or more, use side bracket ( **31** ) for additional support; Only if mount on the Pioneer platform or Elevation tray



315 Sold in pairs

PIONEER MAXTRAX SUPPORT BRACKET



31

- Made form 5mm stainless steel and powder coated so it doesn't fade or corrode.

PIONEER LADDER MOUNT



3 1

- Powder coated alloy construction.
- Provides a secure anchor point for your Aluminium folding ladder



# RHINO-RACK

## PIONEER THRU AXLE BIKE CARRIER

3 33

- Compatible with all Rhino-Rack Pioneer systems.
- The housing is constructed using a satin black powder coated steel
- The inserts are blue anodised aluminium to prevent rusting
- Pre-assembled
- 15mm x 100mm Multi-Axle Adaptor included
- All fixings and tools included
- Quick and easy installation/removal
- Front mount height: 95mm
- Rear mount height (without strap): 98mm
- Not suitable for electric bikes (e-bikes)



## PIONEER GRAB HANDLE (X2)

3 5

- Made from diecast aluminium
- Powder coated to prevent rust and corrosion
- Up to 120kg/265lb load capacity



## PIONEER RECOVERY TRACK FLAT BRACKET

3 35

- Easily installed
- Made from corrosion resistant black powder coated steel




## PIONEER HIGH LIFTING JACK HOLDER BRACKET (TOP MOUNT)

### TOP MOUNT

3 1

- Bracket fits all Rhino-Rack Pioneer Systems.
- Enables you to mount your High Lifting Jack in multiple positions across your Pioneer system.
- Made from strong, non-corrosive powder coated steel.
- Simple installation.



### SIDE MOUNT

3101




- Two brackets are included to secure one high lift jack
- Mount your high lift jack to the Pioneer platform

## PIONEER EYE BOLT KIT

31

Set of 4

- Attaches to all Rhino-Rack Pioneer trays and platforms
- Made from anti-corrosive galvanised steel
- Easy to use with a twist to lock action
- Kit includes 4 Eye Bolts and necessary hardware



# RHINO-RACK

## SPARE WHEEL STRAP



- Easily mounted to Pioneer platform
- Includes adjustable straps, ratchets and two cam buckles
- Eye bolt kit sold separately ( 311 )

## PIONEER RATCHET GRAB



313

- Comes with a 2 m strap and eye bolts
- Load rating up to 225kg
- High quality stainless steel for long lasting durability

## PIONEER WIND FAIRINGS



Designed specifically for Pioneer systems. Sawtooth pattern disrupts airflow to reduce wind noise and resonance. Adjustable angular movement to conform to most vehicle's roof line. Adjustable longitudinal movement.

3  
113 cm / 44"

3 50  
127,2 cm / 50"

3 51  
133,2 cm / 52"

## PIONEER TRUCK BED TOWER

1



Allow you to fit a Pioneer System to your Truck Bed to provide a solid platform for mounting your gear, accessories or a roof top tent to. The kit comes with 4x 25cm / 10" towers that are mounted to the internal tracks of your truck bed as well as the hardware required for installation.



## SPARE WHEEL HOLDER



- Designed for Pioneer systems
- Made from strong, light materials
- Easy to mount and remove the wheel





## RHINO-RACK

### PICK-UP KIT



31 5

- Includes 2 ratchet straps (185 cm)
- 4x mouldings
- All the required hardware for installation
- Lashing capacity: 225 kg / 496 lb

### CAM BUCKLES PICKUP KIT



31

- Includes two cam buckle straps
- 4x mouldings
- 2.2m long straps

### RECOVERY TRACK STRAPS



31

Cap.: 225 kg / 496 lb

- Designed to be used with our recovery track bracket
- Made from polyester 25 mm webbing, with a stainless steel ratchet buckle.

315

### VERTICAL JERRY CAN HOLDER



310

- Made from non-rust materials
- Suits off-road use



### HORIZONTAL JERRY CAN HOLDER



310

- Made from non-rust materials
- Suits off-road use



### DOUBLE HORIZONTAL JERRY CAN HOLDER




315

- Suits off-road use
- Locking cables keeps jerry cans secured



## RHINO-RACK

### SHOVEL HOLDER BRACKETS



- Universal fitment to Pioneer Tray, Heavy Duty Bars and Vortex Bars
- All hardware included
- Premium quality powder coated light weight aluminium bodies
- Secure "ratchet" locking mechanism
- Load capacity of 8 kg
- Holds 10-50 mm diameter items
- Spring loaded for quick locking & release
- Rubber inserts secure accessories into place while also protecting them



### HIGH LIFTING JACK & SHOVEL BRACKETS



315

- Suits all Pioneer systems
- Includes: Shovel holder bracket kit, High lifting Jack bracket kit and combination bracket kit



### COMBINATION BRACKETS



310

- Facilitates the attachment of both your shovel holder ( ) and High Jack Holder ( 3101) onto the pioneer platform
- 1 cm spanner is necessary for the fitment

### PIONEER SIDE TAB KITS



3 3

- Strengthen and reinforce Pioneer Systems.
- 6 tabs included.
- Comes with all the nuts, bolts, washers and tabs.



3 3

- Strengthen and reinforce Pioneer Systems.
- 10 tabs included.
- Comes with all the nuts, bolts, washers and tabs.

### PIONEER LEG SPACERS



1

Designed to raise the Pioneer Roof Trays to allow the legs to slide out wider onto the Rhino-Rack Backbone system developed for the **JEEP JK Wrangler**. 4 spacers are included in this kit.



For a Pioneer system. Attached between either a Rhino-Rack leg and a Pioneer Platform or Tray, these spacers will raise the Pioneer to allow the legs to slide out wider, approximately by 75 mm overall. This allows each of the Pioneers to fit a wider ranger of vehicles, with the option of choosing a narrower tray/platform rather than a larger one.



3

2 x 5 mm height spacers



## RHINO-RACK

### X-TRAY CARGO BASKETS




**OFFROAD**  
PROVEN PRODUCT

- Strong and durable
- Steel 2 piece construction
- Mounting mechanism is moveable; allows for a variety of crossbar spacing. Min: 53.5 cm - Max.: 76 cm
- Includes sleek, front wind deflector
- Powder-coated to avoid rusting and colour fading
- Load rating 75 kg / 165 lb

01	0
Small 120 x 90 x 20 cm 14 kg / 40 lb	Large 148 x 109 x 15 cm 21 kg / 46 lb

### STEEL MESH BASKETS



1	0
Large 120 x 80 cm	Small 100 x 90 cm

### U BOLTS



- Recommended for mounting a Mesh Basket, Platform or a Luggage Box/Ski Box to the VA Bar
- Set of 4

### FOXWING THULE/YAKIMA BRACKET KIT



31105

- Designed to fit the Foxwing awning to your Thule square bar or Yakima rounded racks
- Made from powder coated steel
- Strong, durable and corrosion resistant
- Easy to install

### FOXWING FRONT EDGE ZIPPERED INSERT



311

- Easy zipper attachment to your Foxwing awning
- Compact and simple to carry and store
- Comes with a telescopic pole, metal peg, guy rope and bag

## RHINO-RACK

31103



### ARB/TJM BRACKET KIT



- Designed to fit the Rhino-Rack Foxwing awning to an ARB tray or a TJM tray
- Made sturdy and corrosion resistant with powder coated steel
- Easy to install
- Adjustable set up depending on ARB or TJM Tray
- The U bolt clamping system is designed up to 2.8cm diameter steel or Alloy tube

### FOXWING MESH FLOOR SAVER

The Foxwing Mesh Floor is easy to store and transport. A convenient carry bag and pegs are included. The mesh floor is designed to allow the ground below to breathe yet the unique twin layer is designed to stop the sand and dirt coming through.



31115

- Quick & Easy to store and carry
- Made from heavy duty Polyethylene mesh cloth
- Designed to match the shape of the Foxwing Awning
- Light weight (3.2 kg)
- UV Protected
- Waterproof
- Mould Resistant

### FOXWING HINGE



Fits awning types:  
31100, 31101 &  
3111

### FOXWING POLE SERVICE KIT



11 5  
Fits awning types:  
31100 & 3110

### BATWING AWNINGS

- Provides 270° of shade covering 11 sqm / 118 sq/ft
- Independently tested UV50+rating.



LEFT



RIGHT

<b>33100</b> Left 11 m <sup>2</sup> / 118 ft <sup>2</sup>	<b>33 00</b> Right 11 m <sup>2</sup> / 118 ft <sup>2</sup>
<b>33300</b> Left 6.4 m <sup>2</sup> / 68.9 ft <sup>2</sup>	<b>33 00</b> Right 6.4 m <sup>2</sup> / 68.9 ft <sup>2</sup>

### BATWING AWNING BRACKET



3 5  
Fits Batwing or  
Sunseeker awnings

### BATWING HEAVY DUTY BAR HARDWARE KIT



33101  
Allows you to attach  
the Batwing Awning to  
the side of the HD Bars.



# RHINO-RACK

## SUNSEEKER 2.5M AWNING



- 3 velcro tensioning tabs attached to the awning canvas to aid water "run off"
- Telescopic poles click neatly into the awning housing
- Spikes at the base of each pole aid in securing them to the ground with a convenient peg rope
- Quick & easy to set up and pack down
- UV Protected, Waterproof rating of 1.5 m, corrosion and mould resistant
- Fits all Rhino-Rack and Thule roof racks with specific fitting kits
- Included is a bracket that will work on the Pioneer systems

3 13  
Sunseeker 2.0m  
4m² coverage area

3 133  
Sunseeker 2.5m  
5.15m² coverage area

5  
Spike support for  
3 133

## SUNSEEKER 2.5M AWNING EXTENSION



- 31101
- All telescopic poles, ropes and pegs are included along with a storage bag.
  - Quick & easy to attach
  - UV protected, Waterproof rating of 1.5 m, rust and mould resistant
  - Suitable with the Sunseeker and Foxwing awnings
  - Additional 4m² of coverage

## SUNSEEKER AWNING SIDE WALL



- 3 11
- Provides an additional 2m x 2m of additional coverage
  - Fits both the Sunseeker and the Sunseeker II
  - Can be pitched at an angle, straight to the ground or with the use of included poles, can be opened out to form additional shade
  - UV Protected, Waterproof rating of 1.5 m and mould resistant

## UNIVERSAL & SUNSEEKER KIT

311

- Versatility of being able to mount your awnings the classic way, or by flipping the bracket over, it will allow you mount the awning in a lower position
- Ability to mount the Sunseeker and other awnings brands
- Mounts to Vortex aero crossbars or Pioneer Platform



## MULTI PURPOSE BRACKET



3111

- Fits Pioneer platform, Foxwing or Sunseeker awnings
- Mount shovel holder (RHRSHB) or conduit bracket (RHBC2)

## UNIVERSAL AWNING BRACKET KIT



31111

- Suitable for Sunseeker awnings and most non Rhino-Rack awnings
- Fits Vortex, HD and Pioneer Platforms
- 2 - 10 cm "L" shaped brackets included

## DOME 1300 SIDE WALL



3 131

- Made from the same material as the Sunseeker awning, the side wall is UV protected, waterproof (rating: 1500 mm) and mould resistant.
- Packaged with pegs and a convenient travel bag for storage.
- Provides an additional 2m x 2m (6.5ft x 6.5ft) of additional coverage
- Fits Dome 1300 Awning only
- Can be pitched at an angle, straight to the ground or with the use of included poles, can be opened out to form additional shade



RHINO-RACK

BATWING & SUNSEEKER AWNING EXTENSIONS



The new Rhino-Rack Batwing Tapered Zip Extension with Door attaches to both left and right hand Batwing and Batwing Compact awnings, allowing for any area under the Batwing to be both full enclosed or open to allow light and breeze through. Tts.

- UV rating of UPF50+
- Quick and easy to attach with velcro and zippers
- Waterproof and tear resistant
- Zipper and velcro tabs on each side allow for multiple extensions to be joined together
- Poles, pegs and guy ropes included
- Beige



**3310**  
Tapered Zip Extension  
84" x 117"  
for Batwing Compact  
+ Sunseeker 2m



**33110**  
Extension with door  
84" x 117"  
for Batwing Compact  
+ Sunseeker 2m



**33111**  
Tapered Zip Extension  
90" x 141"  
for Batwing  
+ Sunseeker 2.5m



**3311**  
Extension with door  
90" x 141"  
for Batwing  
+ Sunseeker 2.5m

BATWING & SUNSEEKER AWNING ACCESSORIES



**1 3**  
Batwing Fixing Point Set

The Batwing Pick Up Point Set will allows for the Batwing to be secured back to the vehicle once deployed. The mounting blocks are designed with a low profile to minimise wind resistance and are easily installed into the roof rack system.



**1 1**  
Compatible on all Batwings

Compatible with all Batwing Bags



**1**  
Batwing Awning Bag  
Plastic Screws

The Batwing Support Hinges consist of the male and/or female component which has been designed to withstand most conditions the Batwing awning may be exposed to.



**31**  
Batwing Support Hinge  
Female Part



**3**  
Batwing Support Hinge  
Male Part



**3**  
Batwing Spar Hinge Pint



**SP265**



Awning Extension Replacement  
Pole with a Peg Foot & a Bent Pin  
Aluminium - Black



**5**



Replacement front Pole  
Black  
for Sunseeker 2m



Vertical Pole with Ends  
Black for Batwing+ Batwing Compact



**1**  
Awning Support End Cap (PR)  
for Sunseeker  
Black

RHINO-RACK

PIONEER ROOF TOP TENT BLACKET KIT



**53101**

Made from stainless steel with pre-cut mounting holes, the Pioneer Roof Top Tent Bracket Kit allows for easy installation of your roof top tent to your Pioneer Platform. Kit includes 4x brackets & hardware to suit.





PIONEER PLATFORM SIDE RAILS

**531 0**



The New Pioneer Platform Side Rails are sturdy and enable increased security when transporting your gear. The Side Rail Kit are designed to allow flexibility when configuring your over landing or trade gear on your Rhino-Rack Pioneer platform. The rails are able to fit in the C-Channel to best suit your load carrying needs. No matter where you are, on-road or off-road; Rhino-Rack keeps your gear secure!  
Suitable for the **5 11** Pioneer Platforms.

- Dimensions: 93 mm x 1190 mm x 175 mm
- Designed and tested in Australia to help secure your load on the Rhino-Rack Pioneer™ Platform
- Strong, durable and made from light weight, corrosion resistant aluminum construction
- Powder coated
- Quick and easy to fit
- Easy access tie off points
- Ideal for loading long items such as ladders and timber planks
- Contents Included; Cast end feet, plastic support feet, aluminum rail and hardware



PIONEER CORNERS



	Description	#
	Front - rear corner	41,42,44,45
	Front - rear corner	41,42,44,45
<b>31</b>	Front - rear corner cover	41,42,44,45
<b>3</b>	Front - rear corner cover	41,42,44,45

PIONEER BOLT KIT



**30**  
Pioneer NG to Backbone 4 Bolt Kit  
Black



**30**  
Pioneer NG to Backbone 6 Bolt Kit  
Black

STOW IT ADAPTORS



Stow It Roller Adaptors x2  
Black



Slides in and out of the STOW iTbase bracket for flexible mounting options. Base bracket can be fixed directly to Pioneer platforms, Recon-Deck bars and Vortex bars. Built tough for the harshest outback terrains. To be used with STOW iTStarter Kit base bracket (SSIT)  
Contents Included: Pair of Roller Adapters, hardware & Torx driver bit.



RHINO-RACK



RECONN-DECK BARS

Rhino-Rack Reconn-Deck Roof Rack Bars are strong and durable. They have integrated channels on all four sides, allowing the mounting of accessories. They are available in three different preset lengths to suit a range of vehicles. Create a Reconn-Deck platform by combining Reconn-Deck Bars and Reconn-Deck NS Bars. Choose the configuration that best suits your adventure, with two Reconn-Deck bars and up to four Reconn-Deck NS bars to customize your rig.

- Reconn-Deck bars feature integrated channels on all 4 sides for mounting accessories
- Made of powder-coated aluminum, for optimum corrosion resistance
- Removable end caps for easy installation of accessories
- Security locks included
- Compatible with most Rhino-Rack Pioneer roof rack and crossbar accessories
- Possibility of installing 3 crossbars on certain vehicles with longer bucket seats

- Bars can be moved/spaced to meet specific user needs
- Bottom channels are accessible to mount recovery rails, shovel or other accessories
- Designed and made in Australia
- City tested for crashes and durability to ISO standards
- Load capacity up to 150kg/330lb on-road and off-road and up to 375kg/826lb static load



#	Description	Length
1	Single	1260 mm (50')
150	Single	1500 mm (59')
1 5	Single	1650 mm (65')





#	Description	Length
50	Transverse	500 mm (20')
5	Transverse	750 mm (29.5')
100	Transverse	1000 mm (39.5')

\*To get your load capacity, subtract the system weight from the system load limit. Manufacturers load limits apply.



RECONN-DECK RAILS SUPPORT



Reconn-Deck rail supports are available in sets of two or four. They are elegantly designed to fit a wide range of vehicles. With a fixed height of 280 mm, they facilitate access to equipment in the vehicle tank

#	Description
1 pair	
2 pairs	

- Double your cargo space
- Made from strong and durable materials, it gives you maximum load capacity
- Made of powder coated aluminum for optimum corrosion resistance
- Reconn-Deck brackets provide plenty of attachment points for accessories
- No drilling required
- City impact resistance and durability tested in accordance with ISO standards
- Secure core locks included

- Compatible with VA Bars, Reconn-Deck Bars and Pioneer Platform
- Designed and made in Australia
- Vertical tower channel allows accessories to be mounted up to 10 kg/22 lb per Reconn-Deck Tower  
NB: This load must be included in the total rated load of the Reconn-Deck system

DEFLECTOR FAIRING FOR XTRAY



Replacement Deflector  
Fairing for

XTRAY CLAMP SET

RHINO-RACK



Replacement Mounting Kit  
for the X trays, 1 mount  
included, for

REPLACEMENT COVERS FOR XTRAY



Replacement Side X Cover  
XTRAY



Replacement  
Waterproof  
Cover for

CASTINGS SETS



#	Description
30	Front Left
303	Front Right

Casting replacement sets, includes nuts and bolts as pictured to attach to the roof of the vehicle, compatible with

Components Include:

- 1 x Front Casting
- 1 x Rollbar Casting
- 2 x M6x65 button head screw
- 2 x M6x16 flat washer
- 2 x M6 rubber washer
- 2 x Spacer Bushing

- 1 x M6x16 hex screw
- 1 x M8x20 flat washer
- 1 x M8x80 torx T50 button head screw
- 2 x M6 flanged nut
- 1 x M6 Nyloc nut
- 1 x M8 Nyloc nut



#	Description
30	Central
305	Front Left
30	Front Right

Replacement Center Molding Set for Jeep Wrangler JL.  
Includes Nuts and Bolts as Shown to Secure Vehicle  
Roof, Fits

Components include:

- 1 x Front Right Casting
- 1 x Rollbar Casting
- 2 x M6x65 button head screw
- 2 x M6x16 flat washer
- 2 x M6 rubber washer



Molded part for the center  
of the Backbone for Jeep  
Wrangler JK.  
Compatible with



Molded part for the front of the  
Backbone for Jeep Wrangler JK.  
Compatible with



RHINO-RACK



2500 FITTING KIT

- Features :
- Used to replace the pad and clamps on Rhino-Rack 2500 two-bar roof rack systems
  - Durable automotive grade santoprene pads
  - Anti-corrosion black metal clamps
  - Black color
  - 4 clamps and 4 pads
  - FOR TOYOTA RAV4 19-22



51

RUBBER TRACK END CAP



Description

- |   |   |                         |
|---|---|-------------------------|
| 5 | 5 | Front right / Rear Left |
| 5 |   | Front left / Rear right |

SMALL SPORTZ GUTTERMOUNT LEG



055

The Rhino-Rack RL Leg Brackets are specially designed heavy duty legs to fit to gutter mounts on a vehicle. RL Legs come in a variety of shapes designed to fit specific vehicles.

TRACK WEDGES



1

END CAP



03

Replacement Extrusion End Cap for the hybrid bike carrier, 1 end cap only (RBC050)

STOW IT STARTER KIT



The STOW iT Starter Kit is an accessory bracket that offers versatility like no other. Simply fix the base brackets to the perimeter channels of a Pioneer platform or Rhino-Rack crossbar, and you have the convenience and flexibility to add, remove or swap accessories with ease to suit your needs. To get started, the kit comes with Universal Adaptors ideal for mounting a Sunseeker awning, the award winning STOW iT Utility holder or any other applicable Rhino-Rack accessory. When mounting light bars or rollers, separate adaptors are sold that can be used in place of the Universal Adaptor.

- Allows quick and easy removal of side mounted accessories for flexible mounting options or storage
- Compatible with other STOW iT adaptors for more accessory mounting options
- Base bracket can be fixed directly to Pioneer platforms, Recon-Deck bars and Vortex bars
- Built tough for the harshest outback terrains
- Durable and aesthetic finish
- Includes the new patented Zwifloc channel nuts that allow the brackets to be placed anywhere on the side rail without moving other accessories. The Zwifloc nut simply drops into the channel, so there is no need to slide into position.
- Contents Included: 4 STOW iT Base Brackets, 4 Universal Adaptors, 8 x Rhino-Rack patented hardware - Zwifloc & Torx driver bit
- Capacity: 20 kg / 43 lb per pair

VORTEX SX LEG KIT FOR ROOF RACK

RHINO-RACK

The SX roof rack system is specifically designed for use with roofs fitted with rails. Easy to install and remove, it comes with security accessories to protect your bars against theft. Another advantage of Vortex bars is that you have access to a large selection of compatible Rhino-Rack accessories. So whether you're a traveler, cyclist, surfer or contractor, the SX roof rack system can meet all your needs.



- Features :
- Removable
  - Quick and easy install/uninstall
  - Includes safety accessories
  - Easy access to bar profile allows quick installation of accessories
  - Solid and made to last
  - Suitable for moderate off-road use
  - Compatible with many accessories
  - Product tested and approved to Australian Standards AS1235-2000
  - Black
  - Pack of 4

L FITTING PLATE



0

This all purpose L Shape Upright Fitting plate is made from corrosion resistant powder coated steel. The Fitting Plate is ideal for various fitting applications such as setting roof rack bars in custom configurations, creating cantilever shelves in your trailer to store kayaks or SUPs and for handy solutions to any storage concerns. The L Shape Upright is designed to fit perfectly in the width of the Heavy Duty bar so there won't be any overhang and it can be fitted to the top side or bottom of the bar for ease of use.

- Features :
- Black Powder Coated Steel is non-corrosive - no rusting or fading
  - Made from strong and durable materials
  - Also fits the Rhino-Rack Vortex bar
  - Adaptable to suit your needs
  - Great for attaching shade awnings and other accessories to roof racks
  - Ideal for various fitting applications
  - Creating cantilever shelves in your trailer to store kayaks or SUPs
  - Designed to fit perfectly in the width of the Heavy Duty bar so there won't be any overhang
  - Can be fitted to the top side or bottom of the bar for ease of use







## HITCH MOUNT BICYCLE RACKS

**XTC4**

5

- Frame Contact
- Fits: 2" receiver
- Carries: 4 bikes
- Limit 35 lb per bike




**XTC2**

0

**XTC2 TILT**

1

- Frame Contact
- Fits: 1 1/4" & 2" receiver



**XC2**

50

- Carries: 4 bikes
- Limit 35 lb per bike



**TRAILHEAD**


Fits 1 1/4" & 2" receiver



2 bikes 33 0  
3 bikes 33 5  
4 bikes 33 0

**TITAN**

Fits 1 1/4" & 2" receiver



2 bikes 3 00  
4 bikes 3 10

**XP**

Fits 1 1/4" & 2" receiver



4 bikes 0  
5 bikes 0

**ORIGINAL**

Fits 1 1/4" & 2" receiver



4 bikes 15  
5 bikes 5

• Hanging Racks • Limit 35 lb per bike, 100 lb total

## HITCH MOUNT BICYCLE RACKS ACCESSORIES

**FAT BIKE WHEEL TRAYS**



For Quad 2+2 / Chinook / Dispatch

**THREADED LOCKING HITCH PINS**



With Cable  
5/8" 030  
1/2" 031



5/8" 0  
1/2" 0

**BAR ADAPTORS**



005 DLX  
3 eBike / Cruiser

**RAMPS**



For Escapee / Skaha 2



For Current / E-Spec



**RV APPROVED**

**ESCAPEE**



ULTS66693

- Zero Frame Contact
- Fits: 2" receiver
- Carries: 2 eBikes
- Limit 60 lb per bike

**E-SPEC**



ULTS66689

- Frame Contact
- Fits: 2" receiver
- Carries: 2 eBikes
- Limit 80 lb per bike

**DISPATCH**



ULTS66684

- Frame Contact
- Fits: 2" receiver
- Carries: 2 bikes
- Limit 45 lb per bike

**TRAILHEAD 4 RV**



ULTS63381

- Hanging Rack
- Fits: 2" receiver
- Carries: 4 bikes
- Limit 35 lb per bike

**TRAVELER XC2**



ULTS64663

- Frame Contact
- Fits: 2" receiver or included bumper mount
- Carries: 2 bikes
- Limit 35 lb per bike

**AROUND THE SPARE DELUXE**



ULTS80501

- Hanging Rack
- Fits: RV bumper
- Carries: 2 bikes
- Limit 35 lb per bike

**RV RACK**



- Hanging Rack
- Limit 30 lb per bike

ULTS80605  
2 bikes

ULTS80600  
4 bikes

**STRADDLER**



ULTS80503

- Fits: Most travel trailer "A" Frames
- Limit 100 lb (including hitch rack)

**BUMPER ADAPTOR**



ULTS64025

- Welded steel bumper adaptor

**RV BIKE BAG**



- Covers up to 2 bikes

ULTS82007  
Large





**swagman®**

## FOR PICKUP TRUCKS

**PICKUP**  
0



- Fork mount rack
- Rack for truck bed
- Transports 2 bikes

**CLAW**  
00



- Fork mount rack
- Rack for truck bed
- Limit 45 lb per bike

**TAILWHIP**



- Tailgate pad

0  
Full size  
5 bikes

1  
Mid size  
4 bikes

**PARAMOUNT**



- Tailgate pad

Full size  
7 bikes


3  
Mid size  
4 bikes



**swagman®**

## FOR PICKUP TRUCKS

**RACE READY**  
05




- Zero Frame Contact
- Limit 45 lb per bike

**UPRIGHT**  
0



- Frame Contact
- Limit 35 lb per bike

**STANDARD**  
10



- Fork mount rack
- Limit 35 lb per bike



**SportRack®**



## We have the products to get your gear where you need it - safely and easily

High quality products so that you can take full advantage of your vehicle and the outdoors. With the ability to carry one or more accessories at a time, SportRack can perfect adapt to your active lifestyle.





## HITCH MOUNTED BIKE CARRIERS



**2**  
max.  
40 kg / 90 lb

51

2 bikes  
Non locking

- Attaches to your receiver with a "No Wobble" threaded hitch pin that prevents rack sway



Ball mounted



**2**  
max.  
40 kg / 90 lb

01

Includes lock

- Carries up to **2 bikes**, max. 90 lbs (40 kg)
- Rubberized hooks to protect bike finish
- Hooks and wheel trays adjust to fit all bike frames and sizes
- Center post folds down for rear of vehicle access
- Hooks and wheel trays adjust to fit all bike frames and sizes
- Fits 1 1/4" and 2" receivers

## BICYCLE LOCK AND TILT HANGING HITCH BIKE RACKS



**3**  
max.  
60 kg / 132 lb

03

3 bikes

- Attaches to your receiver with a "No Wobble" threaded hitch pin that prevents rack sway
- Easily tilts down for rear of vehicle access
- Bike lock included
- Fits 1 1/4" and 2" receivers

\* Hitch must have a minimum Class II rating



## ACCESSORIES



00

Description

- Locking kit for hitch mounted bike racks

30 01, 30 03, ULT 30 0

Description

0 01

- Locking hitch pin for hitch mounted bike racks

30 01, ULT 30 03, ULT 30 0, ULT 30 0

## UNIVERSAL TIE DOWN



12' • Yellow

Description

0 01

- Variety of strong sports straps for tying down all your sports gear to the vehicle
- Durable polypropylene straps with chromate buckles
- Vinyl buckle guard to protect vehicle
- Full range of lengths to meet a variety of strapping needs
- Convenient color-coding corresponds to various lengths







### FRONTIER RACK SYSTEMS



Everything in one package: load bars, feet and locks. Ready to install!

- Adaptability of all accessories (bikes, skis, kayaks...)
- Easy installation without tools, locks included
- Load capacity up to 130 lbs (59 kg)

### TENT TRAILER RACK SYSTEM



Can be adjusted in length and installs easily and quickly on most folding camping trailers

- Length : from 80" to 86"
- Load capacity up to 200 lbs (90 kg)

### J-STACKER KAYAK CARRIERS

5511

- Easy to use with no adjustment needed, just lift boat and place it in
- Quick on/off hardware ensures rapid installation and removal on most OEM and aftermarket crossbars (max. 3.5" crossbar diameter)
- Includes two heavy-duty tie-down straps with cam-buckle and two ropes with galvanized steel bumper hooks



THULE®



ROOF RACKS



CARGO



WATERSPORTS



BIKE



SNOWSPORT





## ROOF TOP TENTS

A year-round tent built to endure the elements of any season and any climate.

### TEPUI EXPLORER AYER 2



107 x 122 x 28 cm  
Closed

214 x 122 x 99 cm  
Open



**01 00**  
Haze gray

- Can accommodate up to two people
- Constructed from coated 600 denier and a 260g poly-cotton blend made to withstand the elements of any season
- Tent fabric is both UV and mold resistant to withstand the elements of any season
- Mesh panels offer plenty of ventilation and open for more airflow
- Four, large internal pockets for storing gear and camping accessories
- Includes a high-density foam mattress for added comfort

### TEPUI EXPLORER KUKENAM 3



122 x 143 x 31 cm  
Closed

244 x 143 x 132 cm  
Open



**01301**  
Olive green

**01300**  
Haze gray

- Can accommodate up to three people
- Constructed from coated 600 denier and a 260g poly-cotton blend made to withstand the elements of any season
- Tent fabric is both UV and mold resistant to withstand the elements of any season
- Mesh panels offer plenty of ventilation and open for more airflow
- Four, large internal pockets for storing gear and camping accessories
- Includes a high-density foam mattress for added comfort



## VAN LADDER 9 STEPS

**301 0**  
49 x 7 x 75 H cm



- Storage bag included
- Easily fixed to the vehicle wall, with extra stability thanks to the included magnetic fixation kit
- Easy to use anywhere you want
- Safe and stable on most terrains
- Ladder is extendable to 2.60 m
- Open partly for lower reach
- Air pressure system for safe closing
- Complies with EN-131
- Maximum weight support of 150 kg

## VAN LOCK

**30 3**




- Smart & attractive: it fits all van models and complements the colour of your van's bumper & handles
- Well thought design: the lock secures rear or sliding side doors
- Lock slides in front of the door to prevent opening. The lock holds 2 parts of the door together ensuring high security





LOAD BARS • SOLD IN PAIRS


WINGBAR



SQUAREBAR EVO



LOCK KITS



FOOT KITS

RAPID PODIUM



0  
Bars not included

Convert your limited factory rack into a dependable Thule roof rack. Tracker fit kit also required.

RAPID CROSSROAD



50  
Bars not included

Turn your factory-installed rails into a super strong, super stable multi-purpose roof rack.

FOOT PACKS  
EVO FLUSH RAIL



10 01  
Bars not included  
Secures to vehicle with  
Thule One-Key locks  
(sold separately)



EVO CLAMP



10501  
Bars not included  
Secures to vehicle with  
Thule One-Key locks  
(sold separately)



EVO RAISED RAIL



10 01  
Bars not included  
Secures to vehicle with  
Thule One-Key locks  
(sold separately)



SKI & SNOWBOARD CARRIER

Fits Thule rack systems, round bars, and most factory racks with both T-Track and Speed-Link around-the-bar mounting options.

SNOWPACK M



3 1  
Black

- Carries up to 4 pairs of skis or 2 snowboards.
- 50 cm loading width

SNOWPACK L



3 01  
Black and Silver

3 1  
Black

- Carries up to 6 pairs of skis or 4 snowboards.
- 75 cm loading width

SNOWPACK EXTENDER

EXTENDABLE FOR EASY LOADING AND UNLOADING, WITHOUT HAVING TO STRETCH OVER THE CAR ROOF



3 501  
Black and Silver

- Carries up to 6 pairs of skis or 4 snowboards.
- 75 cm loading width

PADDLEBOARD CARRIER



SUP TAXI XT



10001

Cap.: 25 kg • Weight: 7.6 kg  
Dim.: 86 to 102 x 17 x 16 cm

- Newly designed push button lock system allows for quick and easy locking strap operation and security.
- Exclusive, telescoping design delivers a custom fit for board widths up to 34" wide.





### VERSATILE WATER SPORT CARRIER COMPASS



0000

- Multiple ways to carry: Single kayak in J-style or saddle configuration, two kayakers in stacker mode and up to two SUPs in saddle mode.
- Maximum protection of kayakers and stand-up paddle boards thanks to the thick rubber saddles and padded upright
- Accommodates kayakers up to 36" wide and a maximum kayak weight of 130 lb.

### KAYAK RACKS

#### DOCKGLIDE



001

- Easily load and unload the kayak with the pivoting felt-lined rear saddles.
- Two independent pivoting saddles with angle-setting lever.
- Protects the hull with large, flexible, cushioned pads.
- Fits a variety of rack systems.
- Accommodates kayakers up to 36"/90 cm wide and 75 lb/35 kg

#### DOCKGRIP



5001

- Protects the hull with large, flexible, cushioned pads.
- Fits a variety of Thule rack systems, round bars and most factory racks due to T-Track and FlipFit brackets.
- Accommodates kayakers and SUPs up to 36"/90 cm wide and 85 lb/40 kg.

#### HULLAVATOR PRO



001

Cap.: 35 kg  
89.7 x 15.2 x 42.3 cm  
Weight: 17.5 kg

- Load and unload your kayak on your own, thanks to the gas-assist struts that lift and lower 40 lb of the kayak's weight and lowers it up to 3'.
- Maximum protection for your kayak, thanks to 8 touch points of padded support.
- Aluminum, double-coated steel construction for corrosion resistance.
- Includes Thule QuickDraw bow and stern tie-downs for transporting 1 kayak.

#### HULL-A-PORT AERO



000

Cap.: 59 kg • 50 x 22 x 50 cm  
Weight: 5.6 kg



- Quickly raise or fold when not in use using the convenient front release handle
- Easily manage load straps while strapping down the kayak using the integrated StrapCatch
- Kayakers are protected during transit due to the durable and soft rubber padding
- Theft resistant design keeps carrier securely attached to load bars (locks included)
- Easy to install directly into the Thule WingBar Evo or AeroBlade T-track, or around Thule SquareBar\* via the integrated, tool-free mounting hardware (\*SquareBar requires an adapter)



### ROOF MOUNTED BIKE CARRIERS

#### PRORIDE XT

5 00

Cap.: 20 kg • Dim.: 147.3 x 34.3 x 10.2 cm • Weight: 2 kg

- Quick and easy bike securing.
- Safe mounting.
- Easy, tool-free interface for switching carrier from one side of your car to the other.
- Mounts to all Thule rack systems, round bars and most factory racks.
- 2 One Key lock cylinders (sold separately) lock the bike to carrier and carrier to rack.



5 101

ProRide Fatbike Adapter

#### UPRIDE

UNIVERSAL UPRIGHT BIKE RACK WITH NO FRAME CONTACT,  
FOR FAST AND SECURE MOUNTING AND MAXIMUM FRAME PROTECTION.

5 000

Cap.: 20 kg • Dim.: 163 x 31.5 x 10.5 cm • Weight: 7.7 kg

- Suitable for bikes with carbon frames.
- Simple interface for switching carrier from one side of your car to the other.
- Ratcheting wheel strap quickly secures back wheel to tray.
- Fits most 20-29" wheel bicycles with tires up to 3" wide (up to 5" with Thule UpRide Fatbike Adapter, sold separately)
- Maximum bike weight up to 20 kg.
- Locks the bike to the bike rack and the bike rack to the vehicle (locks sold separately)



5 100

UpRide  
Fatbike Adapter

#### TOP RIDE

5 005

Cap.: 18 kg • Dim.: 140 x 21 x 15.3 cm • Weight: 3.5 kg

- Easily mount Thru-axle bikes (9-15mm) and standard Quick-release bikes (9 mm). Fits 20 x 110 mm Thru-axle bikes with an additional adapter (sold separately)
- Accommodates bikes with disc brakes
- Convenient and easy installation of fork adapter for a secure bike fit
- Unmount bikes from the rack easily with a release lever
- Easy to switch carrier position from one side of your car to the other
- Mounts to all Thule rack systems, round bars and most factory racks



5 100

Thru-Axle Adapter  
20 mm x 110 mm





## ROOF MOUNTED BIKE CARRIERS

### FAST RIDE



5 005


Cap.: 18 kg • Dim.: 135 x 22 x 9.2 cm • Weight: 3.3 kg



5 100  
Adapters

- Easily mount standard Quick-release bikes (9 mm). Fits (9-15mm) and 20 x 110 mm Thru-axle bikes with an additional adapter (sold separately)
- Accommodates bikes with disc brakes
- Convenient and easy installation of fork adapter for a secure bike fit
- Locks the bike to the bike rack and the bike rack to the vehicle (locks sold separately) Easy to switch carrier position from one side of your car to the other
- Mounts to all Thule rack systems, round bars and most factory racks

### DEFLECTORS AIRSCREEN™



0 00 0 01 0 02 0 03  
81.3 cm 96.5 cm 111.8 cm 132 cm



## HITCH BIKE RACKS

0 5

Cap.: 68 kg • Dim.: 106.9 x 27.9 x 93.9 cm • Weight: 16 kg  
For receivers: 1 1/4" & 2"



### APEX XT 4

- Quickly attach bikes and easily secure them to the rack using the ratcheting cradle strap
- Lock bikes to the rack using the integrated cable lock (lock included)
- Easily fold down bike arms when rack is not in use
- Convenient access to the rear of the vehicle using the HitchSwitch lever to tilt the rack down
- Quick to install and easy to lock the rack to the vehicle due to the tool-free, SnugTite stinger (lock included)
- Easily transfers between 1.25" and 2" hitch receivers

### APEX XT SWING 4

0

Cap.: 68 kg • Dim.: 107 x 27.9 x 102 cm • Weight: 19 kg  
For receivers: 2"



- Lock bikes to the rack using the integrated cable lock (lock included).
- Quickly attach bikes and easily secure them to the rack using the ratcheting cradle strap.
- Quick to install and easy to lock the rack to the vehicle due to the tool-free, SnugTite stinger (lock included).
- Easily opens and closes with the pull of a pin.

### CAMBER 4

05 00

Cap.: 68 kg • Dim.: 107.1 x 27.9 x 90.4 cm • Weight: 16 kg  
For receivers: 1 1/4" & 2"



- Superior bike stability and fit with integrated anti-sway that prevent bike to bike contact and "disappears" when not needed.
- Quickly attach bikes and easily secure them to the rack using the ratcheting cradle strap.
- Effortlessly fold down bike arms when rack is not in use.
- Convenient access to the rear of the vehicle using the HitchSwitch lever to tilt the rack down.
- Easily transfers between 1.25" and 2" hitch receivers.

### CAMBER 2

05 00

Cap.: 34 kg • Dim.: 71.8 x 27.9 x 90.4 cm • Weight: 12.7 kg  
For receivers: 1 1/4" & 2"



- Superior bike stability and fit with integrated anti-sway that prevent bike to bike contact and "disappears" when not needed.
- Quickly attach bikes and easily secure them to the rack using the ratcheting cradle strap.
- Effortlessly fold down bike arms when rack is not in use.
- Convenient access to the rear of the vehicle using the HitchSwitch lever to tilt the rack down.
- Easily transfers between 1.25" and 2" hitch receivers.





## HITCH BIKE RACKS T2 PRO XTR 2



Dim.: 137 x 109 x 38 cm  
Weight: 23.6 kg

035

Cap.: 45 kg • 2 bikes  
For receivers: 1 1/4"

03

Cap.: 55.5 kg • 2 to 4\* bikes  
For receivers: 2"

\*With 03 add-on,  
see below

- Versatile design fits nearly all styles of bikes up to 60 lbs with zero frame contact
- AutoAttach system makes installation and removal simple and tool-free
- Integrated wheels help to maneuver the rack on and off the vehicle
- The HitchSwitch lever allows you to tilt the rack down for rear vehicle access or tilt it up when not in use
- Fits 20 - 29" wheels and up to 5" tires without adapters making it ideal for carbon frames, mountain, downhill, or fat bikes
- Integrated cable lock and lock knob locks bikes to the rack and secures the rack to the receiver
- Generous spacing between bike mounts with the ability to adjust side to side to eliminate bike interference

## ADD-ON T2 PRO XT



03

Add-on for SD9034XTR to carry 2 additional bikes



## HITCH MOUNTED BIKE CARRIERS HELIUM PLATFORM 2




0 010

2 bikes

For 1 1/4" & 2" receivers

- Securely holds bikes in place without frame contact
- Quickly attach bikes and easily secure them to the rack using the ratcheting wheel loops
- Aluminum construction makes it easy to use, install and remove
- Effortlessly fold down bike arms when rack is not in use
- Convenient access to the rear of the vehicle using the HitchSwitch lever to tilt the rack down, even with bikes on it
- Lock bikes to the rack using the integrated cable lock (lock included)
- Fits 26"-29" wheel sizes up to a 3" wide tire
- Quick to install and easy to lock the rack to the vehicle due to the tool-free, SnugTite stinger (lock included)


## EASYFOLD XT 2



03 0

2 bikes

For 1 1/4" & 2" receivers



5101

XXL Fatbike  
Wheel Straps

- Fully foldable for convenient mounting, handling and storage
- High load capacity enabling transport of e-bikes and heavy mountain bikes
- Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached
- Large distance between wheel holders enabling transport of sturdy bikes with large wheel bases
- Wheel straps with adjustable pump buckles for fastening wheels. (Optional XXL Wheel Strap kit to fit longer wheelbases and tires up to 4.7")
- Easy trunk access even with bikes mounted, thanks to smart foot pedal tilt
- Ergonomic transport of the bike rack thanks to the integrated transport wheels and carrying handle
- Foldable bike loading ramp integrates into rack for convenient storage (included)
- Lock your bikes to the bike rack and your bike rack to the receiver (locks included)



## TRUNK BIKE RACK

- Maximum fastening security to your vehicle with steel cables
- Vehicle and bike protection with integrated anti-sway system that prevents bike-to-bike and bike-to-vehicle contact
- Locks the bikes to the bike rack and the bike rack to the car (locks included)
- Bike arms fold down when not in use, and rack folds flat for easy transport and convenient storage
- This product does not have a universal fit. Please use the Thule Buyer's Guide for information related to specific car models

### OUTWAY HANGING 3



5005

3 bikes • Cap.: 45 kg • Dim.: 80 x 78 x 84 cm • Weight: 8.9 kg

### OUTWAY HANGING 2



005

2 bikes • Cap.: 30 kg • Dim.: 62 x 78 x 78.5 cm • Weight: 8.3 kg

- Secure fit with integrated anti-sway cradles that prevent bike to bike contact
- 7" of spacing between the bikes prevents contact during transport
- Quickly attach bikes and easily secure them to the rack using the ratcheting cradle strap
- Folds up flat for convenient storage
- Locks the bikes to the bike rack with integrated cable lock

### GATEWAY PRO 3



00 00

3 bikes • Cap.: 57.7 kg  
Dim.: 59.7 x 45.7 x 83.8 cm • Weight: 6.68 kg

### GATEWAY PRO 2



00 00

2 bikes • Cap.: 31.8 kg  
Dim.: 59.7 x 45.7 x 83.8 cm • Weight: 6.21 kg

## TRUNK BIKE RACK OUTWAY PLATFORM 2



3005

- 2 bikes • Cap.: 30 kg • Dim.: 59 x 127 x 120 cm • Weight: 12.5 kg
- Maximum fastening security to your vehicle with steel cables
- Accommodates up to 127cm/50" wheelbase bikes
- Locks the bike to the bike rack and the bike rack to the roof racks (locks included)
- Folds flat for easy transport and convenient storage
- No assembly required
- This product does not have a universal fit. Please use the Thule Buyer's Guide for information related to specific car models

### PASSAGE 3



11

Cap.: 47.6 kg  
Dim.: 55.9 x 43.2 x 99.1 cm  
Weight: 4.9 kg



- Soft rubber cradles protect bike frame while holding it securely
- Bike rack arms can fold down when not in use
- Bike-to-bike and bike-to-vehicle contact prevented by no-sway cages

## TRUCK BED BIKE RACK GATEMATE PRO



Up to 8 bikes  
Dim.: 150 x 41 x 7 cm • Weight: 6.5 kg

- Flexible padding adjusts across a wide range of tailgates and large handle opening provides backup camera visibility.
- Bikes remain securely in place with integrated bike separation and multiple position strap anchors.
- Bikes and pick-up trucks are protected during transport with heavy duty vinyl, adjustable padding.





### ROOFTOP ABS CARGO BOXES

## FORCE



#### FORCE XT SPORT

35 01

300 L • 10.6 cu.ft.  
190 x 63 x 42.5 cm  
75" L x 24.8" x 16.7" H

#### FORCE XT XL

35 01

500 L • 18 cu.ft.  
210 x 86 x 44 cm  
82.7" L x 33.9" x 17.3" H

#### FORCE XT L

35 01

455 L • 16 cu.ft.  
190 x 84 x 46 cm  
75" L x 33" x 18" H

#### FORCE XT XXL

35 01

625 L • 10.6 cu.ft.  
230 x 90 x 47 cm  
90.6" L x 35.4" x 18.5" H

## MOTION



#### MOTION XT ALPINE

50

455 L • 16 cu.ft.  
232 x 95 x 33.5 cm  
91.3" L x 37.4" x 13.2" H

#### MOTION XT XL

0

500 L • 18 cu.ft.  
215 x 91.5 x 43.5 cm  
84.6" L x 36" x 17.1" H

#### MOTION XT L

0

453 L • 16 cu.ft.  
195.5 x 91.5 x 43.5 cm  
77" L x 36" x 17.1" H

#### MOTION XT XL

0

610 L • 21.5 cu.ft.  
232 x 95 x 45.5 cm  
91.3" L x 37.4" x 17.9" H

## VECTOR



#### VECTOR M

13 01

360 L • 12.7 cu.ft.  
212 x 88 x 33 cm  
83.5" L x 34.6" x 13" H

#### VECTOR ALPINE

13501

380 L • 13.4 cu.ft.  
228 x 88.5 x 32 cm  
89.7" L x 34.8" x 12.6" H

## PULSE

### ROOFTOP ABS CARGO BOX



#### PULSE ULT

1 100

311 L • 11 cu.ft.  
225 x 65 x 32 cm  
88.5" L x 25.5" W x 12.5" H

#### PULSE M

1 100

396 L • 14 cu.ft.  
170 x 89 x 41 cm  
66.9" L x 35" x 16.1" H

#### PULSE L

15100

453 L • 16 cu.ft.  
193 x 84 x 42 cm  
76" L x 33.1" x 16.5" H

### HITCH MOUNTED CARGO BOX



#### TRANSPORTER COMBI

5100

50" x 23" x 24"

- Rear-mounted cargo means easy, waist-level access and minimal impact on vehicle aerodynamics
- Cargo box tilts down for partial access to the rear of the vehicle
- Pre-wired tail lights (4-pin) and license plate adapter included
- CentralLock system provides maximum safety. The key can only be removed if all locking points are securely closed
- Installs into most 2" and 1 1/4" receivers, no additional adapters or tools needed



### ROOFTOP ABS CARGO BOXES



#### HORIZON ALPINE

011

311 L • 11 cu.ft.  
225 x 53 x 40 cm  
88.75" L x 21" x 15.75" H



#### HORIZON L

01

453 L • 16 cu.ft.  
191.7 x 83.8 x 41.3 cm  
75.5" L x 33" x 16.25" H






## BIKE CARRIERS


**D63134**  
Carries 2 bikes.  
Mounts to 1 1/4" & 2"  
receiver hitch.  
Folds down.



**D63138**  
Carries 4 bikes.  
Mounts 2" receiver  
hitch. Folds down.  
Rear reflectors for  
nighttime visibility.



## JACK-IT BICYCLE CARRIER



**429756**

The Jack-It's innovative frame design installs over the tongue jack on the trailers A-Frame, the softest riding area on the frame. The BikeWing carrier holds two bikes safely, securely and simply by the wheels. The adjustable wheel cradles and SwayStop straps secure the bike wheels to the bike carrier for a secure ride. The Jack-It allows travel trailer owners to utilize the valuable rear hitch/cargo space for additional gear and gives owners a new cargo utilization space.



## CARGO CARRIER

**EXPANSE**  
0515



- 400 lb capacity (100 lb if being used with a compatible Swagman bike rack)
- 5/8" anti-wobble hitch pin
- Reinforced sides
- Reflective safety decals



## THE CONNECTOR BAR FOR EXPANSE CARGO TRAY

051




The Connector Bar replaces the stock drawbar on the Expance Cargo Tray, allowing you to connect the tray as an extension on the Swagman Dispatch, Quad 2+2 (front-half) or Semi 4.0 (front-half) bike racks.

Expance Cargo Tray and  
Compatible Bike Racks sold separately



## CARGO CARRIER



**5 50**  
For 2" receiver  
56" x 23" x 5 1/4"  
600 lb

## CARRIER BAG



**5 10**  
48" x 19" x 18"  
Expands from  
9.5 to 11.5 cu.ft.

## REPLACEMENT LATCH KIT



**5 510**  
For D59109







### CARGO CARRIER



**13-0505**  
For 2" receiver  
60" x 20" x 6" • 500 lb



### CARRIER BAG



**3 0**  
Water resistant material  
59" x 18.5" x 24" • 15 cu.ft.



### STEEL CARGO BASKETS



**5 50**  
48" x 37 1/2" x 4"  
Heavy-duty steel  
construction



### STEEL CARGO BASKETS



**5 00**  
127 x 104 x 15 cm • Cap. : 68 kg

- One Key System compatible
- T-Track mounting
- Fits AeroBar / Rapid Bar
- Fits AeroBlade
- Fits Factory Racks
- Fits SquareBar