

ULTRACAR



AU SERVICE
DES CONCESSIONNAIRES
TEXTO INFO: 514-592-0005

SUSPENSION

depuis 1982
2025
514.592.0005



Suivez-nous *Instagram*
ultracamontreal

ROUES POWDERCOAT NOIR LUSTRÉ GLOSS BLACK POWDERCOAT WHEELS

SERVICE
4
JOURS
DAYS

GARANTIE

4
ANS

Cueillette et livraison
gratuites disponibles
Free pickup & delivery
available

\$149
CHAQUE

DAN
(514) 592-0005



Ultracar Performance Inc. 1254 boul. Marcel-Laurin, Saint Laurent, Montréal, QC H4R 1J7
www.ultracar.com

LEVELING SUSPENSION

MAINTAIN FACTORY RIDE QUALITY • INSTALLATION TIME APPROXIMATELY 1 HOUR



- Fastest, least expensive way to lift and level your truck.
- Great for heavy-duty winch/bumper combos, snowplows or the other parts that weigh down the front end of your truck.
- Underground parking lot safe.

LIFETIME GUARANTEE

CADILLAC / CHEVROLET / GMC

FRONT LIFT KIT

ULT66-3071

Maximum
tire diameter:
265/65-17.



15-22 Colorado / Canyon

2/4WD

LIFT

1.25"

FRONT LEVELING KIT

ULT66-3921



19-22 Silverado / Sierra 1500 new body

4WD

LIFT

1.75"

SST LIFT KIT

ULT69-3940



19-22 Silverado / Sierra 1500 new body

4WD

LIFT

4" F/3" R

REAR SHOCK EXTENSIONS

ULT67-3809



99-22 Silverado / Sierra 1500, Suburban, Tahoe, Yukon & XL 2/4WD

Designed to be used with factory shocks on 99-12 GM 1500 trucks with 3" or similar rear lift blocks. These new extensions keep the stock shock length and prevent shock "top out" during excessive cycling such as when driving in rough conditions.

FRONT LOWER STRUT SPACER

ULT66-3920



19-22 Silverado / Sierra 1500 new body

2/4WD

LIFT

2.0"

FRONT LEVELING KIT

ULT66-3086



17-18 Silverado / Sierra 1500

2/4WD

LIFT

2.25"

4.0" STRUT EXTENSION - 3.0" REAR BLOCK-TUBE

ULT69-3414
use w/factory
aluminium and
steel oe arms



14-19 Silverado / Sierra 1500 old body

4WD

LIFT

4" F/1.75" R

REAR BLOCK KIT

ULT66-3002



99-19 Silverado / Sierra 1500 old body

2/4WD

LIFT

2.0"



LEVELING SUSPENSION

CADILLAC / CHEVROLET / GMC

FRONT LEVELING STRUT EXTENSION

Allows
installation
of tires up to
33" in height.



ULT66-3085

07-19 Silverado / Sierra 1500 old body

2/4WD

LIFT

2.25"

FORGED TORSION KEY & BRACKET - 8 LUG

ULT66-3050

Allows
installation
of tires up to
33" in height.



LIFT

2.5"

02-06 Avalanche 2500

4WD

00-07 Silverado/Sierra 1500HD Classic

2/4WD

00-10 Silverado/Sierra 2500HD

2/4WD

00-10 Silverado/Sierra 3500 Dually/Single

2/4WD

00-10 Suburban/Yukon XL 2500

2/4WD


LIFT

2.5"

REAR BLOCK KIT - 8-LUG

ULT66-3111

Will not fit
vehicle with
factory
overload
springs.



LIFT

1"

11-22 Silverado / Sierra 2500 HD not Dually

2/4WD

REAR BLOCK KIT

ULT66-3003



99-19 Silverado / Sierra 1500 old body

2/4WD

LIFT

3.0"

FORGED TORSION KEY - 8 LUG

ULT66-3020

Allows
installation
of tires up to
35" in height.



LIFT

2"

20-22 Silverado / Sierra 2500/3500 HD

2/4WD

REAR BLOCK KIT - 8-LUG

ULT66-3112

Will not fit
vehicle with
factory
overload
springs.



LIFT

2"

11-22 Silverado / Sierra 2500 HD not Dually

2/4WD

FRONT LEVELING KIT - HEAVY DUTY FAB CONTROL ARMS

ULT66-3012



11-19 Silverado / Sierra 2500/3500HD

2/4WD

LIFT

2.25"

SST LIFT KIT

ULT69-3512

Allows
installation
of tires up to
34 in height.



11-19 Silverado / Sierra 2500HD not Dually

2/4WD

LIFT

3.5" F/2" R

REAR BLOCK KIT - 8-LUG

ULT66-3052

Allows
installation
of tires up to
33" in height.



LIFT

2"


88-98 Silverado / Sierra 1500

2/4WD

00-10 Silverado / Sierra 2500/3500 not Dually

2/4WD

LEVELING SUSPENSIONS

DODGE / RAM			
SST LIFT KIT Max tire 35x12.50 on 20x9 +0  ULT69-1935 LIFT 19-22 Ram 1500 2/4WD 3.5" F / 2" R		REAR SPACER KIT Max tire 35x12.50 on 20x9 +0  ULT26-1921 LIFT 19-22 Ram 1500 2/4WD 2"	
FRONT LEVELING KIT WITH TUBULAR UPPER CONTROL ARMS Max tire 285/65-20 on 20x9 +18  ULT66-19150 LIFT 19-22 Ram 1500 (Air Ride Equipped) 4WD 1.5"		FRONT LEVELING KIT WITH TUBULAR UPPER CONTROL ARMS Max tire 285/65-20 on 20x9 +18  ULT66-1921 LIFT 19-22 Ram 1500 (Air Ride Equipped) 4WD 2"	
FRONT LEVELING KIT WITH TUBULAR UPPER CONTROL ARMS Allows installation of tires up to 35" in height.  ULT66-1026 LIFT 06-22 Ram 1500 (Air Ride Equipped) 4WD 2.5"		FRONT PRE-LOAD SPACER Max tire 285/65-20 on 20x9 +18  ULT66-1920 LIFT 19-22 Ram 1500 2/4WD 2"	
SST LIFT KIT Allows installation of tires up to 35" in height.  ULT69-1040 LIFT 09-22 Ram 1500 Classic 2/4WD 4" F / 2" R		SST LIFT KIT Allows installation of tires up to 35" in height.  ULT69-1041 LIFT 09-22 Ram 1500 Classic 2/4WD 4" F / 2" R	
SST LIFT KIT  ULT69-1031 LIFT 09-22 Ram 1500 Classic 2/4WD 1.5"		REAR SPACER KIT  ULTT26-1020 LIFT 09-19 Ram 1500 Classic 2/4WD 2"	
STRUT EXTENSION Allows installation of tires up to 35" in height.  RL66-1030 LIFT 06-22 Ram Classic 1500 w/o Factory Air Ride Suspension 4WD 1.5"			

LEVELING SUSPENSIONS

DODGE / RAM			
STRUT EXTENSION Allows installation of tires up to 35" in height.  ULT66-1020 LIFT 06-12 Ram 1500 4WD 2.5"	REAR BLOCK KIT  ULT66-1102 LIFT 02-08 Ram 1500 not Mega Cab 2/4WD 2"		
COIL SPACER Allows installation of tires up to 35" in height.  ULT66-1090 LIFT 94-01 Ram 1500 4WD 2.0" 94-13 Ram 2500/3500 (NON RADIUS ARM) 4WD 2.0" 06-09 Ram Mega Cab 4WD 2.0"	REAR SPACER KIT  ULT26-1920 LIFT 14-22 Ram 2500 not Dually 4WD 2"		
REAR SPACER KIT  ULT26-1925 LIFT 14-22 Ram 2500 not Dually 4WD 2.5"	REAR SPACER KIT  ULT26-1935 LIFT 14-22 Ram 2500 not Dually 4WD 3.5"		
FRONT LEVELING COIL SPACER  ULT66-19180 Allows installation of tires up to 35" in height. LIFT 19-22 Ram 2500/3500 4WD 1.75"			
SST LIFT KIT Allows installation of tires up to 37" in height.  ULT69-1930 LIFT 19-22 Ram 2500 4WD 3" F / 1" R	SST LIFT KIT Allows installation of tires up to 35" in height.  ULT69-1092 LIFT 03-13 Ram 2500/3500 4WD 3" F / 2" R		


LEVELING SUSPENSIONS

FORD

 FRONT LEVELING KIT ULT66-21100 21-22 Bronco 4WD LIFT 1.25"	 FRONT LEVELING KIT WITH TUBULAR UPPER CONTROL ARMS ULT69-21150 Max tire 245/65-17 on 17x8 +40 21-22 Bronco Sport 4WD LIFT 1.5"
 FRONT LEVELING KIT ULT66-2120 21-22 F150 2/4WD LIFT 2.0"	 SST LIFT KIT ULT69-21350 21-22 F150 4WD 3.5" F/1.25" R LIFT 3.5" F/1.25" R
 SST LIFT KIT ULT69-2300 Allows installation of tires up to 35" in height. 14-19 F150 2/4WD 3.5" F/2" R LIFT 3.5" F/2" R	 SST LIFT KIT ULT69-2755 17-19 F150 Raptor 4WD LIFT 2.5"
 FRONT LEVELING KIT ULT66-2755 17-19 F150 Raptor 4WD LIFT 2.5"	 STRUT EXTENSION Allows installation of tires up to 35" in height. 15-19 F150 2/4WD LIFT 2.25"
 REAR BLOCK KIT ULT66-2051 04-19 F150 2WD LIFT 1.5"	 REAR BLOCK KIT ULT66-2053 04-19 F150 4WD LIFT 3"

LEVELING SUSPENSIONS

FORD

 STRUT EXTENSION Allows installation of tires up to 33" in height. 04-14 F150 FX4 03-14 Expedition 2/4WD 2/4WD ULT66-2052 LIFT 1.5" 1.5"	 STRUT EXTENSION Allows installation of tires up to 35" in height. 04-14 F150 FX4 2/4WD ULT66-2059 LIFT 1.5"
 FRONT LEVELING KIT Allows installation of tires up to 35" in height. 11-22 F250 Super Duty 4WD ULT66-2111 LIFT 1.5"	 FRONT LEVELING KIT Allows installation of tires up to 35" in height. 11-22 F250 / F350 Super Duty 4WD ULT66-2726 LIFT 1.5"
 SST LIFT KIT Allows installation of tires up to 37" in height. 17-22 F250/350/450 SD with one-piece drive shaft 4WD 3.5" F/1-3" R ULT69-2735 LIFT 3.5" F/1-3" R	 SST LIFT KIT Allows installation of tires up to 35" in height. 11-16 F250/350/450 SD with two-piece drive shaft 4WD 3.5" F/1-3" R ULT69-2531 LIFT 3.5" F/1-3" R
 FRONT LEVELING KIT Allows installation of tires up to 37" in height. 11-22 F250/350/450/550 4WD ULT66-2095 LIFT 2.5"	 FRONT LEVELING KIT Allows installation of tires up to 35" in height. 83-96 Bronco II 81-96 F150 91-94 Explorer/Navajo 99-16 F250/F350/F450 SD 2/4WD 4WD 4WD 2WD ULT66-2299 LIFT 2" 2" 2" 2"
 FRONT LEVELING KIT Allows installation of tires up to 35" in height. 19-22 Ranger 4WD ULT66-2726 LIFT 2"	 FRONT LEVELING KIT 19-22 Ranger 4WD ULT66-2930 LIFT 3"
 REAR BLOCK KIT 19-22 Ranger 4WD ULT66-2053 LIFT 1"	 FORGED TORSION KEY Allows installation of tires up to 32" in height. 98-11 Edge 98-11 Ranger 2WD 4WD ULT66-2020 LIFT 2.25" 2.25"

LEVELING SUSPENSIONS

HUMMER

FORGED TORSION KEY

ULT66-3050

Allows installation of tires up to 33" in height.



03-10 H2 - 8-Lug

4WD

LIFT
2.5"

JEEP

SST LIFT KIT

ULT69-6825

Allows installation of tires up to 37" in height.



18-22 JL Rubicon 2/4 DR

2/4WD 2.5" F/2" R


LIFT
2.5"

NISSAN

SST LIFT KIT

ULT66-4204

Allows installation of tires up to 32" in height.



05-21 Frontier / Xterra

2/4WD 2.5" F/1.5" R

LIFT
2.5"

SST LIFT KIT

ULT69-4420

Allows installation of tires up to 29.5" in height.



14-19 Rogue

2WD 2" F/1" R

LIFT
2"

FRONT LEVELING KIT

ULT66-4204

Allows installation of tires up to 33" in height.



04-19 ARMADA/TITAN

2/4WD

LIFT
2"

FRONT LEVELING KIT

ULT66-4620

Allows installation of tires up to 33" in height.



16-19 Titan XD

2/4WD 2.5" F/2" R

LIFT
2.5"

REAR BLOCK KIT

ULT66-4001



04-19 Titan

2WD 1"

LIFT
1"

SUBARU

SST LIFT KIT

Allows installation of tires up to 27.9" in height.



ULT69-9820

18-22 Crosstrek

2WD

2.0" F / 1.5" R

SST LIFT KIT

Allows installation of tires up to 29.5" in height.



ULT69-9020

20-22 Outback

2WD

2.0" F / 2.0" R

SST LIFT KIT

Allows installation of tires up to 29.5" in height.



ULT69-9520

15-19 Outback

2WD

2.0" F / 1.5" R

LEVELING SUSPENSIONS

TOYOTA

SST LIFT KIT

ULT66-5055

Allows installation of tires up to 32" in height.



05-22 Tacoma - 6-Lug

2/4WD

LIFT
2.25"

REAR BLOCK KIT

ULT66-5001

Allows installation of tires up to 29.5" in height.



95-22 Tacoma - 6-Lug
99-21 Tundra All

2/4WD
2/4WD

LIFT
1"
1"

REAR BLOCK KIT

RL66-5002



95-22 Tacoma - 6-Lug
99-21 Tundra

2/4WD
2/4WD

LIFT
2"
2"

SST LIFT KIT

ULT69-5212

Allows installation of tires up to 32.5" in height.



05-22 Tacoma TRD / SR5 / Rock Warrior - 6-Lug 2/4WD

LIFT
3" F/2" R

FRONT LEVELING KIT

ULT66-5912

Allows installation of tires up to 33" in height.



05-19 Tacoma/TRD/SR5/Rock Warrior - 6-Lug 2/4WD 2.75"-3.0"

LIFT
2.75"-3.0"

FRONT LEVELING KIT

ULT66-5251

Allows installation of tires up to 33-35" in height.



07-19 Tundra TRD / SR5 Rock Warrior
Not for use on 2015-16 Tundra TRD Pro w/ Bilstein shocks

LIFT
3"

FRONT LEVELING KIT

ULT66-5075

Allows installation of tires up to 33" in height.




07-19 Tundra
Not for use on 2015-17 Tundra TRD Pro w/ Bilstein shocks

LIFT
2.4"

SST LIFT KIT

ULT69-5276

Allows installation of tires up to 35" in height.



07-19 Tundra TRD / SR5 / Rock Warrior
Not for use on 2015-2019 Tundra TRD Pro w/ Bilstein or Fox TRD Pro shocks

LIFT
3" F/2" R

SST LIFT KIT

ULT69-5175

Allows installation of tires up to 35" in height.



07-19 Tacoma/TRD/SR5/Rock Warrior - 6-Lug 2/4WD
Not for use on 2015-UP Tundra TRD Pro w/ Bilstein or Fox TRD Pro shocks

LIFT
3" F/1" R

SST LIFT KIT

ULT69-5920

Max tire 245/65-17 on 17x8 +38



19-22 RAV4
Will not work with TRD/TRD Pro and Adventure packages

LIFT
2" F/1.5" R

SST LIFT KIT

ULT69-5320

Max tire 245/65-17 on 17x8 +38



06-18 RAV4
Not for use on 2015-UP Tundra TRD Pro w/ Bilstein or Fox TRD Pro shocks

LIFT
2" F/1" R

TORSION BAR REMOVAL AND INSTALLATION TOOL



ULT66-7822B
2011-UP GM HD trucks and other vehicles that require a large heavy duty tool.



ULT66-7816A
UNIVERSAL
Not for use with 2011-UP GM HD



UPPER CONTROL ARMS



ULT67-1501
Ram 1500 4WD 06-18


TUNDRA TRD PRO SKID PLATE SPACER KIT



ULT67-5443
ReadyLIFT now offers a quality CNC machined aluminum spacer kit designed to lower the TRD Pro Tundra skid plate when the differential is lowered in conjunction with a lift kit. If you have a Tundra (non TRD Pro) and have a TRD PRO skid plate, or want to install one on your lifted truck with a lowered differential, this is the kit you want to get to be able to use the skid plate. Designed to work with our 3" and 4" front lift kits only

HEAVY DUTY FRONT TRACK BAR

Solves Factory Steering Wobble Issue.



ULT77-2006
Ford Super Duty 4WD 2017-2022 with 0-5 inches of front lift.

EXHAUST DOWN PIPE EXTENSION



ULT47-6310
JEEP
JK Wrangler 12-18
• Stainless steel
• For use with 2.5" or greater lift systems

ADD-A-LEAF KIT



ULT26-2215
FORD
F150 2WD/4WD 04-14
Inserts into your factory rear spring pack for 1.5" additional lift.

FRONT DIFFERENTIAL DROP SPACER KITS

Drops differential approximately 1 inch for improved CV angles.



ULT47-5004
TOYOTA
Tacoma 2005+

WHEEL SPACERS

Made from 6061-T6 aluminum and precision CNC machined for maximum strength and longevit. These new spacers wheels are designed for use with the ReadyLift 69-3485, 69-3285, 69-3295 and the 69-3495 4" SST Lift Kit when using the stock wheels. Wheel spacers are required when using GM factory wheels and the 4" kit to properly space the factory wheel from the suspension.



ULT10-3485
CHEVROLET / GMC
Silverado / Sierra 1500 07-18
7/8" with 14 mm studs



ULT15-3485
CHEVROLET / GMC
Silverado / Sierra 1500 07-18
1/2"

LIFT KITS

CHEVROLET / GMC



ULT35145

14-19 Silverado / Sierra 1500 old body

FRONT LIFT
4.0"
REAR LIFT
2.0"


Lift kit with upper control arms for aluminum or stamped steel OE upper control arms without shocks



ULT99104

15-20 Colorado / Canyon

FRONT LIFT
2.0"



ULT99101
FRONT LIFT KIT

15-19 Colorado / Canyon

FRONT LIFT
2WD/4WD 1.25"



ULT99107

19-20 Silverado / Sierra 1500

FRONT LIFT
2WD 3.0"



ULT99106
FRONT LEVELING KIT

19-20 Silverado / Sierra 1500

FRONT LIFT
2WD/4WD 2.0"



ULT99100
STRUT EXTENSION
6 LUG

07-19 Silverado / Sierra 1500 ('19 old body)

FRONT LIFT
2WD/4WD 2.0"

Allows installation of tires up to 33" in height.



ULT99004
REAR BLOCK KIT

07-19 Silverado / Sierra 1500 ('19 old body)

REAR LIFT
2WD/4WD 2.0"

Allows installation of tires up to 33" in height.



ULT999003
REAR BLOCK KIT

99-19 Silverado / Sierra old body

REAR LIFT
2.0"



ULT999005
REAR BLOCK KIT

99-19 Silverado / Sierra 1500 old body

REAR LIFT
1.0"

LIFT KITS

CHEVROLET / GMC



ULT35125

FRONT LIFT
REAR LIFT

11-17 Silverado / Sierra 2500 HD
Key way 2.0" rear block and tubular UCA's without shocks



ULT9302
FORGED TORSION KEY
8 LUG

FRONT LIFT

11-19 Silverado / Sierra 2500 HD / 3500 HD 2WD/4WD 2.25"
Allows installation of tires up to 33" in height.



ULT99300
FORGED TORSION KEY
6 LUG

FRONT LIFT

88-07 Avalanche 1500 / Escalade / EXT / ESV 2WD/4WD 2.5"
88-07 Silverado / Sierra 1500 2WD/4WD 2.5"
88-07 Tahoe / Suburban / Yukon / Yukon XL 1500 2WD/4WD 2.5"

Allows installation of tires up to 32" in height.



ULT99301
FORGED TORSION
KEY & BRACKET
8 LUG

FRONT LIFT

00-10 Avalanche 2500 2WD/4WD 2.25"
00-10 Silverado / Sierra 1500HD/2500HD/3500HD 2WD/4WD 2.5"
00-10 Tahoe 2500 2WD/4WD 2.5"
00-10 Suburban / Yukon XL 2500 2WD/4WD 2.5"

Allows installation of tires up to 33" in height.

DODGE / RAM



ULT22104
PRELOAD SPACER

FRONT LIFT


19-20 Ram 1500 4WD 2.0"



ULT2519355

FRONT LIFT
REAR LIFT

19-20 Ram 1500 4WD 3.5" 2.0"



ULT35405

FRONT LIFT
REAR LIFT

2019 Ram 1500 Classic 2WD/4WD 4.0" 2.0"
09-18 Ram 1500 2WD/4WD 4.0" 2.0"



ULT22101
STRUT EXTENSION

FRONT LIFT

2019 Ram 1500 Classic 4WD 2.0"
06-18 Ram 1500 4WD 2.0"

Allows installation of tires up to 35" in height.

LIFT KITS

DODGE / RAM



RTX22105

FRONT LIFT

2019 Ram 1500 Classic 2WD 2.0"
09-18 Ram 1500 2WD 2.0"



RTX22100
STRUT EXTENSION

FRONT LIFT

2019 Ram 1500 Classic 4WD 2.5"
06-18 Ram 1500 4WD 2.5"

Allows installation of tires up to 35" in height.
May require rear block/spacer on certain applications



RTX22115
REAR COIL SPACER

REAR LIFT

2019 Ram 1500 Classic 2WD/4WD 1.5"
09-18 Ram 1500 2WD/4WD 1.5"

Allows installation of tires up to 35" in height.



RTX22102
COIL SPACER
8-LUG

FRONT LIFT

94-01 Ram 1500 4WD 2.0"
94-12 Ram 2500/3500 4WD 2.0"
2013 Ram 2500 4WD 2.0"

Allows installation of tires up to 35" in height.



RTX35315

FRONT LIFT
REAR LIFT

14-19 Ram 2500/3500 3.0" 1.0"



RTX222012
REAR BLOCK KIT

REAR LIFT

03-19 Ram 2500 / 3500 2WD/4WD 2.0"

Except dually and top mounted overloads

FORD



RTX555001
REAR BLOCK KIT

REAR LIFT

04-20 F150 2WD/4WD 1.0"



LIFT KITS

FORD

RTX

**ULF5106
STRUT EXTENSION**

15-20 F150 2WD/4WD

**FRONT
LIFT**
2.5"

Allows installation of tires up to 35" in height.

ULT35005

14-20 F150 4WD

FRONT LIFT
3.5"

1 piece drive shaft without shocks

**ULT55102
STRUT EXTENSION**

04-14 F150 **not** Heritage 2WD/4WD

**FRONT
LIFT**
2.0"

Allows installation of tires up to 35" in height.

**ULT55107
STRUT EXTENSION**

Allows installation of tires up to 35" in height.

11-18 F250 / F350 / F450 / F550 4WD

**FRONT
LIFT**
2.5"

**ULT55100
STRUT EXTENSION**

09-14 F150 2WD
04-08 F150 **not** Heritage 4WD

**REAR
LIFT**
3.0"

Allows installation of tires up to 35" in height.

**ULT55101
STRUT EXTENSION**

09-14 F150 2WD/4WD
04-08 F150 **not** Heritage 2WD/4WD

**FRONT
LIFT**
2.5"

Allows installation of tires up to 35" in height.

ULT35355

2019 Ram 1500 Classic 2WD/4WD
09-18 Ram 1500 2WD/4WD

**FRONT
LIFT**
4.0"

**REAR
LIFT**
2.0"

Lift kit with 4" tapered blocks for 1 piece drive shaft without shocks

**ULT55104
STRUT EXTENSION**

05-20 F250 / F350 / F450 / F550 4WD

**FRONT
LIFT**
1.5"

Allows installation of tires up to 35" in height.

LIFT KITS

JEEP

RTX

ULT35265

18-20 JL Wrangler / Wrangler Unlimited Sahara & Sport 4WD

**FRONT
LIFT**
2.5"

**REAR
LIFT**
2.0"

ULT33102

07-20 JL Wrangler / Wrangler Unlimited 4WD

**FRONT
LIFT**
2.5"

**REAR
LIFT**
2.0"

TOYOTA

**ULT77106
6-LUG**

05-20 Tacoma 2WD/4WD

**FRONT
LIFT**
2.25"

**ULT777001
REAR BLOCK KIT**

95-18 Tacoma 2WD/4WD
99-20 Tundra 2WD/4WD

**FRONT
LIFT**
1.0"

**ULT777002
REAR BLOCK KIT**

95-18 Tacoma 2WD/4WD
99-20 Tundra 2WD/4WD

**FRONT
LIFT**
2.0"

ULT77105

07-21 Tundra 2WD/4WD

**FRONT
LIFT**
2.50"

ULT35755

07-20 Tundra 2WD/4WD

**FRONT
LIFT**
4.0"

**REAR
LIFT**
2.0"

With upper control arms without shocks

POLYURETHANE BODY BUSHING MOUNTS



ULTKF04058BK & ULTKF04060BK

FORD			
99-18	F-250	2/4WD	ULTKF04050BK
08-16	F-250	2/4WD	ULTKF04060BK
99-07	F-350	2/4WD	ULTKF04058BK



ULTKF04050BK



LEVELING KITS



ULTKC09113BK



ULTKC09138BK



ULTKF09101BK



ULTKF09124BK



ULTKF09130BK



ULTKG09105BK



ULTKF09150BK



ULTKG09107



ULTKG09123



ULTKG09129BK



ULTKG09139BK



ULTKG09140BK



ULTKJ09176KV

CHEVROLET / GMC				
14-21	Silverado 1500 - Strut Style	2/4WD	2"	ULTKG09129BK
07-13	Silverado 1500 - Strut Style	2/4WD	2"	ULTKG09105BK
99-10	Sierra 2500/3500 HD, 8 Lug - Torsion Bar	4WD	2"	ULTKG09107
11-19	Sierra 2500/3500 HD, 8 Lug - Torsion Bar	4WD	2"	ULTKG09123
07-21	Sierra 1500	2/4WD	2"	ULTKG09139BK
07-21	Sierra 1500	2/4WD	2"	ULTKG09140BK
FORD				
83-96	Bronco II	2WD	2"	ULTKF09101BK
17-19	F-150 Raptor	4WD	2"	ULTKF09130BK
05-21	F-250/350 Super Duty	4WD	1"	ULTKF09150BK
04-21	F-150	2/4WD	2"	ULTKF09124BK
JEEP				
18-22	JL Wrangler /Gladiator - Kevlar-infused	2/4WD	1.5"	ULTKJ09176KV
RAM				
09-20	1500	4WD	2.5"	ULTKC09113BK
13-21	2500/3500 - Incl 2 Scorpion Shocks	2WD	2"	ULTKC09138BK

LIFT KITS



ULTKC09114BK



ULTKC09116BK



ULTKC09139BK



ULTKC09140BK



ULTKF09053



ULTKF09122BK



ULTKG09118BK & ULTKG09138BK



ULTKJ09172BK

FORD			
09-20	F-150	2/4WD 2"	ULTKF09122BK
05-19	F-250 SD Dana 60 w/3-1/2" O.D.	4WD 2.5"	ULTKF09053
CHEVROLET / GMC			
07-13	Silverado 1500	2/4WD 2"	ULTKG09118BK
14-19	Silverado 1500 Classic	2/4WD 2"	ULTKG09138BK
DODGE / RAM			
09-16	1500 Non-Air Ride	4WD 2.5"	ULTKC09114BK
09-17	1500 Non-Air Ride	2/4WD 1" rear	ULTKC09116BK
17-21	1500 Classic & NewBody (excl. Rebel)	4WD 2"	ULTKC09139BK
17-21	1500 Classic	2/4WD 1" rear	ULTKC09140BK
JEEP			
17-21	Compass Trailhawk	2/4WD 1.5"	ULTKJ09172BK

LIFT KITS



ULTSL3700



ULTSL3900



ULTSL4600



ULTSL4610



ULTSL5803



ULTSLK126



ULTSLK126B



ULTSLK160



ULTSLK182



ULTSLK997



ULTSLK997B



ULTSLK1020



ULTSLK1020B



ULTSLK1019



ULTSLK1019B

CHEVROLET / GMC

19-22	Silverado/Sierra 1500 4WD New body	6" Lift kit with Alum/Steel ctrl arms	ULTSLK182
19-22	Silverado/Sierra 1500 4WD New body not Trailboss/AT4	6" Lift kit with Alum/Steel ctrl arms Bilstein Shocks	ULTSLK182B
19-22	Silverado/Sierra 1500 2/4WD New body not Trailboss/AT4	3" Front and 1.5" Rear Lift kit with Superlift Shocks	ULTSL3900
14-19	Silverado/Sierra 1500 4WD old body	3.5" Lift kit upper alum/steel control arms w/ Superlift shocks	SULTL3600
14-16	Silverado/Sierra 1500 4WD	6.5" Lift kit with OE Cast Steel upper control arms	ULTSLK160
07-16	Silverado/Sierra 1500 4WD	3.5" Lift kit Upper cast steel Cntrl arms w/ Superlift rear shocks	ULTSL3700

FORD

15-20	F150 4WD not single cab or 2 pc rear driveshaft	4.5" Lift kit with Bilstein rear shocks	ULTSLK126B
15-20	F150 4WD not single cab	4.5" Lift kit with Superlift rear shocks	ULTSLK126
15-20	F150 4WD	6" Lift kit with SL Rear Shocks	ULTSLK127

JEEP

18-23	Wrangler JL	2.5" Coil Spacer Lift Kit	ULTSLK5803
07-18	Wrangler JK 4 dr	4" Lift Kit with Reflex Ctrl Arms & Superlift Shocks	ULTSLK997
07-18	Wrangler JK 4 dr	4" Lift Kit with Reflex Ctrl Arms & Bilstein Shocks	ULTSLK997B

RAM

09-22	Ram 1500 4WD (exc TRX4 or Outdoorsman)	2" Lift kit with Bilstein Struts and Shocks	ULTSL4600
19-22	Ram 1500 4WD	3" Lift kit w/o Factory Air Ride Suspension	ULTSL4610
12-18	Ram 1500 4WD (Classic 19-21)	6" Lift kit w/Superlift rear shocks	ULTSLK1020
12-18	Ram 1500 4WD (Classic 19-21)	6" Lift kit with Bilstein Struts and Shocks	ULTSLK1020B
12-22	Ram 1500 4WD	4" lift kit gas/diesel w/Superlift rear shocks	ULTSLK1019
12-22	Ram 1500 4WD	4" Lift Kit Bilstein Rear Shocks	ULTSLK1019B

TOYOTA

07-20	Tundra 4WD	4.5" Lift kit w/ SL Rear shocks (non-TRD Pro/Rock Warrior/XSP-X)	SULTLK963
-------	------------	--	-----------



LEVELING KITS



ULTSL40007



ULTSL40012



ULTSL40016



ULTSL40018



ULTSL40021



ULTSL40022



ULTSL40031

- Gives up to 45 mm lift and is adjustable
- Specially designed to give comfortable ride empty or fully loaded
- The greasable swing shackle reduces body roll
- Three adjustments allow for varied loads: setting for light loads and upper settings for medium to heavy loads
- Superb handling, increased stability
- Quick no drill installation

CHEVROLET / GMC

07-13	Avalanche	1.5" Front Strut spacer leveling kit	ULTSL40012
07-13	Avalanche	2" Front leveling kit	ULTSL40012
19-21	Silverado/Sierra 1500 not Trailboos/AT4/MagnaRide	2" Front leveling kit	ULTSL40040
08-19	Silverado/Sierra 1500 2/4WD old body	1.5" Front Strut spacer leveling kit	SULTL40012
08-19	Silverado/Sierra 1500 2/4WD old body	2" Front leveling kit	ULTSL40012
2007	Silverado/Sierra 1500 2/4WD not classic	1.5" Front Strut spacer leveling kit	ULTSL40012
2007	Silverado/Sierra 1500 2/4WD not classic	2" Front leveling kit	ULTSL40012
20-21	Silverado/Sierra 2500/3500 HD not MagnaRide	2.5" Front Leveling kit	ULTSL40052
11-19	Silverado/Sierra 2500/3500 HD	2.5" Front leveling kit	ULTSL40025
07-19	Suburban/Tahoe/Yukon	1.5" Front Strut spacer leveling kit	ULTSL40012
07-19	Suburban/Tahoe/Yukon	2" Front leveling kit	ULTSL40012

DODGE / RAM

09-21	Ram 1500 Classic 4WD	1.75" Front leveling kit	ULTSL40022
14-21	Ram 2500/3500 not Power Wagon	2.5" Front leveling kit	ULTSL40023
19-21	Ram 1500 4WD not Rebel	2" Front leveling kit	ULTSL40041
12-21	Ram 1500 Classic not TRX/ or Factory Air-Ride suspension	2.5" Front/Rear leveling kit	ULTSL40043
12-21	Ram 1500 Classic 4WD not TRX/ or Factory Air-Ride suspension	2.5" Front leveling kit	ULTSL40044

FORD

09-21	F150 2/4WD not 10-20 Raptor	1.75" Front leveling	ULTSL40021
05-21	F250/F350 Super Duty 4WD	2" Front leveling kit	ULTSL40031
05-21	F250/F350 4WD	2.5" Front leveling kit	ULTSL40007
19-21	Ranger 4WD	2" Front leveling kit	ULTSL40050

JEEP

20-21	Gladiator JT/Rubicon/Sport/Sport S 4WD	2.5" Front leveling kit	ULTSL40051
-------	--	-------------------------	------------

TOYOTA

05-21	Tacoma 2/4WD not Pro/XSP-X/ TX Baja or 5 lug wheels	2.5" Front strut ext kit	ULTSL40045
05-21	Tacoma/Prerunner 2/4WD not Pro/XSP-X/ TX Baja or 5 lug wheels	2" Front leveling kit/Alum Strut Spacer kit	ULTSL40046
07-21	Tundra 2/4WD not Pro series and XSP-X	2.5" Front leveling kit	ULTSL40016
07-22	Tundra 2/4WD	2" Front leveling kit	ULTSL40018



REFLEX CONTROL ARMS



- Helps prevent the track bar bracket from failure on a lifted JL or JLU
- Helps prevent unnecessary steering box issues such as wear, play or breakage
- Reinforces the Front Track bar
- Does not replace OEM track bar bracket
- Distributes increased loads on Front Track bar Bracket
- Super-EzBolt-on Application and installation



ULTSL5805

JEEP
Gladiator 4 dr 20-23
Wrangler JL 2 dr 18-21
Wrangler JL 4 dr 18-23

REAR TRACK BAR BRACKET KIT



Designed to center the rear axle, restore factory handling, and reduce body roll/rear steer.

ULTSL5824

JEEP
2023 Wrangler 4 Door
18-22 Wrangler 4 Door Rear Track Bar Bracket with Bolt On Reinforcement Brace 2.5 in - 4 in Lift Kit 4WD
18-21 Wrangler 2 Door Rear Track Bar Bracket with Bolt On Reinforcement Brace 2.5 in - 4 in Lift Kit 2 Door 4WD

SHOCK KITS

Wrangler JK 4 dr 07-18
Front And Rear Shocks for 2.5" - 4" Lift



ULTSL84048
Bilstein 5100



ULTSL84047
Superlift



ULTSL84074
FOX

Toyota Tundra 07-21
Rear Shocks for 4" - 6" Lift

REFLEX CONTROL ARMS



ULTSL5772
Wrangler JK 4 dr 07-18
Front lower



ULTSL5774
Wrangler JK 4 dr 07-18
Front upper



ULTSL5773
Wrangler JK 4 dr 07-18
Rear lower



ULTSL5775
Wrangler JK 4 dr 07-18
Rear upper

LIFT KITS




CHEVROLET / GMC / CADILLAC



ULTXX406010
COILOVER - 6 LUG

		FRONT
07-13 Avalanche	2WD/4WD	1" - 2.5"
08-19 Escalade Hybrid	2WD/4WD	1" - 2.5"
07-19 Escalade	2WD/4WD	1" - 2.5"
07-19 Silverado / Sierra (2019 old body)	2WD/4WD	1" - 2.5"
09-18 Silverado / Sierra Hybrid	2WD/4WD	1" - 2.5"
07-19 Suburban / Yukon & XL	2WD/4WD	1" - 2.5"
07-19 Tahoe	2WD/4WD	1" - 2.5"
08-19 Tahoe Hybrid	2WD/4WD	1" - 2.5"
09-19 Yukon Hybrid	2WD/4WD	1" - 2.5"


Allows installation of tires up to 33" in height.



ULTXX406037
MAGNETIC RIDE

		FRONT	REAR
10-19 Silverado / Sierra 1500 ('19 old body)	4WD	2.5"	1"


Allows installation of tires up to 33" in height.



ULTXX406039
LEVELING KIT

		FRONT	REAR
07-18 Silverado/Sierra 1500	2WD	2.5"	1"

Allows installation of tires up to 33" in height.



ULTXX406034
LEVELING KIT

		FRONT	REAR
19-21 Silverado/Sierra 1500	4WD	2.5"	2.5"

Allows installation of tires up to 33" in height.



ULTXX406035
COILOVER - 6 LUG

		FRONT	REAR
07-19 Silverado / Sierra 1500 ('19 old body)	4WD	2.5"	1"
09-18 Silverado / Sierra Hybrid	4WD	2.5"	1"

Allows installation of tires up to 33" in height.

LIFT KITS



DODGE / RAM



ULTXX605020
COILOVER

94-01	Ram 1500 4WD 8 lug	4WD	FRONT
05-13	Ram Mega Cab 8 lug	4WD	2"
94-13	Ram 2500/3500 8 lug	4WD	2"

Allows installation of tires up to 35" in height.



ULTXX604045
COILOVER

13-21	Ram Classic 1500 5 lug	4WD	FRONT
			2"

Allows installation of tires up to 34" in height.



ULTXX604014
LEVELING KIT

19-20	Ram 1500	FRONT	REAR
		2.5"	1.25"

Allows installation of tires up to 35" in height.



ULTXX604043
LEVELING KIT

09-18	Ram 1500	FRONT	REAR
		4WD 2"	1.25"

Allows installation of tires up to 34.5" in height.

FORD / LINCOLN



ULTXX105010
COILOVER


04-19	F-150	2WD/4WD	FRONT
			2"

Allows installation of tires up to 34" in height.

LIFT KITS



FORD / LINCOLN



ULTXX105015
COILOVER

09-20	F-150	4WD	FRONT	REAR
			2"	1"

Allows installation of tires up to 34" in height.



ULTXX108031
LEVELING KIT

05-22	F250/F350 SD	FRONT
		2"

Allows installation of tires up to 34" in height.



ULTXX108030
SPRING SPACER

05-22	F-250/350/450 SD	4WD	FRONT
			2.5"

Allows installation of tires up to 35" in height.

JEEP



ULTXX601032
LEVELING KIT

18-22	Wrangler JL	FRONT	REAR
		2.5"	2"

Allows installation of tires up to 35" in height.

HONDA



ULTXX202041
LEVELING KIT

17-22	Ridgeline	FRONT
16-22	Pilot	1.5"
		1.5"

Allows installation of tires up to 31" in height.

LIFT KITS




TOYOTA



ULTXX905015
COILOVER - 6 LUG

05-21 Tacoma	2WD/4WD	FRONT 3"	REAR 1.375"
--------------	---------	-------------	----------------

Allows installation of tires up to 33" in height.



ULTXX900025
FRONT DIFFERENTIAL
DROP SPACER KIT

07-21 Tundra	2WD/4WD
--------------	---------



ULTXX903035
LEVELING KIT

07-21 Tundra	2WD/4WD	FRONT 3"	REAR 2"
--------------	---------	-------------	------------



ULTXX903010
COILOVER -
5 LUG

08-21 Sequoia	2WD/4WD	FRONT 2"
07-21 Tundra	2WD/4WD	2"

Allows installation of tires up to 33" in height.



ULTXX903025
COILOVER -
5 LUG

07-21 Tundra	2WD/4WD	FRONT 3"	REAR 1"
--------------	---------	-------------	------------

Allows installation of tires up to 34" in height.

WIRELESS AIR COMMAND KIT WITH APP



ULTRR2158



ULTRR2097



ULTRR2168



ULTRR2610




	LIGHT DUTY	STANDARD DUTY	HEAVY DUTY	EXTRA DUTY	EXTREME DUTY
Compressor included in kit					
Tank & air hose included in kit	Not included	Not included	Not included		
SINGLE-LEVELING SYSTEMS CONTROLS BOTH AIR SPRINGS EQUALLY					
 ANALOG		ULTRR2158	ULTRR2097		
 WIRELESS APP		ULTRR2610	ULTRR2626		
DUAL-LEVELING SYSTEMS CONTROL EACH AIR SPRING INDEPENDENTLY					
 ANALOG		ULTRR2178	ULTRR2219	ULTRR2168	ULTRR2549

AIR HELPER SPRINGS
FOR REAR LEAF SPRINGS



Keep the vehicle level - improve steering control and braking effectiveness, level headlight beams and reduce tire wear. Level off-center loads - individual inflation valves allow for adjustment side-to-side. Reduce suspension fatigue - keep leaf springs from permanent sagging under repeated or constant load. Reduce bottoming out - protective air cushion softens contact between the axle and frame. Increase vehicle stability - absorbing road shock providing ideal ride conditions for passengers and load.



NOTE 2 : * Requires 6.5" of clearance between frame and tire (both single and dual rear wheels.)

NOTE 3 : * Requires 7.5" of clearance between frame and tire (both single and dual rear wheels.)

NOTE 5 : * Requires 9.5" of clearance between frame and tire (both single and dual rear wheels.)

ULTA217-602-609

Hardware Kit for RR2609

ULTRR2135825889

Lower Bracket for RR2609

Firestone

RIDE-RITE
AIR HELPER SPRINGS

COIL-RITE
AIR HELPER SPRINGS

Everything is included for a quick, easy installation. Brackets, air springs, hardware, air line, and separate valves for manual inflation. Average installation time is approximately 1-2 hours.



CADILLAC		
02-21	Escalade	ULTRR4108
CHEVROLET / GMC		
88-98	C/K 1500, 2500, 3500 Pick-up & Dually 2WD/4WD	ULTRR2025
73-87	C & R10, 20, 30, 1500, 2500, 3500 2WD All models	ULTRR2071 ³
19-22	Silverado / Sierra 1500	ULTRR2609
07-19	Silverado / Sierra 1500 old body	ULTRR2430
99-07	Silverado / Sierra 1500 2WD/4WD Classic	ULTRR2320 ²
11-22	Silverado / Sierra 2500/3500, 2WD/4WD	ULTRR2825
20-22	Silverado / Sierra 2500/3500, 2WD/4WD	ULTRR2613
20-22	Silverado / Sierra 2500/3500, 2WD/4WD Red Label	ULTRR2709
01-10	Silverado / Sierra 2500/3500 HD, 2WD/4WD	ULTRR2250
01-10	Silverado / Sierra 2500/3500 HD, 2WD/4WD Red Label	ULTRR2700
12-22	Silverado / Sierra 3500 HD Cab-Chassis, 2WD/4WD	ULTRR2715
00-21	Suburban, Yukon, Tahoe 1500 2WD/4WD	ULTRR4108
CHRYSLER		
08-16	Town and Country	ULTRR4169
DODGE / RAM		
08-16	Caravan, Grand Caravan	ULTRR4169
77-99	Ram 100-350, 1500, 2500, 3500 Pick-up & Dually Pick-up, (97-99 1 ton w/o contact overloads) 2WD/4WD	ULTRR2071 ³
19-22	Ram 1500 new body 2WD/4WD (Ride-Rite) not Power Ram or Rebel	ULTRR4130
19-22	Ram 1500 Classic 2WD/4WD (Ride-Rite) not Power Ram or Rebel	ULTRR2595
09-18	Ram 1500 2WD/4WD (Ride-Rite) not Power Ram or Rebel	ULTRR2595
09-18	Ram 1500 2WD/4WD (Coil-Rite) not Power Ram or Rebel	ULTRR4185
02-08	Ram 1500 2WD/4WD	ULTRR2286
94-01	Ram 1500 2WD/4WD	ULTRR2071 ⁵
14-22	Ram 2500 2WD/4WD	ULTRR2598
14-22	Ram 2500 2WD/4WD Red Label	ULTRR2706
03-09	Ram 2500/3500 Pick-up 2WD/4WD & Mega cab	ULTRR2299
03-09	Ram 2500/3500 Pick-up 2WD/4WD & Mega cab Red Label	ULTRR2701

AIR HELPER SPRINGS
FOR REAR LEAF SPRINGS



ABSORBS EXTREME SHOCK
Capable of withstanding sudden left-to-right or side-to-side changes in suspension travel


AIR-ONLY DESIGN
Smooth ride and high performance, riding on a cushion of air

WORRY-FREE MAINTENANCE
Durable bellow won't rip or pull apart when suspended on a lift

LONG PRODUCT LIFE
Built to last using commercial-grade steel plates with rolled crimp design for a long life under your vehicle

RIDE-RITE
AIR HELPER SPRINGS

COIL-RITE
AIR HELPER SPRINGS



NOTE 3 : * Requires 7.5" of clearance between frame and tire (both single and dual rear wheels.)

NOTE 4 : * Requires 8.00" of clearance between frame and tire (both single and dual rear wheels.)

DODGE / RAM (cont.)		
77-02	Ram 2500/3500 Pick-up 2WD/4WD	ULTRR2071 ³
14-22	Ram 3500 2WD only	ULTRR2616
13-22	Ram 3500 4WD only	ULTRR2615
13-22	Ram 3500 4WD only Red Label	ULTRR2710
FORD		
90-96	Bronco 4 x 4	ULTRR2071 ³
68-96	F100, F150, F250, F350 2WD/4WD	ULTRR2071 ³
15-22	F150 2WD/4WD	ULTRR2582
09-14	F150 2WD/4WD not Raptor or FX2	ULTRR2525
17-22	F250 2WD only	ULTRR2600 ³
17-22	F350 DRW 4WD	ULTRR2624
17-22	F250/350 4WD	ULTRR2625
17-22	F250/350 4WD Red Label	ULTRR2716
17-22	F250/350 SRW AIO Analog	ULTRR2827
11-16	F250/350 2WD/4WD	ULTRR2597
11-16	F250/350 2WD/4WD Red Label	ULTRR2703
11-16	F250/350 2WD/4WD (Diesel)	ULTRR2535
08-10	F250/350 2WD/4WD	ULTRR2550
99-04	F250 2WD/4WD over 8600 GVW	ULTRR2550
99-04	F350 2WD not V10 gas with extended cab and 8' bed	ULTRR2550
99-04	F350 4WD	ULTRR2550
97-08	F250/350 SD over 8600 GVW 2WD/4WD	ULTRR2071 ³
11-14	F350 2WD only (Diesel)	ULTRR2071 ³
17-22	F450 2WD/4WD	ULTRR2625
17-22	F450 2WD/4WD Red Label	ULTRR2716
17-22	F450 2WD/4WD	ULTRR2624
11-14	F450 2WD/4WD	ULTRR2535
11-13	F450 2WD/4WD Red Label	ULTRR2703
19-21	Ranger 2WD/4WD	ULTRR2614
13-22	Transit 250/350 SRW	ULTRR2621
13-22	Transit 350 DRW	ULTRR2603
TOYOTA		
05-22	Tacoma 2WD only, axle above leaf springs	ULTRR2410
05-22	Tacoma Prerunner 2WD	ULTRR2407
05-22	Tacoma 4WD	ULTRR2407
07-21	Tundra 2WD/4WD	ULTRR2445



AIR HELPER SPRINGS FOR FRONT COIL SPRINGS

Firestone

CHEVROLET / GMC	
63-87 Blazer & Suburban: 2WD	ULTRR4100
73-87 C & R10, 20, 30, 1500, 2500, 3500 2WD	ULTRR4100
70-95 Motorhome Class C & Vans	ULTRR4100
63-99 Motorhome P30 / P32 / GP30 class A	ULTRR4100
63-87 Pick-up 1/2, 3/4 & 1 ton	RULTR4100
FORD	
75-07 E100/150/250/350 Van 1/2, 3/4 & 1 ton & Class "C"	ULTRR4101
96-07 E450 Super Duty commercial chassis	ULTRR4101
08-16 F250 2WD only	ULTRR4101
69-07 F250, F350 2WD	ULTRR4101
08-16 F350 2WD only	ULTRR4101

ACCESSORIES

Continuously monitor your air helper springs with the air pressure monitor kit.
Can be installed on any air spring system. Complete with gauge, bracket and all necessary installation hardware.




ULTRR2196
0-150 PSI



ULTRR2191
0-150 PSI.
With electric
switch



ULTRR9039
Replacement switch



AIR TANK

ULTRR9125
150 PSI. 1 gal. 6" dia.

PRESSURE SWITCH



ULTRR9016
1/8 NPT Male
90-120 PSI

FITTINGS



ULTRR3101
1/4" NPT x 1/4" TUB
90° • Pack: 25



ULTRR3098-1
Unit

Valve inflation fitting
1/4 NPT

ULTRR3098
Pack: 25

UNION



ULTRR3079-1
1/4" Unit

ULTRR3079
1/4" Pack: 25


"T" UNION



ULTRR3025-1
1/4" Unit

ULTRR3025
1/4" Pack: 25

Firestone



HEAVY DUTY COMPRESSOR

ULTRR9335
12 VOLT. • 145 PSI. • 1/8" NPT

HOSE KIT AND CONNECTING T



ULTRR2012

Includes 18' of red 1/4" air line, two 1/4 NPT elbow fittings one union tee and two inflation valves.

REPLACEMENT BELLOWS



ULTRR6397
Air inlet: 1/8 NPT
Ride Height: 5.50"-6.50"
Max. Diameter: 6.6" For:
ULTRR2350



ULTRR6401
Air inlet: 1/4 NPT
Combo stud: 3/4" - 16
Ride Height: 5.50"-7.00"
Max. Dia.: 7.52"



ULTRR6781
Air inlet: 1/4 NPT
Ride Height: 5.50"-6.50"
Max. Dia.: 6.60"
For : **ULTRR2071**



ULTRR9002
Air inlet: 1/4 NPT
Ride Height: 7.25"
Max. Dia.: 6.60"
CHEVROLET / GMC
88-98 Silverado/Sierra 1500 2WD only
DODGE
97-03 Dakota 4WD only not Crew Cab
97-02 Durango 2WD/4WD not SXT
94-01 Ram 1500 2WD only
03-06 Sprinter 2500 2WD only
FORD
98-14 E250



ULTRR9000
Air inlet: 1/4 NPT
Ride Height: 8.25"
Max. Dia.: 5.70"

AIR SPRING KITS

LoadLIFTER 7500XL



- Up to 7,500 lb of load-leveling capacity
- Massive 7-inch double-convoluted-bellow air springs creates a better ride than most products with similar weight ratings
- End caps made of ultra high-strength, corrosion-proof, nylon composite which is as strong as steel but weighs less and will not rust
- All kits are compatible with most 5th wheel and gooseneck hitches



LoadLifter PRO Series ULTIMATE



- Up to 5,000 lb of load-leveling capacity
- Anodized aluminum end caps for added durability
- Stainless steel hardware
- Jounce bumper inside gives added protection when towing or hauling heavy loads

LoadLIFTER 5000 ULTIMATE PLUS+



- Up to 5,000 lb of load-leveling capacity
- Stainless steel roll plates which protect the air springs and help increase load capacity of the springs by up to 10%
- Stainless steel braided air lines for added protection against sharp edges and road debris
- Stainless steel air spring mounting hardware
- Jounce bumper inside the air spring absorbs shock and can be safely run with zero air pressure
- Military-grade AN fittings for leakfree system with no air line cutting required

REPLACEMENT AIR SPRING for LOADLIFTER 5000 PLUS ULTIMATE



- **ULTALC84301**
- Max. Air Pressure: 100 psi
- Min. Air Pressure: 5 psi
- Capacity: 5000 lb
- Material: Rubber

CHEVROLET / GMC		LL7500XL	LLPROSERIES	LL5000PLUS
19-22 Silverado 1500 New Body	2WD / 4WD	--	--	ULTALC89288
07-19 Silverado/Sierra 1500 GMT 900 series Old body	2WD / 4WD	--	--	ULTALC89204
20-21 Silverado/Sierra 2500/3500HD	4WD	--	--	ULTALC89341
11-19 Silverado/Sierra 2500/3500HD	2WD / 4WD	--	--	ULTALC89338
11-19 Silverado/Sierra 2500/3500HD	4WD	ULTALC57538	--	ULTALC89338
01-10 Silverado/Sierra 2500/3500HD	2WD / 4WD	--	ULTALC94275	--
DODGE / RAM				
19-22 Ram 1500 ½Ton. Pickup	2WD / 4WD	--	--	ULTALC89375
19-22 Ram 1500 Classic	2WD / 4WD	--	--	ULTALC89365
09-18 Ram 1500	2WD / 4WD	--	--	ULTALC89365
19-22 Ram 3500	2WD / 4WD	ULTALC57531	--	--
03-18 Ram 3500	4WD	ULTALC57595	--	--
FORD				
15-21 F150	4WD	--	--	ULTALC89385
19-21 F250/350/450 Super Duty	4WD	ULTALC57577	--	--
17-21 F250/350	4WD	--	--	ULTALC89399
17-21 F450	4WD	--	--	ULTALC89399

AIR SPRING KITS

AIRLIFT SPRINGS PUT AN END TO THESE COMMON PROBLEMS:

LoadLifter 5000™

ULTIMATE
Internal jounce bumper absorbs shock

Fits most 3/4 to 1 ton applications



LoadLifter 5000™

Fits most 3/4 to 1 ton applications



RideControl™

Fits most 1/2 ton applications



Air Lift 1000™

Fits open coil springs on the front or rear



UP TO 5000 LB OF LOAD LEVELING CAPACITY



UP TO 5000 LB OF LOAD LEVELING CAPACITY



UP TO 2000 LB OF LOAD LEVELING CAPACITY



UP TO 1000 LB OF LOAD LEVELING CAPACITY

CHEVROLET / GMC		LL5000 ULTIMATE	LOADLIFTER5000	RIDECLCONTROL	AIRLIFT1000
88-98 C1500 Pick-up	2WD	---	---	ULTALC59501	---
88-98 C/K Pick-up	4WD	---	---	ULTALC59501	---
19-23 Silverado/Sierra 1500 New Body	2WD / 4WD	---	ULTALC57288	---	---
07-19 Silverado/Sierra 1500 GMT 900 series old body	2WD / 4WD	---	---	ULTALC59565	---
99-07 Silverado/Sierra 1500 Classic	2WD / 4WD	---	---	ULTALC59501	---
01-05 Silverado/Sierra 1500 HD	2WD / 4WD	---	---	ULTALC59501	---
11-19 Silverado/Sierra 2500/3500HD	2WD / 4WD	ULTALC88338	ULTALC57338	---	---
01-10 Silverado/Sierra 2500 HD	2WD / 4WD	---	ULTALC57275	---	---
DODGE / RAM					
87-04 Dakota	4WD	---	---	ULTALC59501	---
00-01 Dakota RT	2WD	---	---	ULTALC59501	---
14-21 Promaster 1500/2500/3500	2WD / 4WD	ULTALC88233	ULTALC57233	---	---
19-22 Ram 1500	2WD / 4WD	---	---	---	ULTALC60828HD
19-21 Ram 1500 ½Ton.	2WD / 4WD	ULTALC88375	---	---	---
19-22 Ram 1500 Classic	2WD / 4WD	---	ULTALC88365	---	ULTALC60818
09-18 Ram 1500	2WD / 4WD	---	ULTALC88365	---	ULTALC60818
94-01 Ram 1500	2WD / 4WD	---	---	ULTALC59501	---
94-01 Ram 1500 ½Ton. For heavy loads or commercial use	2WD / 4WD	---	ULTALC57215	---	---
14-22 Ram 2500/3500	2WD / 4WD	---	ULTALC57289	---	---
03-13 Ram 2500	4WD	---	ULTALC57295	---	---
94-02 Ram 2500 3/4Ton.	2WD / 4WD	---	ULTALC57215	---	---
19-22 Ram 3500	2WD / 4WD	---	ULTALC57231	---	---
03-15 Ram 3500	4WD	---	ULTALC57295	---	---
FORD					
09-14 F53 Motorhome	2WD	---	ULTALC57344	---	---
15-21 F150	2WD	---	ULTALC57268	ULTALC59570	---
15-21 F150	4WD	---	ULTALC57385	ULTALC59570	---
10-14 F150	2WD / 4WD	---	---	ULTALC59568	---
2004 F150 Heritage	2WD / 4WD	---	---	ULTALC59501	---
97-03 F150	2WD / 4WD	---	---	ULTALC59501	---
68-96 F150	2WD	---	---	ULTALC59501	---
17-19 F250/350 SD	4WD	ULTALC88399	ULTALC57399	---	---
11-16 F250/350	4WD	ULTALC88396	ULTALC57396	---	---
17-21 F450 SD	4WD	---	ULTALC57399	---	---
11-14 F450	4WD	ULTALC88396	ULTALC57396	---	---
19-21 Ranger	2WD / 4WD	---	ULTALC57234	---	---
JEEP					
20-23 Gladiator	4WD	---	---	---	ULTALC60830
TOYOTA					
07-21 Tundra	2WD / 4WD	ULTALC88299	---	---	---



AIR SPRING KITS

Load**CONTROL**LER



Inflate / Deflate

Single path control provides equal inflation of both air springs. Low pressure sensor automatically activates the air compressor if air spring pressure falls below safe level.



ULTALC25854
With heavy duty compressor



ULTALC25850
With standard compressor

Load**CONTROL**LER II



ULTALC25592
Single gauge. Levels vehicle side to side. 5 PSI low pressure sensor

Air Shock**CONTROL**LER



ULTALC25804
160 PSI
Onboard compressor, dash mounted gauge panel, hardware and lines

Wireless**ONE**

2nd Generation



ULTALC25980
Single path controller: Left and right air springs are inflated/deflated equally below safe level. Wireless handheld unit and New mobile app for convenient operation inside or outside the vehicle. Easy installation- no air lines to the cab! Three programmable, user-defined memory settings.



ULTALC25980EZ
With EZ Mount

Wireless**AIR**

WIRELESS



ULTALC74000
WirelessAir provides one-touch inflation and deflation of your air springs from inside or outside the vehicle. Control the air like a boss.



ULTALC73000EZ
Control System App Only, No Controller w/EZ Mount

Life**STYLE**

REPLACEMENT AIR BAGS



RIDE CONTROL

ULTALC50203
For:
ULTALC59501

ULTALC60318
For:
ULTALC60818

UNIVERSAL AIR SPRING SPACERS

Works with all brands of bellows-style air springs (including Air Lift's LoadLifter 5000 series and Loadfilter 7500XL). Made with high-grade 1/4" steel and rated to handle over 10 tons of force. Attaches between lower air spring bracket and the air spring. Unique spinal design makes it easy to attach air springs using the provided hardware.



ULTALC52420
2-inch straight



ULTALC52440
4-inch straight



ULTALC52460
6-inch straight

32

Ultracar Performance Inc. 1254 boul. Marcel-Laurin, Saint Laurent, Montréal, QC H4R 1J7 (514) 592-0005

www.ultracar.com

ULTRACAR

Solving Suspension Problems

- ✓ Eliminate Sag & Sway
- ✓ Optimize Load Handling
- ✓ Improve Roll Stability
- ✓ Cushion Road Shocks
- ✓ Improve Ride Control
- ✓ Maintenance Free

Easy Bolt-On

Lifetime Warranty

REAR SUSPENSION KITS		
CHEVROLET / GMC		
01-07	Silverado / Sierra 1500 HD Classic 2/4WD	ULTGMRCK25S
99-21	Silverado / Sierra 1500 (coil front spring) 2/4WD	ULTGMRCK15S
99-06	Silverado / Sierra 1500 (except 4 door) Classic 2/4WD	ULTGMRCK15S
99-06	Silverado / Sierra 1500 (4 door) Classic 4WD	ULTGMRCK15S
11-21	Silverado / Sierra 2500 & 3500 2/4WD	ULTGMRCK25D
99-07	Silverado / Sierra 2500 HD Classic 2/4WD	ULTGMRCK25S
CHRYSLER / DODGE / RAM		
08-21	Grand Caravan 2/4WD	ULTDVRRT
09-22	Ram 1500 Crew Cab & Quad Cab 2/4WD	ULTDR1500DQ
09-22	Ram 1500 not Quad Cab 2/4WD	ULTDR1500DS
06-08	Ram 1500 not Mega Cab 2/4WD	ULTDR1525H4
06-08	Ram 1500 Mega Cab 2/4WD	ULTDR2500CA
02-05	Ram 1500 2/4WD	ULTDR2500CA
94-01	Ram 1500 / 2500 4WD	ULTDR1525H4
03-14	Ram 2500 2/4WD	ULTDR2500CA
08-21	Town & Country 2/4WD	ULTDVRRT

REAR SUSPENSION KITS		
FORD / LINCOLN		
15-22	F150 2/4WD	ULTFR1504E
09-15	F150 2WD	ULTFR1502D
09-14	F150 4WD	ULTFR1504D
04-08	F150 not Heritage / Mark LT 2WD	ULTFR1502D
04-08	F150 not Heritage 4WD	ULTFR150D
17-22	F250 2/4WD	ULTFR250SDJ
11-16	F250 Super Duty 2/4WD	ULTFR250SDG
06-08	Mark LT 4WD	ULTFR150D
16-21	Ranger 2/4WD	ULTFRRGR
TOYOTA		
00-22	Tundra 2/4WD	ULTTORTUN4

FRONT SUSPENSION KITS		
CHEVROLET / GMC		
99-07	Silverado / Sierra (w/ front cast lower control arm) Classic 4WD	ULTGMFK25S
01-07	Silverado / Sierra 1500 HD Classic 2/4WD	ULTGMFK25S
99-07	Silverado / Sierra 1500 (except 4 door) Classic 2WD	ULTGMFK25S
99-07	Silverado / Sierra 2500 HD Classic 2/4WD	ULTGMFK25S
01-07	Silverado / Sierra 3500 Classic 2/4WD	ULTGMFK25S

Ultracar Performance Inc. 1254 boul. Marcel-Laurin, Saint Laurent, Montréal, QC H4R 1J7 (514) 592-0005

33



SUSPENSION STABILIZERS



- Gives up to 45 mm lift and is adjustable
- Specially designed to give comfortable ride empty or fully loaded
- The greasable swing shackle reduces body roll
- Three adjustments allow for varied loads: setting for light loads and upper settings for medium to heavy loads
- Superb handling, increased stability
- Quick no drill installation

CHEVROLET / GMC		LD	HD
95-05	Astro, Safari	ULT6513	
88-98	C/K Pick-Up 1500	ULT6513	
15-20	Colorado, Canyon 2WD/4WD	ULT6513	
96-20	Express, Savana G1500, G2500, G3500	ULT6513	
99-10	K1500, K2500 Motorhome Chassis	ULT6513	
11-19	Silverado/Sierra 1500 old body 2WD/4WD	ULT6513	
99-10	Silverado/Sierra 1500, 1500HD, 2500, 2500HD, 3500 2WD/4WD	ULT6513	
11-19	Silverado / Sierra 2500HD, 3500HD 2WD/4WD	ULT7513	ULT7514
85-20	Suburban, Tahoe, Yukon 2WD/4WD	ULT6513	
DODGE / RAM			
98-03	B150, B250, B350 Motorhome Chassis	ULT6513	
96-07	Caravan	ULT6513	
87-11	Dakota 2WD/4WD	ULT6513	

DODGE / RAM (CONT.)		LD	
98-20	Durango	ULT6513	
14-19	Promaster 1500, 2500, 3500		ULT7015
94-08	RAM 1500 2WD/4WD	ULT6513	
94-19	RAM 2500, 3500 2WD/4WD	ULT7513	ULT7514
FORD			
07-15	E100, E150 Van	ULT7513	ULT7514
92-19	E250, E350, E450, E450SD	ULT7513	ULT7514
04-20	F150 2WD/4WD (not Heritage)	ULT7513	ULT7514
97-03	F150 2WD/4WD	ULT6513	
99-19	F250SD, F350SD, F450SD 2WD/4WD	ULT7513	ULT7514
04-11	Ranger 2WD/4WD	ULT6513	
15-20	Transit Connect	ULT7513	ULT7514
MERCEDES			
02-20	Sprinter 2500, 3500		ULT7015



STABLELOAD REAR SUSPENSION UPPER OVERLOAD SPRINGS



ULTRA7202

The upper factory overload springs on your truck are designed to help compensate for a large payload. When you are hauling a heavy load, your truck's standard leaf springs can't always counteract the weight of it. As a result, if you hit a bump when your suspension is fully loaded, the leaf springs will give and cause your truck to bottom out. The overload springs help keep this from happening by mounting above the leaf springs to provide initial points of contact for your vehicle's frame, thus removing some of the load from the standard springs.

SUSPENSION STABILIZERS



ULTEZ-990



INCREASE SPRING RATE & STABILITY

- 2000 lb level load capacity
- Can be adjusted independently for uneven side to side loads
- Mounts under factory axle U-bolt plates

LIFETIME WARRANTY

CHEVROLET / GMC Full Size Pickup & Suv		ULTEZ-990
07-22	Silverado/Sierra 1500: 2WD, 4WD	ULTHW987 ²

FORD Full Size Pickup & Suv		
15-18	F150: 2WD, 4WD	ULTHW978
09-14	F150: 2WD, 4WD	ULTHW989 ²

PRO-SERIES

- 2500 lb level load capacity
- Bolt on design
- System enables trucks to carry loads with more stability and control
- Set it and forget it



SILENT RIDE FEATURE

- With unique polyurethane block applies tension to the u-bolts to maintain a quiet ride.
- Also stabilizes the helper spring in reverse or rebound mode

CHEVROLET / GMC FULL SIZE PICKUP & SUV		PRO-SERIES
73-87	C10, K10 Pickup	ULTHW61902
73-87	C20, K20 Pickup	ULTHW61902
88-98	C&K 1500 Pickup	ULTHW61902
88-98	C&K 2500 Pickup	ULTHW61902
88-98	C&K 3500 Pickup	ULTHW61902 ¹
67-72	K10, K20 Pickup & Suburban	ULTHW61902
07-18	Silverado/Sierra 1500: 2WD, 4WD	ULTHW61902
2007	Silverado/Sierra 1500 Classic: 2WD	ULTHW61902
2007	Silverado/Sierra 1500 Classic: 4WD	ULTHW61902
99-06	Silverado/Sierra 1500: 2WD	ULTHW61902
99-06	Silverado/Sierra 1500: 4WD	ULTHW61902
CHEVROLET / GMC FULL SIZE VAN		
07-13	Express Van 1500 - 3500 w/o rear A/C	ULTHW61902

DODGE / RAM FULL SIZE PICKUP		
70-93	D100 Pickup: 2WD	ULTHW61902
70-93	D200/300 Pickup: 2WD	ULTHW61902
70-93	W150 Pickup: 4WD	ULTHW61902
70-93	W250 Pickup: 4WD	ULTHW61902
94-02	Ram 1500 D&W Series: 2WD, 4WD	ULTHW61902
94-02	Ram 2500/3500 D&W Series 2WD, 4WD (1)	ULTHW61902
FORD FULL SIZE PICKUP & SUV		
67-96	Bronco Full Size	ULTHW61902
73-79	F100/150: 2WD, 4WD	ULTHW61902
65-72	F100: 2WD	ULTHW61902
73-79	F250: 2WD	ULTHW61902
65-72	F250: 2WD	ULTHW61902
67-79	F250: 4WD	ULTHW61902

1- Must remove factory overload contact springs 2- Step bracket style leaf

HELPER SPRING KITS

Load Pro 15 - 1500 lb

ULTHW815

86-05 Chevrolet Astro
1994 Chevrolet S10 Blazer
98-04 Dodge Dakota
90-93 Dodge Dakota
98-03 Dodge Durango
92-01 Ford Explorer
1991 Mazda Navajo
97-01 Mercury Mountaineer
1994 Oldsmobile Bravada
96-03 Oldsmobile Bravada
95-99 Toyota Tacoma
95-99 GMC Jimmy
88-05 GMC Safari



ULTHW1515

76-82 Chevrolet LUV
72-74 Chevrolet Luv Pickup
83-93 Chevrolet S10 Blazer
90-10 Dodge Dakota
78-82 Ford Courier
73-76 Ford Courier
85-93 GMC Jimmy
82-83 GMC Jimmy
83-91 GMC S15 Jimmy
79-84 Mazda B2000
87-93 Mazda B2200
91-93 Oldsmobile Bravada
95-04 Toyota Tacoma

Load Pro 25 - 2500 lb



ULTHW2511

11-21 Ford F250/350
16-21 Ford F450/550

ULTHW25301 Install Kit
Required Must remove factory
overload contact springs or
use contact overload helper.


Load Pro 35 - 3500 lb



ULTHW3511

11-22 Ford F250/350
17-21 Ford F450
16-21 Ford F250/350/450/550 Cab & Chassis

ULTHW25301 Install Kit Required
Do Not Use w/Factory Overload Contact Springs
or use **HW9703**.



ULTHW3520

94-00 Dodge Ram 1500
97-98 Dodge Ram 1500
94-02 Dodge Ram 2500/3500
99-07 Ford F-250 Super Duty
1999 Ford F-250
77-97 Ford F-250
01-07 Ford F-350 Super Duty
1999 Ford F-350 Super Duty
80-97 Ford F-350

ULTHW25250
Install Kit
Required

CONTACT HELPER SPRINGS



- Increases rate when loaded but factory ride when empty
- Easy installation

FORD

16-22 F250/350 **ULTHW9706**
99-16 F250/350 SD **ULTHW9703**

CHEVROLET/GMC

20-22 Silverado/Sierra 3500 HD **ULTHW9703**

EZ-550 HELPER SPRING KIT



- Level Load Capacity up to 500lb
- Easy Installation

CHEVROLET/GMC

15-22 Colorado/Canyon **ULTHW553**

FRONT



CHEVROLET/GMC


FORD

08-14 E150/250/350 2WD **ULTHW7718**
99-20 F53 Motorhome/F59 V10 **ULTHW7718**
09-20 F150 2WD/4WD **ULTHW7704**
11-22 F250/350 SD 4WD **ULTHW7712**
99-04 F250/350 SD 4WD **ULTHW7640**

SWAY BARS

- Level Load Capacity up to 500lb
- Ideal for small trucks and SUV's
- Easy Installation

REAR



CHEVROLET/GMC

15-22 Colorado/Canyon **ULTHW7745**
97-15 G2500/3500/Savana **ULTHW7635**
14-18 Silverado/Sierra 1500 2WD/4WD **ULTHW7735**
99-13 Silverado/Sierra 1500/1500HD/2500 **ULTHW7800**

FORD

00-05 Excursion 2WD/4WD **ULTHW7643**
15-21 F150 2WD/4WD **ULTHW7743**
99-07 F150 2WD/4WD **ULTHW7705**
17-22 F250/350 SD 4WD **ULTHW7761**

BIG WIG • REAR



ULTHW7269

CHEVROLET/GMC

0 -0 Silverado/Sierra **ULTHW7269**
00/ 00 / /

FORD

11-16 F250/350 SD 4WD **ULTHW7271**

