

Fort Myers P&DC Security Project

Scope of Work

Existing CCTV systems shall be replaced by digital IP type, existing intercom and gate release system shall be completely replaced by a video intercom and gate release system, new ePACS components shall be installed and interfaced with headend CPU and Vanderbilt/Schlage controllers and devices, new Lightning Protection System and Underground Counterpoise System, one automatic sliding gate controller shall be replaced with new, replace existing pedestrian gates to control access to the employee parking lot, construct new employee entrance vestibule with turnstiles and accessible gate, install two new steel rollup doors at loading dock, replace one set of impact doors in the BMEU with a high-speed door and steel rollup door, install new doors and door hardware, replace CIO HVAC AHU and other.

FT. MYERS P&DC
SECURITY UPGRADES
FT. MYERS, FLORIDA 33913

SECTION 011000

SUMMARY OF WORK

PART 1 - GENERAL

1.1 SCOPE

- A. The Contractor must provide all material, labor, tools, plant, supplies, equipment, transportation, superintendence, temporary construction of every nature, and all other services and facilities necessary to complete the construction of a postal facility for the Postal Service, including all incidental work described in the contract documents.
- B. The scope of work is attached to the Contract.
- C. All work shall be in accordance with applicable codes and local regulations that may apply. In case of conflict in or between the Contract Documents and a governing code or ordinance, the more stringent standard shall apply.

1.2 MISCELLANEOUS CONTRACT EXPENSES

- A. The Contractor must include all additional fees, as required, in the price proposal.

1.3 USPS DIRECT VENDOR EQUIPMENT OR SUPPLIES

- A. In accordance with the terms and conditions of the contract provisions and clauses, including those concerning, *Direct Vendor / Pre-selected Sources*, the Contractor is solely responsible for contracting with the Direct Vendor and ordering, payment, receiving, accepting, storage and installation of United States Postal Service Direct Vendor equipment or supplies. Ordering instructions are included in each specification section.
- B. The Contractor will off-load, inspect the delivered equipment or supplies to make sure they are in good condition, acknowledge receipt, and accept the delivered goods.
- C. Direct Vendor items in this contract are limited to specific items, as shown in the drawings and listed below:
 - 1. Section 282305 - Integrated Security and Investigative Platform (ISIP) CCTV System

PART 2 – PRODUCTS

NOT USED

PART 3 – EXECUTION

NOT USED

FT. MYERS P&DC
SECURITY UPGRADES
FT. MYERS, FLORIDA 33913

END OF SECTION

USPS Specification issued: 10/1/2020
Last revised: 6/17/2019

011000 – 2