



REV	DESCRIPTION OF REVISION	E.C.N.	BY	APPROVED	DATE
C	UPDATE TO CAD	0010	E.T.W.	A.J.A.	05-19-95



MATERIAL:

EYELET - 1010 C.R.S. OR EQUAL.
 GLASS - 9013 OR EQUAL.
 LEADS - ASTM F-30, 52 ALLOY.

PLATING:

1. ELECTROLESS NICKEL FINAL PLATE OF 100 MICROINCHES MINIMUM.
2. OPTIONAL SOLDER COAT ON LEADS ONLY PER MIL-STD QQ-S-571-D TIN LEAD ALLOY.
3. OPTIONAL GOLD FLASH .99999 PURE 24 KARAT GOLD UP TO A MAX. OF 8 MICROINCHES OVER THE ELECTROLESS NICKEL FINAL PLATE.

DRAWN BY: TINA MOSS 09-22-95		MATERIAL: SEE ABOVE		TOLERANCING PER ANSI Y14.5 .X ±.005 .XXX ±.005 .XX ±.005 ANG ±5° UNLESS OTHERWISE SPECIFIED		6700 W. 47th TERR. MISSION, KS. 66203 TEL: 913-432-2487 FAX: 913-432-0570	
CHECKED BY: E.T.W. 09-22-95		APP. SPECS	SUPERSEDES	NEXT ASSY		PART NUMBER: RR-141-NDP	
APPROVED BY:		TITLE: HC-32/U INTERMEDIATE RESISTANCE WELD TYPE				FILE: RA00001	PAGE 1 OF 1

C