

REV	DESCRIPTION OF REVISION	E.C.N.	BY	APPROVED	DATE
Α	GLASS STOP WAS .043 REF. EYELET REV. B ON 10-07-10		E.C.	E.T.W.	3-06-15





## SECTION A-A

## MATERIAL:

EYELET - 30/70 COPPER CLAD KOVAR. GLASS - 7052 OR EQUAL, CLEAR. LEADS - ASTM F-15 ALLOY, KOVAR. MOUNT - 200 NICKEL, 1/2 HARD.

## PLATING:

- 1. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FINAL PLATE.
- 2. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FOLLOWED BY A ROHS COMPLIANT LEAD FREE SOLDER COAT, ON LEADS ONLY.
- 3. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FOLLOWED BY A GOLD FLASH OF .99999 PURE 24 KART GOLD UP TO A MAX. OF 8 MICROINCHES.

DRAWN BY:	MATERIAL:			1	OLERANCING	PER ANSI	Y14.5	A			
E.T.W. 06-11-10	SEE ABOVE  APP. SPECS SUPERSEDES NEXT ASSY			.x	±.005			(C)LTI	MISSION, KS. TEL: 913-43	700 W. 47th TERR. MISSION, KS. 66203 EL: 913-432-2487	
CHECKED BY:					( ± .005 ANG ± 5° Leggey Technologies Inc		Legacy Technologies Inc.	FAX: 913-432-0570			
E.T.W.				UNLESS OTHERWISE SPECIFIED							
06-11-10				SCALE	<sup>:</sup> 4:1	FINISH: UNLESS OTHERWISE S	PECIFIED V	PART NUMBER:		,	
APPROVED BY: TITLE: HC-37/U (COLD WELD TO-8)							CW-TO8-BW-AG-VN320D RoHS A				
					FILE: HC00016A	PAGE	1 оғ 1				