

REV	DESCRIPTION OF REVISION	E.C.N.	BY	APPROVED	DATE
Α	GLASS STOP WAS .043 REF. EYELET REV. B ON 10-07-10		E.C.	E.T.W.	3-06-15





SECTION A-A

MATERIAL:

EYELET - 30/70 COPPER CLAD KOVAR. GLASS - 7052 OR EQUAL, OPAQUE. LEADS - ASTM F-15 ALLOY, KOVAR. MOUNT - 205 NICKEL, FULL HARD.

PLATING:

- 1. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FINAL PLATE.
- 2. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FOLLOWED BY A ROHS COMPLIANT LEAD FREE SOLDER COAT, ON LEADS ONLY.
- 3. OPTION: RoHS COMPLIANT ELECTROLESS NICKEL PLATE OF 100 MICROINCHES MINIMUM FOLLOWED BY A GOLD FLASH OF .99999 PURE 24 KART GOLD UP TO A MAX. OF 8 MICROINCHES.

DRAWN BY:	E.T.W. SEE ABOVE 01-10-07			TOLERANCING PER ANSI Y14.5			Y14.5	6\1		
				.x	± .005		±.005	%\LTI	6700 W. 47th TERR. MISSION, KS. 66203 TEL: 913-432-2487	
CHECKED BY:	APP. SPECS	SUPERSEDES	NEXT ASSY		± .005		± 5°	FAX: 913-432-		
E.T.W.				U	UNLESS OTHERWISE SPECIFIED					
01-10-07				SCALE	: 4:1	FINISH: UNLESS OTHERWISE S	PECIFIED V	PART NUMBER:		_
APPROVED BY:	APPROVED BY: TITLE: HC-37/U (COLD WELD TO-8)							CW-TO8-BW-AL-VN45	OH RoHS	A
	W/ 3 V-CLIPS				FILE: HC00043C	PAGE	PAGE 1 of 1			