SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME MULTIPHASE DEODORANT

SYNONYMS Product is a mixture: No synonyms are available.

PRODUCT USE Carpet Deodorizer **SUPPLIER** HYDRAMASTER CORP. SUPPLIER'S ADDRESS : 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

EMERGENCY RESPONSE PHONE : PERS: 1-800-633-8253

NUMBER

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. - CLASSIFICATION H302 Harmful if swallowed.

H315 Causes skin irritation H319 Causes serious eye irritation

LABEL ELEMENTS GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

SIGNAL WORD WARNING

HAZARD STATEMENTS Not established

: P101

P102

(GHS-US)

H302 Harmful if swallowed. Causes skin irritation. H315

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

(GHS-US)

Keep out of reach of children.

P103 Read label before use. :

P264 Wash skin and contaminated clothing thoroughly after handling.

Do not eat, drink, or smoke when using this product. P270

P280 Wear suitable protective gloves / protective clothing / eye protection /

If medical advice is needed, have product container or label at hand.

face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with : P501

local/regional/national/international regulations

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

Health = 2, Fire = 0, Reactivity = 0 NFPA RATINGS (SCALE 0-4) HMIS RATINGS (SCALE 0-5) Health = 2, Fire = 0, Reactivity = 0

PAGE 1 of 7

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : 1

: Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS
Isopropanol (Isopropyl alcohol)	1-5	67-63-0	200-661-7	Eye Irrit Cat 2, Flam Liq Cat 2, STOT SE Cat 3
Fragrance (ozone type)	1-5	Proprietary Mixture	N/A	Skin Irrit Cat 2, Eye Irrit Cat 2A Skin Sensitization Cat 1
Alcohols Ethoxylated	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

EYE CONTACT

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT

INHALATION

Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION)

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE

FIGHTERS

UNUSUAL FIRE AND EXPLOSION HAZARDS

Dry chemical, foam, water, or carbon dioxide.

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES

 Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES : METHODS AND MATERIALS : FOR CONTAINMENT AND

: Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an

CLEAN-UP

appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE

STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Isopropanol (Isopropyl alcohol)	400 ppm	200 ppm	400 ppm
Fragrance (Ozone type)	Not Established	Not Established	Not Established
Alcohols Ethoxylated	Not Established	Not Established	Not Established

EYE PROTECTION

: Wear chemical splash goggles or face shield.

SKIN PROTECTION

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear liquid
ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 3.8 – 4.8 AS IS
MELTING POINT/FREEZING : Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : Nonflammable, Noncombustible

EVAPORATION RATE : Not available

FLAMMABILITY : Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT : Not available

UPPER FLAMMABILITY LIMIT

Not available VAPOR PRESSURE Not available VAPOR DENSITY (AIR=1) : Not available **RELATIVE DESNITY** 0 99

SOLUBILITY IN WATER PARTITION COEFFICIENT nSoluble in water

OCTANOL/WATER

Not available

AUTOIGNITION TEMPERATURE DECOMPOSITION

: Not available Not available

TEMPERATURE

SECTION 10 - STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITONS TO: No decomposition if used according to specifications

AVOID

INCOMPATIBLE MATERIALS

Keep away from strong acids.

HAZARDOUS DECOMPOSITION

: No dangerous decomposition products known.

PRODUCTS

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Isopropanol (Isopropyl Alcohol)

: LD50 Oral (rat): 5045 mg/kg. LD50 Dermal (rabbit): 12,800 mg/kg. LC50 Inhalation

(rat) 8hr: 16,000 mg/kg.

OTHER INFORMATION EYES

Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury. May cause transient corneal injury

OTHER INFORMATION

INGESTION

Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause kidney damage. May cause central nervous system depression, characterized by

excitement, followed by headache, dizziness, drowsiness, and nausea.

OTHER INFORMATION

INHALATION

Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness, and coma. May cause narcotic effects in high concentration. Causes upper respiratory tract

irritation. Inhalation of vapors may cause drowsiness and dizziness.

OTHER INFORMATION SKIN

May cause irritation with pain and stinging, especially if the skin is abraded. Isopropanol has a low potential to cause allergic skin reactions; however, rare cases

of allergic contact dermatitis have been reported.

STOT SINGLE EXPSOSURE

: Inhalation - May cause drowsiness or dizziness. - Central Nervous System.

CARCINOGENICITY

IARC: Group 3: Not classifiable as to its carcinogenicity to humans. No component of this product, present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH, NTP or OSHA.

TOXICOLOGICAL INFORMATION

: Alcohols Ethoxylated

ACUTE TOXICITY **INHALATION LC50**

LD50 Oral (rat): 1,378 mg/kg, : No data available.

DERMAL LD50

: LD50 Dermal (rat): > 5,000 mg/kg.

PRIMARY SKIN IRRITATION

(Rabbit) Moderate to severely irritating.

PRIMARY EYE IRRITATION (Rabbit) Severely irritating.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

: Fragrance (Ozone type)

Skin: Causes skin irritation

Eyes: Causes serious eye irritation

Sensitization: May cause an allergic skin reaction.

MUTAGENICITY : Not Classified CARCINOGENICITY : Not Classified REPRODUCTIVE TOXICITY : Not Classified ASPIRATION HAZARD : Not Classified SPECIFIC TARGET ORGAN : Not Classified

TOXICITY-SINGLE EXPOSURE

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Isopropanol

ACUTE FISH TOXICITY : LC50 / 96 hr.: Pimephales promelas: 9,640 mg/L.

TOXICITY TO DAPHNIA : EC50 / 24 h / Water Flea - 5,102 mg/L.

TOXICITY TO PLANTS : EC50 / 72 hours Desmodesmus subspicatus > 2,000 mg/L.

MOBILITY : This material is expected to have very high mobility in soil. It does not absorb to

most soil types.

PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Alcohols Ethoxylated

ECOTOXICITY : LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar

products.

LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.

BIODEGRADABILITY : Readily biodegradable.
PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : **Fragrance (Ozone type) AQUATIC TOXICITY** : No information available.

BIODEGRADATION : Not Established BIOACCUMULATIVE POTENTIAL : Not Established

EFFECT ON OZONE LAYER : No additional information available OTHER INFORMATION : Avoid release into the environment

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: This product must be disposed of in accordance with Federal, state, and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/IATA PROPER

: Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.

EPA REPORTABLE QUANTITY

(RQ)

Not Applicable.

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 - REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.

TSCA STATUS: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non-Hazardous

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

1

DOMESTIC SUBSTANCES LIST: Listed

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS: European Inventory of Existing Commercial Chemical Substances

IMDG: International Maritime Code for Dangerous GoodsIARC: International Agency for Research on CancerIATA: International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JAN 2, 2018 **DATE REVISED** : NOV 7, 2022