

CITY OF NORWOOD
BUILDING DEPARTMENT
4645 MONTGOMERY ROAD, NORWOOD OHIO 45212
(513) 458-4510 FAX (513) 458-4511

HEATING AND COOLING DATA SHEET

TO BE SUBMITTED ALONG WITH RESIDENTIAL HVAC APPLICATION

① DESCRIPTION OF EXISTING CONDITIONS:

- A. Type of heating system: Forced Air Gravity Steam Water Other _____
- B. Fuel type: Natural Gas Electric Propane Other _____
- C. Existing Venting: Interior Chimney Exterior Chimney "B" Vent Direct Vent Other _____
- D. Does the existing heating system contain hazardous material? YES NO
- E. Is the existing furnace located in habitable areas? YES NO

② DESCRIPTION OF PROPOSED WORK:

- A. Location of new heating system: _____
- B. Type of heating system: Forced Air Gravity Steam Water Other _____
- C. BTU input rating: _____ BTU output rating: _____ Efficiency Rating: _____
- D. Fuel type: Natural Gas Electric Propane Other _____
- E. Chimney & Venting System: _____
- F. Location of new air-conditioning system: **SITE PLAN REQUIRED:** _____
- G. SEER Rating: _____ COP Rating: _____
- H. Are any existing gas lines to be extended or replaced? YES NO

③ CONDITIONS OF THE PERMIT:

- A. All flue gases are to be vented in accordance with the manufacturer's instructions.
- B. The location of exhaust vents from windows and air intakes must be in accordance with the manufacturer's instruction and/or the Residential Code of Ohio.
- C. The manufacturer's installation instructions and operation instructions are to be permanently attached to the units
- D. All furnaces are to be supplied by dedicated circuit, **PERMIT BY IBI REQUIRED.**

NOTE: The new **2013 Residential Code of Ohio; Chapter 3 Building and Planning** requires that carbon monoxide alarms be installed per:

SECTION 315

CARBON MONOXIDE ALARMS

315.1 Carbon monoxide alarms. For new construction, an approved carbon monoxide alarm shall be installed outside of each separate sleeping area in the immediate vicinity of the bedrooms in dwelling units within which fuel-fired appliances are installed and in dwelling units that have attached garages.

315.2 Where required. Where work requiring a permit occurs in existing dwellings that have attached garages or in existing dwellings within which fuel fired appliances exist, carbon monoxide alarms shall be provided in accordance with Section 315.1.

315.3 Alarm requirements. Single station carbon monoxide alarms shall be listed as complying with UL 2034 and shall be installed in accordance with this code and the manufacturer's installation instructions.