

**Palliative Performance Scale (PPSV2)
version 2**

PPS Level	Ambulation	Activity & Evidence of Disease	Self-Care	Intake	Conscious Level
100%	Full	Normal activity & work No evidence of disease	Full	Normal	Full
90%	Full	Normal activity & work Some evidence of disease	Full	Normal	Full
80%	Full	Normal activity <i>with</i> Effort Some evidence of disease	Full	Normal or reduced	Full
70%	Reduced	Unable Normal Job/Work Significant disease	Full	Normal or reduced	Full
60%	Reduced	Unable hobby/house work Significant disease	Occasional assistance necessary	Normal or reduced	Full or Confusion
50%	Mainly Sit/Lie	Unable to do any work Extensive disease	Considerable assistance required	Normal or reduced	Full or Confusion
40%	Mainly in Bed	Unable to do most activity Extensive disease	Mainly assistance	Normal or reduced	Full or Drowsy +/- Confusion
30%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Normal or reduced	Full or Drowsy +/- Confusion
20%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Minimal to sips	Full or Drowsy +/- Confusion
10%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Mouth care only	Drowsy or Coma +/- Confusion
0%	Death	-	-	-	-

Converting Clinical Frailty Scale (CFS) and Palliative Performance Scale (PPS)	
Clinical Frailty Scale	Palliative Performance Scale
3-4	70-90
5	60
6	40-50
7	10-30
<p><i>Note:</i> CFS 1 and 2 and PPS 100 are not included in this conversion chart because data were unavailable for those scores.</p>	

Note: Sending in this referral form does not automatically mean the patient has been accepted for service.



Office Use Only

Date of Referral Received: _____ / _____ / _____

Date of First Contact: _____ / _____ / _____

Entered Into Database: _____ / _____ / _____

MM DD YYYY

Staff Initials: _____