


# Nappe

SUSPENSION  
APPLIQUE



Struttura in metallo verniciato con astine di metallo o Pirex. Diffusori in Pirex. Illuminazione a LED.

Painted metal frame with metal or Pirex rods. Pirex diffusers. Led Lighting.

Lackierte Metallstruktur mit Metall- oder Pyrex-Stäben. Pyrex-Diffusoren. LED-Beleuchtung.

Estructura de metal pintado con varillas de metal o Pirex. Difusores en Pirex. Iluminación LED.

Structure en metal coloré, avec métal ou pyrex tige. Diffuseur en Pirex. Eclairage en LED.

Окрашенная металлическая структура с тонкими металлическими стержнями или с Pirex. Рассеиватели из Pirex. Светодиодное освещение.


这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。LED照明。

هيكل معدني مطلي مع قضبان معدنية أو بيركس. ناشرات ضوء بيركس. إضاءة ليد.

## FINISHINGS

### STANDARD

#### TOTAL WHITE



V95 Bianco opaco  
Matt white

#### MIXED COLOURS



V95 + V21 + V51 + V72

#### TOTAL BLACK



V90 Nero opaco  
Matt Black

#### MIXED WARM



V35 + V70 + V84

## MATERIALS

### STANDARD

#### METAL BEAMS



V93 Oro verniciato  
Painted gold

#### DIFFUSER



Smoky Pirex

## METAL DETAILS

### NAPPE



G12 Oro spazzolato  
Brushed gold



G12 Oro spazzolato  
Brushed gold



G12 Oro spazzolato  
Brushed gold

### NAPPE XL



F01 Foglia Oro  
Gold leaf



F01 Foglia Oro  
Gold leaf

## STANDARD CABLES




WHEN SINGLE SUSPENSION (N-XL):  
1 single cable\*  
(120 cm / 47.24")  
with canopy




WHEN COMPOSITION (C3-C5-C10):  
2 cables\*  
(160 cm / 62.99" each)  
with connection spheres


\*CABLES COLOR:  
For V95 version the cable  
color is white. For V90  
and mixed colors the cable  
color is black

**NAPPE N0** 

ø	7,5 cm / 2.95"
H	34 cm / 13.38"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N1** 

ø	15 cm / 5.90"
H	36 cm / 14.17"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N2** 

ø	15 cm / 5.90"
H	40 cm / 15.74"

INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N3** 

ø	7,5 cm / 2.95"
H	36 cm / 14.17"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N4** 

ø	7,5 cm / 2.95"
H	38 cm / 14.96"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N5** 

ø	15 cm / 5.90"
H	40 cm / 15.74"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N6** 

ø	15 cm / 5.90"
H	32 cm / 12.59"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N7** 

ø	7,5 cm / 2.95"
H	34 cm / 13.38"


INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO




**NAPPE N8** 

ø	15 cm / 5.90"
H	39 cm / 15.35"

INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO



**NAPPE N9** 

ø	7,5 cm / 2.95"
H	39 cm / 15.35"

INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	
DIMM	NO



Ⓜ : for the US market, refer to the relevant price list.


NAPPE C3



INTEGRATED LED LIGHTING

3 × 16,2 W CRI>90  
3000 K - 2064 NOMINAL LM

DIMM 1-10V + PUSH




NAPPE C5



INTEGRATED LED LIGHTING

5 × 27 W CRI>90  
3000 K - 3440 NOMINAL LM

DIMM 1-10V + PUSH




NAPPE C10



INTEGRATED LED LIGHTING

10 × 54 W CRI>90  
3000 K - 6880 NOMINAL LM


DIMM 1-10V + PUSH




SUGGESTED CONFIGURATION FOR C3




LINEAR



OPEN TRIANGLE



CLOSE TRIANGLE




\*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES


SUGGESTED CONFIGURATION FOR C5




LINEAR



OPEN PENTAGON



CLOSE PENTAGON




\*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES


SUGGESTED CONFIGURATION FOR C10



LINEAR




DOUBLE LINEAR



CIRCULAR




Ⓢ : for the US market, refer to the relevant price list.

**NAPPE C3 LN 75** 

L 75 cm / 29.52"  
 SP 20 cm / 7.87"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**DIMM** 1-10V + PUSH





**NAPPE C3 LN 125** 

L 125 cm / 49.21"  
 SP 20 cm / 7.87"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**DIMM** 1-10V + PUSH





**NAPPE C5 LN 175** 

L 175 cm / 68.89"  
 SP 20 cm / 7.87"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 5 x 27 W CRI>90  
 3000 K - 3440 NOMINAL LM

**DIMM** 1-10V + PUSH




**NAPPE C3 RD 40** 

∅ 40 cm / 15.74"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**DIMM** 1-10V + PUSH




**NAPPE C3 RD 60** 

∅ 60 cm / 23.62"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**DIMM** 1-10V + PUSH




**NAPPE C5 RD 80** 


∅ 80 cm / 31.49"  
 H MAX 155 cm / 61.02"

**INTEGRATED LED LIGHTING**  
 5 x 27 W CRI>90  
 3000 K - 3440 NOMINAL LM

**DIMM** 1-10V + PUSH




: for the US market, refer to the relevant price list.

NAPPE XL1 

∅ 30 cm / 11.81"  
H 125 cm / 49.21"

INTEGRATED LED LIGHTING

UP 6,6 W CRI>90  
3000 K - 1150 NOMINAL LM  
DOWN 9,2 W CRI>90  
3000 K - 1450 NOMINAL LM  
DIMM 1-10V + DALI + PUSH



NAPPE XL2 

∅ 35 cm / 13.77"  
H 135 cm / 53.14"

INTEGRATED LED LIGHTING

UP 6,6 W CRI>90  
3000 K - 1150 NOMINAL LM  
DOWN 9,2 W CRI>90  
3000 K - 1450 NOMINAL LM  
DIMM 1-10V + DALI + PUSH



NAPPE XL3 

∅ 30 cm / 11.81"  
H 110 cm / 43.30"

INTEGRATED LED LIGHTING

12,2 W CRI>90  
3000 K - 2000 NOMINAL LM  
DIMM 1-10V + DALI + PUSH



NAPPE APP N4



L 7,5 cm / 2.95"  
 SP 14 cm / 5.51"  
 H 40 cm / 15.74"

INTEGRATED LED LIGHTING

5,4 W CRI>90  
 3000 K - 688 NOMINAL LM

DIMM NO

NAPPE APP N2



L 15 cm / 5.90"  
 SP 18 cm / 7.08"  
 H 42 cm / 16.53"

INTEGRATED LED LIGHTING

5,4 W CRI>90  
 3000 K - 688 NOMINAL LM

DIMM NO

