



A dynamically ponding & filtering BMP alternative that requires no trenching.

Product Information



Outer Material	Multi-Filament Polypropylene
Filler	Cellulose Fiber
Color	Blue
Configuration	Sock
Stakes Needed	Every 10 feet
Field Functional Longevity	2 Years

Features

- Allows water to flow steadily and at a controlled rate while preventing fine soil particles from passing through.
- Sock's bulk and weight (around 16lbs per linear ft) ensures ground contact is made while preventing elements from flowing beneath
- Faster and more efficient installation.
- 110 linear feet can be installed in less than 5 minutes with a 3-man crew & a skid steer.
- Comparable installed price to traditional silt fencing.
- Less labor costs and fewer inefficiencies lead to cost comparability.
- Quick, easy, biodegradable cleanup.
- Filler material = biodegradable; therefore, all that requires cleanup (in most cases) is the netting.
- Better performance/functional field longevity.
- Diamond Sock dynamically ponds & filters runoff allowing the BMP to do its job better and for a longer period of time.
- Use for perimeter control, inlet protection, ditch checks, and slope interruption.

Product #	Description	Unit	Quantity	Shipping Weight
DP8-190-1	8" 1 PIECE	Linear Feet	190	1600 lbs
DP8-18-10	8" 18 PIECES, 10 FT	Linear Feet	180	1600 lbs
DP8-9-20	8" 9 PIECES, 20 FT	Linear Feet	180	1600 lbs
DP12-110-1	12" 1 PIECE	Linear Feet	110	1700 lbs
DP12-10-10	12" 10 PIECES, 10 FT	Linear Feet	100	1650 lbs
DP18-55-1	18" 1 PIECE	Linear Feet	55	1750 lbs
DP18-5-10	18" 5 PIECES, 10 FT	Linear Feet	50	1650 lbs
DP24-35-1	24" 1 PIECE	Linear Feet	35	1750 lbs