














Vindum MV Valve Model Listing

Model Number	Schematic	Connection Pattern	Dimensions (WxDxH) inch	MAWP (psi)	Tubing OD
MV-210-HC		2-way straight valve	1.4"x1.4" (base) 2.85" with stem open	12,000	1/8" or 1/16"
MV-210-AN-HC		2-way angle valve (angle can be on either side)	1.4"x1.4" (base) 2.85" with stem open	12,000	1/8" or 1/16"
MV-310-1P-HC		3-way, 1 on Pressure	1.4"x1.4" (base) 2.85" with stem open	12,000	1/8" or 1/16"
MV-310-2P-HC		3-way, 2 on Pressure	1.4"x1.4" (base) 2.85" with stem open	12,000	1/8" or 1/16"
MV-310-2S-HC		2-Stem, 3-way, 1 on Pressure	1.4"x1.4" (base) 2.75" with stems open	12,000	1/8" or 1/16"



Vindum MV Connector Model Listing

Model Number	Schematic	Connection Pattern	Dimensions (WxDxH) inch	MAWP (psi)	Tubing OD
MV-Union-HC		Straight Coupling	1.4"x1.4"x0.6"	12,000	1/8" or 1/16"
MV-TEE-HC		3-Way Coupling	1.4"x1.4"x0.6"	12,000	1/8" or 1/16"
MV-Cross-HC		4-Way Coupling	1.4"x1.4"x0.6"	12,000	1/8" or 1/16"
MV-5STA-HC (special order)		5-Way Manifold	1.4"x1.4"x0.85"	12,000	1/8" or 1/16"
MV-9STA-HC (special order)		9-Way Manifold	1.4"x1.4"x1.45"	12,000	1/8" or 1/16"

Vindum MV Valve Fittings

Part	Schematic	Description	MAWP (psi)	Tubing OD
MV-GLAND-SS		<p>Gland Nut Fits all MV Valves & Fittings</p>	12,000	1/8" or 1/16"
MV-0625F-HC		<p>Ferrule (Hastelloy) for 1/16th OD Tubing</p>	12,000	1/16"
MV-125F-HC		<p>Ferrule (Hastelloy) for 1/8th OD Tubing</p>	12,000	1/8"

Vindum MV Valve Mounting Options

Part	Schematic	Description	MAWP (psi)	Tubing OD
MV-Breadboard		Sturdy Aluminum Grid for direct mounting of MV valves & fittings. Multiple sizes available.		
MV-MB		MV mounting bracket for T-Slot frame systems (eg, UNISTRUT or IPS)		