



Stability Sample
Submission Form

The Analyst Australia
1 White Flats Terrace, Croydon, Vic 3136

Date:

DD/MM/YYYY

Page

1 of 2

COMPANY DETAILS

INTERNAL USE

Company Name									Quote Number	TAA-				
Contact Person									Work Order Reference	TAA-				
Phone #									Condition of Sample	☐ Acceptable				
Contact email										☐ Not Acceptable				
Purchase Order #									Receiving Date	DD/MM/YYYY				
Stability Study	☐ Accelerated		☐ Long Term		☐ Refrigerated		☐ Other		Stability Start Date	DD/MM/YYYY				
Storage Condition	Temperature			°C	Humidity			% RH	Scheduled Reporting Date	DD/MM/YYYY				
Time Points (Months)	☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42

Sr #	Sample Name	Sample Batch #	Packing System	Test Parameter	Specification
1	Paracetamol Tablets	B15413541	HDPE Bottle	Assay	98-102%
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

Sender Name					Receiver Name		
Signature					Signature		
Date					Date		

Stability Sample Submission Form			The Analyst Australia 68, Spirit Boulevard, Cranbourne East, Vic 3977								Date:		DD/MM/YYYY			
											Page		2 of 2			
Sr #	Test Parameters	Time Points														
1		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
2		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
3		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
4		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
5		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
6		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
7		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
8		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
9		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
10		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
11		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
12		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
13		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
14		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
15		☐ T0	☐ T1	☐ T2	☐ T3	☐ T4	☐ T5	☐ T6	☐ T9	☐ T12	☐ T18	☐ T24	☐ T30	☐ T36	☐ T42	
Attachments:																
Stability Sample Submission Form				☐				Release COA				☐				
Signed Protocol				☐				Special Instructions				☐				
Sender Name								Receiver Name								
Signature								Signature								
Date								Date								