



FOR CONC. PIPE REINF.,  
SEE INCLUDED SCHEDULE.

FOR TONGUE AND GROOVE  
DIMENSIONS, SEE REINF.  
CONC. PIPE DETAILS ON  
DRAWING 2 OF 2.

PIPE REINFORCEMENT SCHEDULE			
I.D.	O.D.	WT/FT.	REINFORCEMENT
12"	16"	100	W2.0X2.5 3"X8"
15"	19.5"	125	W2.0X2.5 3"X8"
18"	23"	175	W2.0X2.5 3"X8"
24"	30"	275	W2.0X2.5 3"X8"
30"	37.25"	420	W3.0X2.0 2"X8"
36"	44"	520	W3.5X2.0 2"X8"

**NOTES**

ALL PIPE AVAILABLE IN 6' LENGHTS.  
12" TO 24" IN 4' LENGHTS.  
CONCRETE FOR R.C.P CONFORMS TO ASTM  
DESIGNATION 676 CLASS III, WALL B.

WWW.TEXASPRECAST.NET

TOLL FREE: 800-633-3235  
PHONE: 409-925-2502

**TEXAS PRECAST, L.L.C.**

18303 HIGHWAY 6  
SANTA FE, TEXAS 77510

**MODEL**  
**REINFORCED CONCRETE CULVERT PIPE**