

PUPPY BOOSTER SCHEDULE



Timeline for Vaccinating Puppies

6-8 WEEKS

5-in-1, Bordetella, Leptospirosis

The 5-in-1 vaccine for dogs is referred to by either (DHPP, DAPP, or DA2PP). The 5-in-1 vaccine includes protection against canine distemper virus (indicated by the letter D), two types of adenovirus, aka hepatitis and kennel cough (named A, A2, or H), parainfluenza (P), and parvovirus (P). Leptospirosis is a bacterial disease that affects humans and animals. Bordetella (Kennel Cough) is a bacterium that is associated with respiratory disease.

10-12 WEEKS

5-in-1, Bordetella, Leptospirosis, Lyme Disease, Fecal Exam

This will be the second round of 5-in-1, Bordetella, and Leptospirosis. This round should be given 3-4 week after the first round. Your pup can also receive the Lyme Disease Vaccination at this time. Getting a stool sample tested at this time is also a good idea. If parasites are present your vet can proceed with treatment.

12-16 WEEKS

5-in-1, Bordetella, Leptospirosis, Lyme, and Rabies

This will be the third round of 5-in-1, Bordetella, and Leptospirosis. This round should be given 3-4 week after the second round. Your pup should also have it's second round of the Lyme Disease Vaccination. At this time it can also have its first round for Rabies

ANNUAL

Bordetella, Leptospirosis, Lyme

After your pup has completed it puppy shots, they will be have a yearly booster for the Bordetella, Leptospirosis, and lyme vaccinations.

EVERY 3 YEARS

Rabies, 5-in-1

Once the puppy shots are complete your dog should only need booster for Rabies, and the 5-in-1 every three years. This is dependent on whether your vet offers 1 year or 3 year vaccinations. Anything you do with your puppy should be consulted with you dog's vet first.