




Prefab Expandable Solutions Limited
Optional Additional Extras for Expandable Container
Homes



Exterior Cladding Panel Options:




Packing Parameters

Weight: 3.7kg/m²

Product Specification: 3800 x 380 x 16mm

Packing Size: 3850 x 380 x 16mm

Packing Number: 8 / Packages







Standard Brick Pattern




Pure




Rough Brick Pattern



Marble Pattern



Slate



Bullet Pattern





Stony Pattern



Square Brick Pattern



Wide Narrow Brick



Six Brick Pattern



Stone Pattern



Mosaic






Woodline



Three Ditches




Double Ditch




Bark Grain



Corrugated Pattern




Culture Stone







New Stone



Great Wall Board



Strip Stone



Large, Medium and Small Bricks



Exterior colours without exterior cladding



Stonetop Bench





SPC Flooring Options:

Experimental Detection: Excellent products are a result of repeated running-in between theory and practice. After a lot of experimental testing, the product is more wear-resistant, heat-resistant, waterproof, and environmental protection than solid wood flooring and more suitable for home decoration.

WHAT IS SPC FLOORING?



PRODUCT ADVANTAGES

1. Environmental protection: Eco-friendly material, zero formaldehyde, no noxious or chemical.
2. 100% Waterproof: Vinyl material, hydrophobic, 100% water proof and dampproof.
3. Durable: High quality wear layer and UV coating surface, more than 10 years service life.
4. Fire resistance: Reaction to fire classification is BF1-s1, second only to stone material.
5. Slip resistance: Special anti-slip treatment on wear layer, protect people safety.
6. Sound barrier: Around 20db, noise hardly caused while walking on the flooring.
7. Anti-bacterial: Most germ and bacterium can't service.
8. Easy installation and maintenance: no need accessory for installation, no need special maintenance.



SPC FLOORING

INTERNATIONAL CERTIFICATION

The product has passed the authoritative certification of Intertek and meets the EU standards. Accreditation of conformity with international standards of ISO9001.





SPC Flooring

TEST DATA:

Test Items	Test Standard	Test Results
Slip Resistance	EN13893	Class DS
Formaldehyde	EN717	E1
Smoke Generation	ENISO9239-1	Class S1
Critical Heat Flux	EN ISO9239-1	Class B
Flame Spread	EN ISO11925-2	Class B
Reaction to Fire	EN13501-1	Bfl-S1
Abrasion Resistance	EN13329	Class 23/43
Resistance to Stains / Chemical resistance	EN423	Resistant
Dimensional stability	EN434	X direction: -0.04% Y direction: -0.02%
Curling After Exposure to Heat	EN434	-0.01mm
Wear resistance	EN660-2	Group T
Residual Indentation	EN434	-0.03mm (LVT click)
Chair Caster	EN425	Typ W
Color fastness	ISO105-B02	>=6

SPECIFICATIONS:

Size(w*I) inch&mm	5'*48"(128*1220mm) 6.1'*48"(155*1220mm) 7'*48"(178*1220mm) 7.2'*48"(183*1220mm) 9'*60"(228*1524mm)
Total thickness(mm)	4.0mm/4.2mm/5.0mm/6.0mm
Wear layer thickness(mm)	0.2/0.3/0.5/0.7mm
Surface treatment	UV coated
Surface texture(available)	Embossed / Hand-scraped / EIR / Saw-Cut / Wood grain
Installation	Unilin lock
Features	Waterproof /Eco-friendly/Anti -slip / Wear-resistance /Fire-resistance / Sound barrier
Warranty	10-30 Years





EIR Pattern
BPC228-7P



EIR Pattern
BPC228-7



EIR Pattern
BP75004-4P



EIR Pattern
BP75004-4



Wooden Pattern
BP03004-1P



Wooden Pattern
BP03004-1



Wooden Pattern
BP33004-1P



Wooden Pattern
BP33004-1



EIR Pattern
BPC968-1P



EIR Pattern
BPC968-1



EIR Pattern
BP55004-1P



EIR Pattern
BP55004-1



Wooden Pattern
BP6602-7P



Wooden Pattern
BP6602-7



Wooden Pattern
BP92004-1P



Wooden Pattern
BP92004-1



Wooden Pattern
BPR928A8P



Wooden Pattern
BPR928A8



Wooden Pattern
BPF55086-1P



Wooden Pattern
BPF55086-1



Wooden Pattern
BPF45086-1P



Wooden Pattern
BPF45086-1



Wooden Pattern
BPF12056-1P



Wooden Pattern
BPF12056-1



**Wooden Pattern
BP0851-19P**



**Wooden Pattern
BP0851-19**



**Wooden Pattern
BP61228-1P**



**Wooden Pattern
BP61228-1**



**Wooden Pattern
BP7901-45P**



**Wooden Pattern
BP7901-45**



**Herringbone Pattern
BP4763P**



**Herringbone Pattern
BP4763**



**Wooden Pattern
BPF55086**



**Wooden Pattern
BPF55086-6**



**Wooden Pattern
BPF41086-5P**



**Wooden Pattern
BPF41086-5**



**Wooden Pattern
BPF92086-4P**



**Wooden Pattern
BPF92086-4**



**Herringbone Pattern
BP34228-2P**



**Herringbone Pattern
BP34228-2**



**Stone Pattern
BPR1086-6P**



**Stone Pattern
BPR1086-6**



**Stone Pattern
BPR9086P**



**Stone Pattern
BPR9086**



**Stone Pattern
BPR1086-8P**



**Stone Pattern
BPR1086-8**



**Stone Pattern
BPR8593-4P**



**Stone Pattern
BPR8593-4**



Carpet Pattern
BPX10098-1P



Carpet Pattern
BPX10098-1



Carpet Pattern
BPX10098-4P



Carpet Pattern
BPX10098-4


VINYL FLOORING OPTIONS

1

2

3

4



5


6



7

8



9



10

11

12





Interior Wall Decorative Panel/Ceiling Panel:




What is WPC?

WPC (Wood Plastic Composite) is made in a High-Tech process with a unique combination of Wood Fibre and New Plastic. This new material has the best properties of both Plastic and Wood and is recyclable. WPC is the best non-polluting solution for house decoration due to its unique properties, easy and fast installation process.

Decoration Panel

1. Different width can be selected including 150mm,200mm,300mm,400mm,600mm,thickness is 9mm
2. Different drawings can be selected including four series
3. OEM/ODM can support any requirments from customers






Wood Grain Series



A001



A002



A003



A004



A005



A006



A007



A008



A009



A010



A011



A012



A013



A015



A016



A017



A018



Solid Color Series



D001



D002



D003



D004



D005



D006



Wall Paper Series

