



## 







# CHECK OUT OUR NEW RELEASE







## AFTER A SUCCESSFUL YEAR IN COMPETITION



















MAX RANGE: 80 KM\*

CAPACITY: 3500 WH

**SPEED: 85 KM/H\*\*** 

WEIGHT: 87 KG

TORQUE:\_\_\_\_\_600 NM

ROAD LEGAL<sup>(EU)</sup>: 125 CM<sup>3</sup>

SERIES EQUIPMENT:



PRB / TRACTION CONTROL / EM CONNECT / ANTIRE-VERSE / TFT DISPLAY / GEARED TRANSMISSION



<sup>\*</sup> Following EU registration test No 134/2014.

Range and speed depend on the usage conditions and the motorcycle's configuration.

\*\*85 km/h speed while off-road on private land.







MAX RANGE: 80 KM\*

CAPACITY: 3500 WH

**SPEED: 85 KM/H\*\*** 

WEIGHT: 88 KG

TORQUE:\_\_\_\_\_700 NM

ROAD LEGAL<sup>(EU)</sup>: 125 CM<sup>3</sup>

SERIES EQUIPMENT:

PLOTET #RACINGUPGRADED
WORLD CUP

CLUTCH / FRB / EM CONNECT / ANTI REVERSE / TFT DISPLAY / 25A CHARGER / R16V RACING REARSHOCK



<sup>\*</sup> Following EU registration test No 134/2014.
Range and speed depend on the usage conditions and the motorcycle's configuration.
\*\*85 km/h speed while off-road on private land.

### EM CONNECT

#### **ESCAPE X RANGE IS FITTED WITH THE CONNECTIVITY MOBILE APP**

- Brand new connectivity system via EM mobile app (ios & Android, depending on the list of compatible devices released later)
- Access to all important information about your EM bike and your rider profile
- Personalization of your EM bike settings through a configurator on the engine behaviour in order to adapt the performance of your EM bike to the type of terrain, your riding style and your level
- Lock and Unlock your EM bike
- Contact interface, EM news & real-time diagnostics







CYCLE PART		MOTOR		
FRONT BRAKES	NISSIN 260mm	NOMINAL POWER 6KW		
REAR BRAKES	NISSIN 220mm	PEAK POWER 11 KW		
FRONT RIM	Morad 1.6"X21"	MAP	3 (unlimited through EM connect)	
REAR RIM	Morad 1.85"x18"			
TIRES Michelin	n Enduro MEDIUM	EQUIPMENTS		
FRONT SUSPENSIONS UPD	INVERTED 35mm			
FRONT SUSPENSION TRAVEL	250mm	PRB		
REAR SUSPENSIONS	R16V	TRACTION CONTROL (TC)		
		EM CON	NECT	
		CHARGE	ER CASE	
BATTERY		ANTIRE	VERSE	
		TFT DIS	PLAY	
ENERGY	Li-ion	GEARED	TRANSMISSION	
VOLTAGE	50.4 V			
CAPACITY	3500 Wh	OPTIONS		
WEIGHT	16 kg			
CHARGER	15 A	FLYWHE	EEL	
LIFE CYCLE	1000	25A CH		
MIN CHARGING TEMPERATURE	0°C		DGUARD	

**CLUTCH** 

CYCLE PART		MOTOR		
FRONT BRAKES	NISSIN 260mm	NOMINAL POWER	6KW	
REAR BRAKES	NISSIN 220mm	PEAK POWER	<b>12KW</b>	
FRONT RIM	Morad 1.6"X21"	MAPS 3(unlimited through E	Mconnect)	
REAR RIM	Morad 1.85"x18"			
TIRES Michelin	Enduro MEDIUM			
FRONT SUSPENSIONS UPD I	NVERTED 35mm	EQUIPMENTS		
FRONT SUSPENSION TRAVEL	250mm			
REAR SUSPENSIONS	<b>R16V RACING</b>	CLUTCH		
		FRB		
		EM CONNECT		
BATTERY		CHARGER CASE		
		ANTIREVERSE		
ENERGY	Li-ion	TFT DISPLAY		
VOLTAGE	50.4 V			
CAPACITY	3500 Wh	OPTIONS		
WEIGHT	16 kg			
CHARGER	25 A	PRBR		
LIFE CYCLE	1000	FLYWHEEL		
MIN CHARGING TEMPERATURE	0°C	EM HANDGUARD		





## 



#### BOOK NOW

Need more info?

Call +33(0) 6 51 05 51 69 FR Call +33(0) 6 87 54 95 64 EXP

\*Stickers kit, brake discs and suspensions presented on our pictures are not final ones, all pictures are from prototype used in FIM E-xplorer series.

