



## The Exponent Rules

### Rule #1: Multiplying Powers with the Same Base

*When multiplying powers with the same base you ADD the exponents.*

$$\text{Example: } a^3 \times a^2 = a^{3+2} = a^5$$

### Rule #2: Dividing Powers with the Same Base

*When dividing powers with the same base you SUBTRACT the exponents.*

$$\text{Example: } a^5 \div a^3 = a^{5-3} = a^2$$

### Rule #3: When Raising Powers to Another Power

*When raising a power to another power you MULTIPLY the exponents.*

$$\text{Example: } (a^4)^2 = a^{4 \times 2} = a^8$$

### Rule #4: Powers with a Negative Exponent

*Powers with a negative exponent can be written as a FRACTION with a POSITIVE exponent.*

$$\text{Example: } a^{-5} = \frac{1}{a^5}$$

*Conversely, a fraction whose denominator has an exponent can be written as a power with a NEGATIVE exponent.*

$$\text{Example: } \frac{1}{a^9} = a^{-9}$$

## **Rule #5: A Power with an Exponent of One**

*When evaluating a power with an exponent of one, the answer will be the base.*

$$*Example: a^1 = a*$$

## **Rule #6: A Power with an Exponent of Zero**

*When evaluating a power with an exponent of zero, the answer will be one.*

$$*Example: a^0 = 1*$$