Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2019

ODUCTS, INC.

Revision: 27.09.2018

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Opalescence[™] Boost Activator Gel · Article number: 15083, 71087 · Index number: SDS 196-001.09 · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Tooth Whitening Activator · Application of the substance / the mixture Professional Dental Tooth Whitening Activator • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany *Email: infoDe@ultradent.com Emergency Phone:* +49(0)2203-35-92-0 · Further information obtainable from: Customer Service · Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL): +(703) 527-3887 **2** Hazards identification · Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS03 flame over circle Ox. Liq. 2 H272 May intensify fire; oxidiser. GHS05 corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according

to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by

(Contd. on page 2)

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

are providea	(Contd. of page 1) 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS 1 solely on a voluntary basis. 0grams GHS03, GHS05, GHS07 Danger
Hazard-dete	ermining components of labelling:
Potassium H	lydroxide
Sodium Fluc	bride
Hazard state	ements
H272	May intensify fire; oxidiser.
	P. Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
	iry statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P221	Take any precaution to avoid mixing with combustibles.
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional i	
	ntact with acids liberates toxic gas.
Other hazar	
	BT and vPvB assessment
PBT: Not ap	pplicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compon CAS: 56-81-5	Glycerine	<80%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7757-79-1	Potassium Nitrate	<30%
EINECS: 231-818-8	🚸 Ox. Sol. 2, H272; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335-H336	
CAS: 1310-58-3	Potassium Hydroxide	<30%
EINECS: 215-181-3	Skin Corr. 1A, H314; () Acute Tox. 4, H302	
CAS: 7681-49-4	Sodium Fluoride	<10%
EINECS: 231-667-8	♦ Acute Tox. 3, H301; Acute Tox. 2, H310; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	Dimethicone	<1%
	🚸 Repr. 2, H361f; STOT RE 2, H373	

(Contd. on page 3)

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- This product is a viscous gel, therefore chance of inhalation is extremely low.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. • *After skin contact:*

- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- Extinguishing media
 Suitable extinguishing agents: Water mist
 Foam, dry chemical, carbon dioxide
 Water fog
 Water spray
 Use fire extinguishing methods suitable to surrounding conditions.
 Special hazards arising from the substance or mixture
 During heating or in case of fire poisonous gases are produced.
 - Advice for firefighters:
 Protective equipment: Wear fully protective suit. Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

GB2

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling:

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN). Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- *Information about fire and explosion protection: Protect from heat. Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility:
- Store away from flammable substances. Do not store together with acids.
- Further information about storage conditions: See product labelling. Keep container tightly sealed. Protect from heat and direct sunlight.
- · Specific end use(s) Professional Dental Tooth Whitening Activator

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerine

WEL (Great Britain) Long-term value: 10 mg/m³

1310-58-3 Potassium Hydroxide

WEL (Great Britain) Short-term value: 2 mg/m³

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

 $(Contd. \ on \ page \ 5)$

GB2

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and cho General Information	emical properties	
Appearance:		
Form:	Gel	
Colour:	Orange to Dark Red	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value at 20 °C:	12	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rang	ge: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.37 g/cm ³	

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

		(Contd. of page
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	<70 %	
VÕC (EC)	0.00 %	
Solids content:	<50.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity Stable
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Contact with acids releases toxic gases.
- Conditions to avoid:
- Heat
- Moisture
- · Incompatible materials:
- Organic materials
- Metals
- Acids

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification:

Oral	LD50	407 mg/kg	
Dermal	LD50	2,059 mg/kg (rat)	
Inhalativ	e LC50/4 h	>0.243 mg/l (rat)	
56-81-5	Glycerine		
Oral	LD50	7,750 mg/kg (Guinea pig)	
		4,100 mg/kg (mouse)	
		5,570 mg/kg (rat)	
		27,000 mg/kg (rabbit)	
			(Contd. on page

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

		(Contd. of page
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.1425 mg/l (rat)
7757-79-1	Potassium Nitrate	
Oral	LD50	3,015 mg/kg (rat)
		1,901 mg/kg (rabbit)
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)
1310-58-3	Potassium Hydroxide	
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7681-49-4	Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

• Aquatic toxicity:	
56-81-5 Glycerine	
EC50	>10,000 mg/l (Bacteria)
	>10,000 mg/l (daphnia)
7681-49-4 Sodium Fli	uoride
EC50	272 mg/kg (Algae)
	98 mg/kg (daphnia)
Algae Toxicity (static)	7 mg/l (Algae)
	dability No further relevant information available.
· Behaviour in environ	nental systems:
· Bioaccumulative poter	ntial No further relevant information available.
. Mobility in soil No fur	ther relevant information available

• **Mobility in soil** No further relevant information available.

(Contd. on page 8)

GB2

Printing date 11.11.2019

Revision: 27.09.2018

(Contd. of page 7)

Trade name: Opalescence[™] Boost Activator Gel

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Do not allow product to reach sewage system.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP2 Oxidising

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP6Acute ToxicityHP8Corrosive

HP12 Release of an acute toxic gas

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADR, IMDG, IATA	UN1760
· UN proper shipping name	
ADR, IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (Potassium Hydroxi Mixture)
Transport hazard class(es)	
ADR, IMDG, IATA	
- Class	8 Corrosive substances.
Label	8
Packing group	
ADR, IMDG, IATA	II

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

	(Contd. of page 3
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F- A , S - B
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II o	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	1760 CORROSIVE LIQUID, N.O.S. (Potassium Hydroxid Mixture), 8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment:
- Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 10)

⁻ GB2

Printing date 11.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost Activator Gel

	(Contd. of page 9)
H335 May cause respiratory irritation.	
H336 May cause drowsiness or dizziness.	
H361f Suspected of damaging fertility.	
H373 May cause damage to organs through prolonged or repeated exposure.	
Department issuing SDS: Regulatory Affairs	
• Contact: Customer Service	
• Abbreviations and acronyms:	the International
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning Carriage of Dangerous Goods by Road)	, ine international
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Ox. Liq. 2: Oxidizing liquids – Category 2	
Ox. Sol. 2: Oxidizing solids – Category 2 Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 4. Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
	GB2

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.11.2019

UCTS, INC.

Revision: 27.09.2018

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Opalescence[™] Boost (mixed) · Article number: 15083, 34567, 71087, 1008067 • Index number: SDS 199-001.17 · Relevant identified uses of the substance or mixture and uses advised against Professional Dental In-Office Tooth Bleaching Gel · Application of the substance / the mixture Professional Dental In-Office Tooth Bleaching Gel · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany *Email: infoDe@ultradent.com Emergency Phone:* +49(0)2203-35-92-0 · Further information obtainable from: Customer Service · Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL): +(703) 527-3887 **2** Hazards identification · Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage.

GHS07

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

• Hazard pictograms GHS05, GHS07

(Contd. on page 2)

Printing date 07.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost (mixed)

Signal word	(Contd. of page 1)
0	ermining components of labelling:
Hydrogen P	
Potassium H	
Hazard stat	
H314	Causes severe skin burns and eye damage.
	May cause respiratory irritation. May cause drowsiness or dizziness.
	<i>rry statements</i>
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P351	<i>P</i> +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazar	rds
Results of P	PBT and vPvB assessment
DDT. Not a	mulicable

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 7722-84-1	Hydrogen Peroxide	<i>≤</i> 40%
EINECS: 231-765-0	� Ox. Liq. 1, H271; � Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 56-81-5	Glycerine	<12%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7757-79-1	Potassium Nitrate	<i>≤</i> 3%
EINECS: 231-818-8	🚸 Ox. Sol. 2, H272; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335-H336	
CAS: 1310-58-3	Potassium Hydroxide	<3%
EINECS: 215-181-3	< Skin Corr. 1A, H314; 🚸 Acute Tox. 4, H302	
CAS: 7681-49-4	Sodium Fluoride	1.1%
EINECS: 231-667-8	♦ Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Seek medical treatment in case of complaints.

(Contd. on page 3)

GB2

Printing date 07.11.2019

Revision: 27.09.2018

(Contd. of page 2)

Trade name: Opalescence[™] Boost (mixed)

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

• *After swallowing:* Do not induce vomiting; call for medical help immediately.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

· Extinguishing media

- Suitable extinguishing agents: Water spray
- Special hazards arising from the substance or mixture

In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.

During heating or in case of fire poisonous gases are produced.

• Advice for firefighters:

Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.

Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Keep away from ignition sources.

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.

Stop the flow of material, if this is without risk.

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire. Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

GB2

Printing date 07.11.2019

Revision: 27.09.2018

(Contd. of page 3)

Trade name: Opalescence[™] Boost (mixed)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling:

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN). Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire. Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles: Suitable material for receptacles and pipes: Stainless steel. Suitable material for receptacles and pipes: glass. Suitable material for receptacles and pipes: Aluminium. Store only in the original receptacle. Provide ventilation for receptacles.
Information about storage in one common storage facility: Store away from reducing agents. Store away from combustible materials. Store away from metals.
Further information about storage conditions: Store receptacle in a well ventilated area.

Store in a cool place.

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional Dental In-Office Tooth Bleaching Gel

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7722-84-1 Hydrogen Peroxide

WEL (Great Britain) Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

56-81-5 Glycerine

WEL (Great Britain) Long-term value: 10 mg/m³

1310-58-3 Potassium Hydroxide

WEL (Great Britain) Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

GB2

Printing date 07.11.2019

· Exposure controls

Revision: 27.09.2018

Trade name: Opalescence[™] Boost (mixed)

(Contd. of page 4)

- Personal protective equipment:
 General protective and hygienic measures: Do not eat or drink while working.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Use chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent)



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Gel		
Colour:	Red		
Odour:	Odourless		
Odour threshold:	Not determined.		
pH-value at 20 °C:	6-8.5		
Change in condition			
Melting point/freezing point:	Undetermined.		
Initial boiling point and boiling ra	nge: 100 °C		

Printing date 07.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost (mixed)

	(Contd. of pag	;e 5
· Flash point:	>65 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	$1.2-1.4 \text{ g/cm}^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	<30 %	
Water:	40.0 %	
VOC (EC)	0.00 %	
Solids content:	<20.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under recommended conditions.

- Thermal decomposition / conditions to be avoided: Decomposes when exposed to heat
- Possibility of hazardous reactions:

Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.

Reacts with various metals.

Reacts with organic substances.

- Conditions to avoid: pH Variations UV rays Contamination
- · Incompatible materials:
- Heavy Metals Reducing Agents

Combustible Materials

Alkalis

Organic materials

(Contd. on page 7)

Printing date 07.11.2019

Revision: 27.09.2018

(Contd. of page 6)

Trade name: Opalescence[™] Boost (mixed)

· Hazardous decomposition products: Oxygen

11 Toxicological information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

	values relevant for class te Toxicity Estimates)	V
Oral	LD50	861 mg/kg
Dermal	LD50	
		15,432 mg/kg
Inhalative	LC30/4 h	>1.29 mg/l
7722-84-1	Hydrogen Peroxide	
Oral	LC50 Fish	16.4 mg/l (Fish)
56-81-5 G	lycerine	·
Oral	LD50	7,750 mg/kg (Guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.1425 mg/l (rat)
7757-79-1	Potassium Nitrate	
Oral	LD50	3,015 mg/kg (rat)
		1,901 mg/kg (rabbit)
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)
1310-58-3	Potassium Hydroxide	
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7681-49-4	Sodium Fluoride	1
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB2

Printing date 07.11.2019

Revision: 27.09.2018

(Contd. of page 7)

Trade name: Opalescence[™] Boost (mixed)

· STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

7722-84-1 Hydrogen I	Danavida	
• •		
EC50	1.38 mg/l (Algae)	
	2.4 mg/l (daphnia)	
56-81-5 Glycerine		
EC50	>10,000 mg/l (Bacteria)	
	>10,000 mg/l (daphnia)	
7681-49-4 Sodium Fli	ıoride	
EC50	272 mg/kg (Algae)	
	98 mg/kg (daphnia)	
Algae Toxicity (static)	7 mg/l (Algae)	
	dability No further relevant information available.	
Behaviour in environn		
	ntial May be accumulated in organism	
•	ther relevant information available.	
Additional ecological	information:	
General notes:	Common Doculation (Solf association att), alightly har and our for water	
	German Regulation) (Self-assessment): slightly hazardous for water I product or large quantities of it to reach ground water, water course or sewage system.	
	e water or drainage ditch undiluted or unneutralised.	
Results of PBT and vi		
PBT: Not applicable.	vD ussessment	
I DI . Not applicable.		
vPvB: Not applicable.		

13 Disposal considerations

• Waste treatment methods

· Recommendation Do not allow product to reach sewage system.

· European waste catalogue

HP6 Acute Toxicity

HP8 Corrosive

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

• *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

(Contd. on page 9)

GB2

Printing date 07.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost (mixed)

(Contd. of page 8)

TINT NI	
UN-Number ADR, IMDG, IATA	UN3264
UN proper shipping name ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (HYDROGEN PEROXIDE, STABILIZED)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (HYDROGEN PEROXIDE, STABILIZED)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances. 8
Packing group ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters. SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Limited augustities (LO)	IL
Limited quantities (LQ) Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
r	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO N.O.S. (HYDROGEN PEROXIDE, STABILIZED), 8, II

(Contd. on page 10)

Printing date 07.11.2019

Revision: 27.09.2018

Trade name: Opalescence[™] Boost (mixed)

(Contd. of page 9)

GB2

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment:

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser. H272 May intensify fire; oxidiser. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. · Department issuing SDS: Regulatory Affairs · Contact: Customer Service · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 1: Oxidizing liquids - Category 1 Ox. Sol. 2: Oxidizing solids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3